



H. J. Bently,

Timber Merchant,

Main Street.

RINGWOOD.



Phone Ringwood 31

Crawford & Son, Printers, Latrobe Parade, next 111 Collins Street E.

JUNE, 1917.

H. J. Bently

Timber Merchant

AND

Box Manufacturer

Main Street,

RINGWOOD

Price List

NOTE—Prices are subject to alteration
without notice.

Telephone—Ringwood 31

Special Quotations
ever gladly given

NEPONSET PAROID ROOFING.

A Cheap and durable Roofing, also suitable for outside Walls for Buildings of every description; a weatherproof fire-retarding material, which in price is considerably less than half the cost of Iron. Put up in Rolls, 72ft. long by 3ft. wide. Each roll will cover 100 square feet.

☞ Please call and inspect.

← ——— ——— ——— →
 Spraying Oils Always in Stock.

INDEX.

	PAGE
Approximate Weight of Timber, etc.	2
Baltic T. & G., and Hardwood Weatherboards	4
Box Frames and Sashes	6
Cartages	3
Cement, etc.	10
Doors	7
Fruit Cases and Dressing Timber	3
Galvanised Iron, etc.	11
Hardwood	5
Kauri Flooring and Lining	4
Laths	10
Lime	10
Mouldings	8, 9
Nails	11
Oregon	4
Palings	5
Pickets	5
Pipes	12
Plaster	10
Red Gum	5
Red Pine	10
Red Pine Lining	4
Rough Lining	4
Sashes	6, 7
Shelving	10
Tanks	11
Tasmanian Flooring, Lining, and Weather Boards	10
Useful Information	12

2 **H. J. BENTLY, Timber Merchant**

Main Street, Ringwood. 3

Approximate Weight of Timber, Etc.

Table of running feet per ton, approximate.

Size	White	Red
6 x 1½ T. & G.	about 1,650 ft.	about 1,500 ft.
6 x ¾ "	" 2,100	" 1,850
6 x ¾ "	" 2,500	" 2,300
6 x ¾ "	" 2,800	" 2,600
6 x ½ "	" 3,700	" 3,500
6 x ¾ Reb.	" 4,600	" 3,900
Weatherboards	" 3,500	" 3,300

Table of super feet per ton, approximate.

Oregon	about 740 super feet to the ton
Red Deal	" 750 "
Yellow Pine	" 900 "
Kauri	" 650 "
Hardwood	" 360 "
Jarrah	" 360 "
Palings, 6ft.	" 400 pieces
" 5ft.	" 500 "
Laths, American.	42 bdl.
Bricks	" 3½ tons to 1000
Lime	" 13 bags to the ton
Cement	" 3½ cwt. to 1 cask

Please write or ring Ringwood 31 for anything you may require in the Timber line.

Fruit Cases—Dressed ends

½ Bushel—Seasoned Hardwood	6½d.
½ Dumps " "	6½d.
Imperial Bushel " "	10½d.

Dump Cases; Dump Cases in shooks—
Quoted for on RAIL.

When the rush for cases is over do not let things lull, but please come along anything you may require for Building, &c.—for H. J. B. stocks all the best TIMBERS at lowest market rates.

CARTAGES.

1 horse load or portion	3/6
2 " " "	7/-
3 " " "	10/6

Goods to value of 20/- and under, 1/-; to 30/-, 2/-
Long distances by special arrangement.

DRESSINGS.

Sizes 6½ in. wide and under, and 1 in. thick, 1/- per 100 ft. lineal; over 6½ in. wide to 24 in. wide, 1 in. thick and over, 2/6 per 100 feet super face of dressing.

All kinds of Joinery Work at Shortest Notice.

H. J. BENTLY

Hardwood Weatherboards

Dressed, 7 in. wide, Round Edge	...	10/6
Undressed "	...	7/6
" 6 "	...	4/6
6 x 1/2 Hardwood	...	4/6
6 x 3/8 "	...	4/-
W'board stop, 5/4 x 1 1/4 seasoned & dressed H'wd.	8 2/4	

Flooring, Lining and Weatherboards

6 x 1 1/8 T & G.	White 28/-	Red 28/-
6 x 7/8 "	" 22/9	" 23/9
6 x 3/4 "	" 22/9	" 23/9
6 x 5/8 "	" 19/	" 19/3
6 x 1/2 "	" 19/	" 19/3
6 x 3/8 Reb and Bd.	" 15/6	" 16/9
Weatherboards	" 15/9	" 16/3

Oregon

Undressed up to 32 ft.	32/6 per 100 ft. super.
" 33 to 40 "	33/6 "
" 41 to 50 "	38/ "
Selected Oregon,	2/- extra.
Weatherboard Stops, 2 1/4 x 1 1/4, Oregon,	dressed, 12/-; undressed, 10/3

Rough Lining (Oregon)

9 in. x 6 out, 14/6; 7 out, 13/-; 8 out, 11/6; per 100 ft. lineal.

Builders' Hardware at City Current Prices

Near Railway Station, Ringwood. 5

Hardwood

2 x 1, 3/- per 100 ft. lineal.
3 x 1, 4/- "
2 x 1 1/2, 4/3 "
Per 100 ft. super
3 x 1 1/2, 3 x 2, 4 x 1 1/2, } Lengths to 16ft., 15/6
4 x 2, 4 x 3, 6 x 1, } " 17 to 20ft., 16/-
All other stock sizes extra.
Angle Rails, 2 out 4 x 4, 12/6 per 100ft. lineal

Victorian Palings

5ft. split, 22/- per 100 pieces.
6ft. " 32/
Split Posts, 6ft. 70/-; 6ft. 6in. 85/-; per 100
Split Rails, 9ft.

Pickets

5ft. H'wood 3 x 1 rough point,	Per 100
6ft. " "	14/6
4ft. 6in. " " dressed, round tops,	15/6
4ft. 6in. " " other designs from	22/-
4ft. 6in. Ogn. " dressed and shaped,	23/-

Red Gum

4 x 4 Blocks to 5 fts., 16/6; 6ft. 20/-	} per 100 feet
5 x 3 fencing, 6, 7 and 8 fts., 21/-	
Other building sizes in stock.	super.

No. Order is too large, or too small.

Windows.

Box Frames, and Sashes, weight and cords.

2-, 4- and 12-light, 16 oz. glass.

Measurement—Height, from underside of head to underside of sill. width between pulley stiles.

			Narrow Sill	Wide Sill
4ft.	x 2ft.	4in. x 1 1/2 in.	30/6	32/-
4ft.	8in x 2ft.	10in. x 1 1/2 in.	35/-	36/6
5ft.	4in x 2ft.	10in. x 1 1/2 in.	38/6	40/-
6ft.	x 2ft.	10in. x 1 1/2 in.	42/6	44/-
6ft.	x 3ft.	x 1 1/2 in.	43/6	45/-
6ft.	2 1/2 in x 3ft.	x 1 1/2 in.	45/6	47/-

If glazed 21-oz. glass, 3/6 extra on above.

Sashes.

	12 Lights in pair	2 or 4 Lights in pair	size Overall
8 x 10 x 1 1/4	11/-	1 1/2, 11/6	1 1/2, 12/9
10 x 12 x 1 1/4	14/3	1 1/2, 14/9	1 1/2, 15/9
10 x 14 x 1 1/4	16/3	1 1/2, 16/9	1 1/2, 18/-
10 x 16 x 1 1/4	17/9	1 1/2, 18/6	1 1/2, 21/-
12 x 14 x 1 1/4	—	1 1/2, 19/-	5.10 x 2.10
12 x 16 x 1 1/4	—	1 1/2, 20/6	

Imperial Bushels, Dump Cases, 1/2 Bushels.

1/2 Dumps, made from Seasoned Hardwood.

Please give them a trial.

Doors.

Double Moulded or Top Panels prepared for glass.

1 1/4 in. and 1 1/2 in. Doors finished 1/8 in. under thickness.

6.6 x 2.6 x 1 1/4	17/6	6.10 x 2.10 x 1 3/4	25/6
6.6 x 2.6 x 1 1/2	19/6	6.10 x 2.10 x 2	28/-
6.8 x 2.8 x 1 1/4	19/-	7 x 3 x 1 1/2	23/6
6.8 x 2.8 x 1 1/2	20/-	7 x 3 x 1 3/4	26/6
6.10 x 2.10 x 1 1/2	21/6	7 x 3 x 2	29/-

Extra on above sizes, 4 panel.

Bead and Butt, 1 1/2 doors, 5/-; 1 3/4, 6/- extra.

Bolection Mould, 6.8 x 2.8, 6/-; 6.10 x 2.10, 7/-

" " 7 x 3 7/-

Raised Panels 4/- extra.

Ledge Doors, 6.6 x 2.6 x 7/8, 10/9

" " 6.8 x 2.8 x 7/8, 11/9

Wire Doors, from 12/6 each.

4 Light Single Sashes.

	Overall size
10 x 8 x 1 1/4, 4/6	2.0 3/4 x 1.7 3/4
10 x 12 x 1 1/4, 5/6	" " 2.4 1/2 x 1.11 3/4
10 x 14 x 1 1/4, 6/-	" " 2.8 1/2 x 1.11 3/4
10 x 16 x 1 1/4, 6/6	" " 3.0 1/2 x 1.11 3/4

Inspect H. J. B.'s FRUIT CASES before ordering elsewhere.

8

H. J. BENTLY

Mouldings

Sizes before Machining.

Architraves Lengths 17ft. and up 1/- per 100 ft extra
 $3 \times \frac{7}{8}$ $4 \times \frac{7}{8}$ $5 \times \frac{7}{8}$ $4 \times 1\frac{1}{4}$ $5 \times 1\frac{1}{4}$ $6 \times 1\frac{1}{4}$ $6 \times 1\frac{1}{2}$

13/6 17/- 21/- 21/- 23/6 27/6 30/6

Astragal or Crown Mould—

1 $1\frac{1}{4}$ $1\frac{1}{2}$ $2 \times 1\frac{1}{2}$ $3 \times 1\frac{1}{2}$

6/6 8/- 9/- 13/6 19/-

Cover Moulding—

$1\frac{1}{8} \times \frac{3}{8}$, 6/6; $1\frac{1}{8} \times \frac{3}{8}$, 7/-; $2\frac{1}{2} \times \frac{1}{2}$, 8/-
 Square edge or moulded.

Block Front Rebated—

$10 \times \frac{7}{8}$ $12 \times \frac{7}{8}$

40/- 47/6

Cap Moulding—

3 x 2 4 x 2 4 x $2\frac{1}{2}$ 4 x 3

19/- 25/- 30/6 37/6

Cornice Moulding—

3 4 5 6

13/6 17/- 21/- 25/-

Dado Moulding—

$1\frac{1}{4}$ $1\frac{1}{2}$ 2

8/6 11/- 13/-

Hand Rail—

$3\frac{1}{2} \times 2\frac{1}{2}$ 4 x 3

4 $\frac{1}{4}$ d. 5 $\frac{3}{4}$ d.

Mouldings and Skirting run to any Design

Ringwood CASE Factory.

9

Mouldings (Continued)

Neck Moulding—

$1\frac{1}{4} \times 1$ $1\frac{1}{2} \times 1\frac{1}{4}$ $2 \times 1\frac{1}{2}$

6/6 8/6 10/6

O. G. Moulding, Splay—

Lengths 17 ft. and up to 1/- per 100 feet extra.

2 $2\frac{1}{2}$ 3

8/- 9/- 10/6

If beaded, 6d. per 100 feet extra.

Ovolo Moulding—

1 $1\frac{1}{4}$ $1\frac{1}{2} \times 1\frac{1}{2}$ 2×2 $2\frac{1}{2} \times 2\frac{1}{2}$

6/6 8/- 9/6 14/6 25/-

Picture Rail—

2×1 $2\frac{1}{4} \times 1$ $2\frac{1}{2} \times 1\frac{1}{4}$ $2\frac{1}{2} \times 1\frac{1}{2}$ $3 \times 1\frac{1}{2}$

9/6 11/6 14/- 16/6 19/-

Quarter Round—

$\frac{1}{2}$ in. $\frac{3}{4}$ in. 1 in. $1\frac{1}{4}$ in. $1\frac{1}{2}$ in. 2 in. $2\frac{1}{2}$

5/- 5/6 6/6 8/- 10/- 17/- 25/6

Skirtings—

$6 \times \frac{3}{4}$ $7 \times \frac{3}{4}$ $7 \times \frac{7}{8}$ $8 \times \frac{7}{8}$ $9 \times \frac{7}{8}$ $11 \times \frac{7}{8}$ $12 \times \frac{7}{8}$

19/- 22/- 28/- 31/6 35/6 44/- 47/6

Scotia—

1 $1\frac{1}{4} \times 1$ $1\frac{1}{2} \times 1\frac{1}{4}$ $2 \times 1\frac{1}{2}$ 2×2

5/- 7/- 8/- 10/- 13/-

Window Nosing—

$2 \times 1\frac{1}{2}$ $2\frac{1}{2} \times 1\frac{1}{2}$ $3 \times 1\frac{1}{2}$

13/6 16/6 19/-

Large Stock of All Timbers

10 Write or Ring H. J. BENTLEY,

Laths.

4ft. 6in. American, per 10 bundles.

4ft. 6in. Colonial, 50/ "

Lime (Lilydale), 3/6 per bag (by load).

Plasterer's Hair 4/6* per bag.

Bags 6d. extra, but returnable.

Cement, K.B., - per cask.

Plaster of Paris " "

Coal Tar - - 3/6 per drum

Lattice Laths.

			Per 100 ft. lineal
Hardwood, $1\frac{1}{2} \times \frac{3}{8}$,	rough 2/-	dressed 3/-	
Oregon, $1\frac{1}{2} \times \frac{3}{8}$,	" 2/6	" 3/6	
Red Pine, $1\frac{1}{2} \times \frac{3}{8}$,	" 3/3	" 4/3	

Red Pine.

1in. thick and upwards, stock lengths and sizes, 44/ per 100 feet super.

Shelving.

White Pine, 12in., per foot.

Also 14in., 16in., 18in. stocked.

Tasmanian Hardwood.

Per 100 ft. lineal.

$4\frac{1}{2} \times \frac{7}{8}$, T. & G. Seasoned Flooring,

$3\frac{1}{2} \times \frac{1}{2}$, T. & G. V Jtd. Seasoned Lining,

Weatherboards, round edge,

Unsurpassable Hardwood Timber in stock

Main Street, Ringwood.

11

Galvanized Corrugated Iron

26-gauge } 5ft. 6ft. 7ft. 8ft. 9ft. 10ft.
Apollo, } Prices on application.

Iron curved at shortest notice.

Above prices are subject to daily fluctuations.

Ridging	Spouting	Down Pipe
12 3/5	4 2/10	2 2/4
14 3/11	4 1/2 3/1	2 1/2 2/6
16 4/5	5 3/5	3 3/

Per 6ft. length, actual sizes.

Tanks

24-gauge G.C. Iron, complete with tap, cover
200-g. 300g. 400g. 600g. 800g. 1000g.
Special Tanks made to order.

Nails

Gauge 7, 42/-	10, 43/6	13, 49/	15, 59/6
8, 42/6	11, 44/6	14, 54/6	16,
9, 43/-	12, 47/	per cwt. case.	

By the lb.—Gauge—7.10 11.12 13.14 15.16
5 1/2 d. 6d. 6 1/2 d.

28 lbs. and over of one size only 1/4 lb. less.
Oval Floor Brads, 2in., 2 1/4 in., 49/- per cwt.

Iron Chimneys

4ft. x 2.6 x 22in. 4ft. x 3ft. x 22in.

Galv. Metal Rough Cast

6ft. x 3ft., 7/6 6ft. x 2ft. per sheet.

I Deliver Promptly.

13H

12

Phone Ringwood 3l.

Galvanized Plain Iron, all Sizes in stock.
" Hoop Iron, do.
Plain and Barbed Fencing Wire.
Wire Netting, all sizes.

Prices for these lines on application.

Useful Information.

Lath and Plaster.—100 square yards requires 4 bags lime, 3 yards sand. 16 bundles 4.6 American Laths, 8 lbs. 1 in Nails, 1/2 bag hair.

Laths.—A bundle 4.6 American Laths covers 6 1/2 square yards. bundle 4.6 Colonial Laths covers 5 square yards.

Paint.—One gallon mixed weighs 18 to 20 lbs. and will cover 40 to 50 sq. yds. (one coat) according to surface.

Plain Fencing Wire—	Gauge.	Length per cwt. in yards.
	8	566
	10	882
Barbed Fencing Wire—	12	450
	14	710

Wire Nails.—Approximate number to lb.:

1 x 16, 1080	2 x 12, 190	2 1/2 x 10, 100	4 x 7, 35
1 1/2 x 14, 558	2 x 11, 158	3 x 10, 81	6 x 4, 13
1 1/2 x 13, 340	2 1/2 x 11, 130	3 x 9, 67	

Kindly call and inspect

HARDWOOD WEATHERBOARDS

before ordering soft wood.