19-7-44

and ceiling badly needed painting as also did a set of lockers. They also found that a partition across the centre of the room interfered with instruction and a large ventilator in the ceiling caused draughty conditions.

The report was received on the Motion of Mr Beanland seconded by Mr M B. John.

Business out of reports

Commonwealth Reservation and Assistance

The Principal explained the system of reservations and assistance which is granted to diploma students in Engineering and Science Courses.

Sale of old Lathes.

It was resolved that steps be taken to dispose of two old lathes recently replaced by two new ones from Department of Munitions reserve stock.

(Mr Lederman & B. A John)

Extensions to switch board in Machine Shop

It was decided to leave this matter in the hands of Mr H Farr and the Principal with power and that they submit a report at the next meeting.

Typewriting Room

It was decided to leave the matter of lighting, partitioning and painting of this room in the hands of the President Vice-Presidents and Principal

19-7-44

Reports

Principal's Report was read, received and adopted.

Received: Letter B. A. John & D. Maxwell.

Carried: Mr Lederman's Memorandum.

Instruction re Miss Reid's Report.

Mr Lynch reported that in company with Mr Jackson an inspection of the school had been made during the afternoon.

They found that the lower yard was very muddy near the doors of the Blacksmithing Department and the Machine Shop. In the Machine Shop there were three machines which could not be treated owing to the lighting being too small.

The flooring in the Lathes and Locker Hall is in a bad condition and some boards will have to be renewed. It was found the lighting near the Planing Department is dangerous. Several belts which protected the pulleys had been removed. In the Electrical Department the drawing boards were too close together to allow the students room to work. In the typewriting room the lighting was bad, the walls