

TRAMWAY DRAWINGS

HELD AT BALLARAT, BENDIGO, GEELONG BRANCHES, AND WORKS DIVISION, RICHMOND.

Axle 4" dia. Brush Single Truck	GE-T7-7626		BEF 44/126	
Axle & Tyres for Brush Single Truck	GE-T7-7627	BA-T7-7636		
Axle and Wheels for Brush Single Trucks	GE-T7-7644A&T759			GE-T7-7634A&T759
Axles 5" for Radiax Trucks B.I.B. (Pengelly Cars)	GE-T7-7629			
Axle and wheels for Radiax Trucks (Pengelly Cars)	GE-T7-7632		{ BEF 44/227 }	GE-T7-7632
Axle and wheels for Brill 79E Truck (Birney Cars)			{ GE-T7-7638 }	GE-T7-7638& T899
Axle and wheels for Brill 21E Truck 22E Maximum Traction Truck, Brill	GE-T7-7639	BA-T7-7637	BEO 44/3	
Axle and 20" Pony Wheels for Maximum Traction Car	GE-T7-7688A	7515/2	BEF 44/200	GE-T7-7668)
Axle standard Pony. Brill 22E Maximum Traction Trans	GE-T7-7688/3		E.S.D. 7515/2	& R 1115)
Axle Driving. Brill 22E Maximum Traction Truck	GE-T7-7691		BEO 44/5	
Axle Driving General Arrangement. Brill 22E Max. Traction Truck	GE-T7-7692		BEO 44/5	GE-T7-7692
Axle Driving Arrangement of Dust Collar. Brill 22E Maximum Traction Truck				
Axle Thrust Collar for 4 1/4" Axle. Brill 22E Max. Traction Truck	GE-T7-7692/2			
Axle for Brill 79 E.1. Truck (Birney Cars)	GE-T7-7693			
Axle Collar Adjustable Type (Birney Cars)			7134 M.T.T.	
Axle Collar G.E. 264A Motor (Birney Cars)			Adelaide	
			{ BEO 44/19 }	BEO 44/19
			{ 7162 M.T.T. }	
			7162/A	
Axle 4 1/2" - 5" Brill 21E Single Truck	983 M.M.T.B.	983		
Axle 4" for solid gear WH.225 motor. Brush Single Truck	919 M.M.T.B.			
Axle Box Driver Brill 22E Maximum Traction Truck			BEO 44/29	
Axle Box Pony. Brill 22E Maximum Traction Truck	R1112 M.M.T.B.	R1112	BEO 44/29 &	R1112
			BEF 220	
Axle Standard Pony Brill 22E Maximum Traction Truck	R3755	R3755	BEF 44/211	R3755
Axle 4 1/2" to 5" Brill 22E Maximum Traction Truck	R1077		BEF 44/208	R1077
Axle Keeper Brill 22E Maximum Traction Truck			BEO 44/30	
Axle Railway Type Brill 21E			BEO 44/2	BEO 44/2
Axle Box Wide Wing Brill Single Type Truck			BEF 44/168 &	
			BEO 44/37	BEO 44/37
Axle Box Narrow Wing Single Type Truck			BEF 44/145, 167	
Axle Box Single Type Truck	989 M.M.T.B.		BEF 44/165	
Axle Lubrication, Railway Box Type Axle			BEF 44/117	
Axle Collar GE 264A Motor			7162A	

			DRAWING	WORKS DIVISION	REMARKS
Armature Shaft, Westinghouse 225N. Motor Armature Shaft, M.V. 307 VB Motor Armature Winding Diagram, Westinghouse 225N. Motor	GE-T8-8118B GE-T8-8125 BA-T8-8152 R1540 MM B	R1540	BEF 44/134		
Armature Connections and Field Winding for G.E.258-600V Railway Motor and for G.E.264-600V Armature Connections and Field Windings for C.P.27-A (600-750 Volt Air Compressor)			K.1629343		
Air Compressor Commutator Door W.H. DH10		BA-T8-8155	K.709668		
Air Pipe Layout. Operation (Birney Cars)			14-B-142		
Adaptor Ring for Headlamp. All lights except G.E.	GE-T8-8132				

	GEELONG	BALLARAT	BENDIGO	WORKS DIVISION	REMARKS
Brake Rigging - Radiax E1B Trucks	GE-T7-7628				
Brake Rigging - Details Brill Radiax E1B Truck	GE-T7-7630				
Brake Shoes - Brill 79E Truck			GE-T7-7640		
Brake Shoes for Brill Radiax Trucks, Brush 21E	GE-T7-7642A			GE-T7-7642A	
Brake Shoe Holder - Radiax Truck	GE-T7-7647A				
Brake Shoe Holder (cup type) Brush Single Truck, and Brill 21E Truck	GE-T7-7653/1			GE-T7-7647A	
Brake Shoe Holder (non cup type) Brush Single Truck	GE-T7-7653/A				
Brake Shoe Pony Wheel Max. Traction Truck Brill 22E	GE-T7-7658				
Brake Rigging Max. Traction Truck, Cars 31-36 Brill 22E	GE-T7-7659/A		BEF 44/222	T 1647 Old No. Geelong	
Brake Rigging Brill Radiax Trucks	GE-T7-7661				
Brake Hanger Carrier Radiax Trucks	GE-T7-7668				
Brake Hanger Carrier Brush Single Trucks 21E Trucks	GE-T7-7669				
Brake Hangers Half-ball Type and Springs for use on Brill 21E Brush Single and Radiax Trucks	GE-T7-7670A	BA-T7-7661	BEO 44/66	BEO 44/66	
Brake Shoe Holder and Carrier Assembly. Brill Radiax, Brill 21E and Brush Trucks	GE-T7-7672				
Brake Air System, Schematic Arrangement Brill 21E 22E, Brush and Brill - Radiax Trucks	GE-T7-7676	BA-T7-7655			
Brake Air System Valves. Brill 21E, Brill 22E, Brill- Radiax and Brush Trucks	GE-T7-7676/1				
Brake Shoe Holder - Driving Wheel, Brill 22E, Maximum Traction Truck	GE-T7-7677	BA-T7-7660		BA-T7-7660A & R3995	
Brake Rigging, Brush Single Trucks	GE-T7-7689		BEF 44/115 7135 M.T.T. Adelaide		
Brake Shoe Brill 79 E1 Truck.			7138 M.T.T. Adelaide		
Brake Shoe Hanger and Brake Beam Hanger Brill 79E1 Truck			7139 M.T.T. Adelaide		
Brake Beam Hanger Carrier, Brill 79E1 Truck					

(Not necessarily title on drawing)	GEELONG	BALLARAT	BENDIGO	WORKS DIVISION	REMARKS
Brake Release Spring. Bracket Type. Brill 79E1 Truck.			7140 M.T.T. Adelaide		
Brake Lever Holder. Brill 79E Truck.			7141 M.T.T. Adelaide		
Brake Adjustor. Ratchet Wheel Brill 79E1 Truck.			7142 M.T.T. Adelaide		
Brake Adjustor Operating Pawl. Brill 79 El. Truck			7143 M.T.T. Adelaide		
Brake Adjustor Cylinder Brill 79E1 Truck.			7144 M.T.T. Adelaide		
Brake Adjustor Cylinder Cover (Side) Brill 79E1 Truck.			7145 M.T.T. Adelaide		
Brake Adjustor Cylinder Cover (End) Brill 79E1 Truck.			7146 M.T.T. Adelaide		
Brake Adjustor Piston Details Brill 79E1 Truck.			7147 M.T.T. Adelaide		
Brake Hanger, Half Ball Brill 79E1 Truck.			7149 M.T.T. Adelaide		
Brake Shoe Carrier Brill 79E1 Truck.			7148 M.T.T. Adelaide		
Brake Adjustor Equalising Rod Brill 79E1 Truck.			7154 M.T.T. Adelaide		
Brake Lever (Dead) Brill 79E1 Truck.			7160 M.T.T. Adelaide		
Brake Lever (Live) Brill 79E1 Truck.			7161 M.T.T. Adelaide		
Brake Staff Support. Brill 79E1 Truck.			7166 M.T.T. Adelaide		
Brake Air Cylinder 8" x 10" Brill 79E1			591 M.T.T. Adelaide		
Brake Rigging Outline. (Hand Brake) 8ft. W.B. Brush Truck			14-b-255 Brill & Co.		
Brake Foot Valve Location, Duncan and Fraser Car No. 5	GE-T7-7660				

(Not necessarily title on drawing)	GEELONG	BALLARAT	BENDIGO	WORKS DIVISION	REMARKS
Brake Hanger Half ball and Spring Brill 22E Max. Traction Adjustor	GE-T7-7629		7155 M.T.T. Adelaide		
Brake Equalising rod jaw Brill 79E Truck (Birney Cars)					
Brake Spreader Bars and Conn. Rods. 22E. Max. Traction Trucks.					
Brake, Air, Main Reservoir Outline and Safety Control Equipment. Brill 79E1 Truck					
Brake, Air, Standing Reservoir Outline and Safety Control Equipment, Brill 79E1 Truck					
Brake, Air, Cylinder, Straight, 8" x 8" with case hardened wearing parts. Brill 79E1 Truck					
Brake, Air, Main Reservoir, cut off valve and Safety Control Equipment. Brill 79E1 Truck					
Brake, Air Valve, M.28 Outline and safety control Equipment					
Brake, safety equipment controller handle outline, base, and pilot valve. Brill 79E1 Truck					
Brake and safety control equipment double check valve No. 15 Outline					
Brake emergency valve, type K.1 Outline					
Brake, combined foot and cut off valve outline. Brill 79E1 Truck					
Brake, air compressor governor, type ML. Form A. Outline					
Brake, safety valve. Type E.1. outline					
Brake, hanger and block outline. Brill 79E1 Truck					
Brake, door and step controller outline. Birney Car.					
Brake, air compressor C.P.-25-C. outline					
Brake connections and safety equipment, Brill 79E1					
Brake, air compressor outline Type C.P. 27 Brill 22E Truck					
Brake diagram combination cars, classes A, B, H, J and M.					
Brake rods, maximum traction trucks.					
Brake shoe, 33" wheel, maximum traction truck					
	P.705737 G.E.C.	(R.2742 (BA-T7-7627 R.3042	BEF 44/213 BEF 44/147) BEF 44/212) R.2186	R.2742 -- R3042	
	R.1371 M.T.B.				
	R.2742 M.T.B.				
	R.3042 M.T.B.				

Brake shoe, Pony wheel, maximum traction truck.	R.2483 M.T.B.	R.2483	BEF 44/214	R.2483	This drawing was forwarded with letter giving particulars and advantages of using same.
Brake diagram Class C, maximum traction truck.	R.1333A M.T.B.		BEF 44/209	R.1333A	
Brake hanger brackets, driving wheel 22E maximum traction truck.					
Brake arrangement of levers. Brush single truck.	R.4005 M.T.B.	R4005	BEF 44/219	R.4005	
Brake general air arrangement	S.1045 WH.				
Brake leverage for Brill Radiax Truck	S.1045 WH.				
Brake General Air Arrangement	S.K.737 S.K.756				
Brake gear, proposed general arrangement for Brill Radiax truck.	S.1045 WH.				
Brake equipment straight air with self lapping Type Brake Valve, Diagramatic.	11-27 WH.				
Brake foot valve assembly, diaphragm, Type B.	M.326 WH.				
Brake, piping diagram of air brake and safety car equipment. Brisbane Tramway Trust.	S.M.1-903 WH.				
Brake, Spring Release Nuts, Brill 21E	L.56 WH.				
Brake, Equalising Beam Fulcrum - Brill 21E		BA-T7-7626	BEO 44/17	BEO 44/17	
Brake, Cylinder Lever, Single Truck Car			BEO 44/65	BEO 44/65	
Brake, Rigging for Single Type Truck			BEO 44/79		
Brake, Release Spring, Single Type Truck			BEF 44/135	R.6823	
Brake, Equalising Lever Casting, Single Type Truck			BEF 44/138		
Brake Lever, Single Type Truck			BEF 44/141		
Brake Driving Shoe and Liner, Max.Traction Truck			BEO 44/142		
Brake Air Schematic Arrangement (Tram No. 7 Geelong)			BEF 44/147	5898A Old No.	
Brake Air Schematic Arrangement Brill 21E Truck		BA-T7-7655	BEF 44/176		
Brake Shoe for use of Brill and Brush	GE-T1-383			T.1383 Old Geelong No.	
	GE-T7-7641		BEF 44/177		
Brake Equalising Lever Fulcrum and Brill 21E Truck		BA-T7-7625			
Brake Supports and Pins for Brake Rigging, Cylinder to Equalising beam		BA-T7-7645/1			
Brake Rod guide, Single Truck		BA-T7-7648,7662			
Brake Details of Drilling in Brake Beam and equaliser beam. Brill 21E Truck		BA-T7-7656			
Brake, Release Valve Type A.		BA-T7-7657			
		AM1-776A		SM1 776	

ALPHABETICAL INDEX

DESCRIPTION (Not necessarily title on drawing)	Numbers of Drawings Held at				REMARKS
	GEEELONG	BALLARAT	BENDIGO	WORKS DIVISION	
Brake, Foot Valve Type A Assembly		BA-T7-7658		SM1 907	
Brake, Pilot Valve Diaphragm Cut-off Valve Assembly		SM1 897		SM1 897	
Brake Valve Spring, Maximum Traction Truck		R.1662		R.1662A	
Brake Diagram, Maximum Traction Truck		R.1333A		(R.1333A	
				(R.1372	
Brake, Foot Valve Diaphragm Type B.		SM1 903A		SM1 903	
Brake, Air Compressor CR 4. Governor Assembly		LZ- 84			
Brake, Hanger Link, Driving Wheel Maximum Traction Truck				R.4106	
Brake, Release Knuckle End, 22E Maximum Traction Truck				R.4074	
Brake Lever (Live) 22E Maximum Traction Truck				R.2660	
Brake, Lever Yoke 22E Maximum Traction Truck				R.4071	
Brake, Lever Spring Bracket 22E Maximum Traction Truck				(R.4029	
				(R.4057	
Brake, Hanger Bracket Pony Wheel 22E Maximum Traction Truck				R.4003	
Brake, Lever Bracket Pony Wheel 22E Maximum Traction Truck				R.2319	
Brake, Check Valve 22E Maximum Traction Truck				S.2147	
Brake Diagram Car 79E1 Truck				R.4191	
Brake Shoe Holder - Pony wheel 22E Maximum Traction Truck		BA-T7-7668		R.3987	
Brake, Gear Forgings and Casting. Brill 21E			BEO 44/57	BEO 44/57	
Brake, Double Check Valve Assembly Type D.				SM1 907	
Brake, End Frame and Release Spring Bar 22E Maximum Traction Truck				R.4012	
Brake, Shoe Keys, Maximum Traction Truck				R.4267	
Brake, Partial Safety Equipment				720	
Brake link pony 22E Maximum Traction Truck				R.4002	
Brake Compressor CP. - 25 - C. - Outline			P.705789		
Brake Compressor - Outline			P.705737		
Brake Compression coupling. Tees Assembly	T.19 WH.				
Brake Compression coupling. Studs Assembly	T.20 WH.				
Brake Compression coupling. Tapped Studs Assembly.	T.21 WH.				
Brake Cylinder Parts, 8" Dia. x 12" Stroke Cylinder for Brill 21E and Brush Truck.	GE-T7-7646A				
	GE-T7-7646 /1				
Brake Cylinder for circuit breaker trip. Safety Car equipment was on S.E.C. installation not finally carried out.	GE-T8-8133				
Brake Component Parts. Details of connections and supports and equalising lever, Brill 21E		BA-T7-7645			

DESCRIPTION (Not necessarily title on drawing)	Numbers of Drawings Held at				
	GEE LONG	BALLARAT	BENDIGO	WORKS DIVISION	REMARKS
Brake Cylinder Lever and Brake Lever Brill 21E			BEO 44/7 9		
Brake & Safety - Circuit Breaker Outline			K763110		
Brake, Renewable Cups - All cars				W496	
Bearings, Axle, Brill 21E Trucks	GE-T7-7648A			GE-T7-7648A	
Bearing Side. Brill, 22E Maximum Traction Truck	GE-T7-7680A	BA-T8-8107			
Bearing Side. Lateral Wearing Plate. Max. Traction Truck	GE-T7-7681A		BEO 44/75		
Bearing Axle, for Brush Single Trucks	GE-T7-7687				
Bearing Axle, Birney Cars			7129 M.T.T.		
			Adelaide		
Bearing Motor Suspension. G.E. 264A Motor			(BEO 44/91)		
			(7128 M.T.T.)		
			(Adelaide)		
Bearing Armature Pinion End. G.E. 264A Motor			7158 M.T.T.		
			Adelaide		
Bearing Armature Commutator End. G.E. 264A Motor			7159 M.T.T.		
			Adelaide		
Bearing, Armature Commutator End, G.E. 201 Motor, Maximum Traction Truck	R.1569 M.T.B.	BA-T8-8151A)	BEO 44/215	R.1569	
		BA-T8-8154A)			
		R.1569			
Bearing, Armature Pinion End. G.E. 201 Motor Maximum Traction Truck.	R.1568 M.T.B.	GE-T8-8136	BEO 44/216	R.1568	
		R.1568			
Bearing, motor suspension M.V.307 VB Motor	GE-T8-8109A & GE-T8-8121A				
	GE-T8-8110	BA-T8-8113			
Bearing, motor suspension WH.225N. Motor, Brush Truck 4" axle					
Bearing, motor suspension WH.225N. Motor, Brill 21E 4 1/2" axle	GE-T8-8111				
Bearing Armature WH.225N. Motor, Brush and Brill 21E	GE-T8-8114		BEO 44/70		
Bearing, motor suspension GE.202 Motor, Brill 22E Truck	GE-T8-8130	BA-T8-8102A	BEO 44/82		
Bearing, motor suspension GE.201 Motor, Brill 22E Truck	GE-T8-8131	BA-T8-8105A			
Bearings for destination signs	GE-T9-8353				
Bearing, Journal for Brill 22E. Max. Traction Truck	GE-T7-7637A & GE-T7-7678	/	BEO 44/34	GE-T7-7678	
Bearing - Armature Pinion End G.E.202 Motor		BA-T8-8156			
Bearing - Armature Commutator End G.E.202 Motor		BA-T8-8157			
Bearing - Axle Box Application of Roller Bearings		921378			

ALPHABETICAL INDEX

DESCRIPTION (Not necessarily title on drawing)	Numbers of Drawings Held At				REMARKS
	GEELONG	BALLARAT	BENDIGO	WORKS DIVISION	
Blinds, Canvas Weather Brill 22E Max. Traction Trams	GE-T9-8377			GE-T9-8377	
Blinds, Canvas Weather for Max. Traction Truck, Brush 22E	GE-T9-8378			GE-T9-8378	
Blinds, Canvas Weather, trams 1-10 Geelong	GE-T9-8379				
Blinds, Canvas Weather, Pengelly Body Trams 20-23 Geelong	GE-T9-8380			GE-T9-8380	
Blinds, Canvas Weather, Pengelly Body Trams 16-19 Geelong	GE-T9-8381			GE-T9-8381	
Blinds, Canvas Weather, Meadowbank Body Trams 24-26 Geelong	GE-T9-8382			GE-T9-8382	
Box Bearings, Pony Wheels, Brill 22E Max. Traction Truck			BEO 44/76	BEO 44/76	
Box Collector for use with Birney cars	Noyes Bros. Melbourne				
Birney Safety Car, End Elevation			7180 M.T.T. Adelaide		
Birney Car			7180 M.T.T. Adelaide		
Birney Car, End Elevation			7180		
Brill Truck 79 E1			171 Brill & Co.	Sketch	
Brill Truck Details (Brill 79 E1)			BEO 44/43-53 9869-G.12 Brill & Co.		
Brill 79 E1 Truck			161 Brill & Co.		
Brill Single Motor Truck No. 22 - Parts	F.D.114 Brill & Co. 88 Noyes Bros. R.3955				
Brill Radiax Truck, E1B, special wheel base 10 ft.		R.1026			
Brill 22E general arrangement, maximum traction truck					
Brill 21E Single Type Truck Outline					
Battery and supply to tail light basic circuit	GE-T8-8129/1				
Basic circuit showing proposed method of charging battery and supply to tail light.	GE-T8-8129/1				
Bow, collector frame	R.3179 M.M.T.				
Bow for Pengelly tram cars.	GE-T9-8362				
Body elevation, Birney car			GE-T9-8361	1125 Old Geelong No.	
Brush 22E general arrangement, Maximum Traction Truck	R.2917				
Brushes - Motor	BA-T8-8114				

DESCRIPTION (Not necessarily title on drawing.)	Numbers of Drawings Held at				
	GEE LONG	BALLARAT	BENDIGO	WORKS DIVISION	REMARKS
Controllers, connection of GE.201 Motor and G.202 Motor with controllers type K.36, J.R. and K.36 J, respectively.	R.1756 MMTB.	BA-T8-8138 BA-T8-8139	BEO 44/55	R.1756	
Controller, K.63G. Diagram of Connections			GE-T8-8100		
Controller, T.I.Q. Diagram of Connections	GE-T8-8101				
Controller, handle, Safety Air Equipment. WH. TIC, TIF, TIQ.	GE-T8-8112				T1507 Old Geelong No.
Controller, Line Breaker and Ratchet Switch connections.	GE-T8-8119	BA-T8-8149			
Controllers, Type TIF. Connections arranged for Rheostatic and Magnetic Breaking with Interpole Motors	GE-T8-8124				
Controller W.H./TIF, Conduit Layout under Floor, showing wiring details.	GE-T8-8128	BA-T8-8137	(BEF 44/128) (14/B/143) K.1922552		
Controller, K.63, connections to S.G. Resistor		BA-T8-8103A	K.1807974 English Elec. K.1926200 English Elec. M.E.S. Coy.		
Controller T.I.F. Main Cylinder and Segments					
Controller K.63G. - Outline					
Controller K.63G. - Connections with two motors					
Controller Westinghouse TIC.					
Controller Type TIQ, connections. No Rheostatic or Magnetic Breaking.	D 527130				
Controller WE. TIF Connection Diagram of WH.225 Motor.	R 1294 MMTB	BA-T8-8104 R 1294	BEF 44/132		
Controller K 36 JR Rheostatic Diagram	R 1176		BEF 44/193		
Controller connections of GE-201 motor and GE.203 motor with K.36 J.R. and K.36 J, controllers respectively.	R 1756 MMTB	R 1756	BEF 44/174	R 1756	
Controller GEB 23, connections of GE.201 motor.	R 1285 MMTB				
Controller GE K.36 J.R. (with line breaker) G.E. Rheostats.	R 1178 MMTB	BA-T8-8146 R 1178 R 1142	BEF 44/178 BEF 11/188	R 1285	
Controller K 36J Connections		R 1165	BEF 44/224	R 1142	
Controller GEB.230 (with line breaker)	R 1165 MMTB	BA-T8-8142	BEO 44/159 & ED 5308-BTH.	R 1165	
Controller B 49 BB and B 49 CC.			(BEO 44/161 (XD 88/95-BTH		
Controller Connection and Development for B 49 BB & CC		BA-T8-8106B			
Controller K 36J Main Cylinder Segments		BA-T8-8115			
Controller MMTB Car Finger Contacts		R 1289		R 1289	
Controller GE B 23 Connection to GE 202					

ALPHABETICAL INDEX

DESCRIPTION (Not necessarily title on drawing)	Numbers of Drawings Held At				
	GEELONG	BALLARAT	BENDIGO	WORKS DIVISION	REMARKS
Controller Contacts Marks AB, AA, AC.		BA 5/17		BA 5/17	
Controller Contacts Westinghouse TIF Cars		BA 5/16		BA 5/16	
Controller Contacts Marks AR, AY, GE 36J Cars.		BA 5/15		BA 5/15	
Controller Contacts A, AZ, B, C, GE, 36J Cars.		BA 5/14		BA 5/14	
Controller Contacts AV & D		BA 5/13		BA 5/13	
Controller Contacts AO & AP		BA 5/12		BA 5/12	
Controller Contacts AMI, ANI, GE 36J Cars		BA 5/11		BA 5/11	
Controller Contacts AR Brill		BA 5/26		BA 5/26	
Controller Contacts No. 34321G Brill		BA 5/25		BA 5/25	
Controller Contacts No. 34321N Brush		BA 5/24		BA 5/24	
Controller Contacts No. 3432 R - S Brush		BA 5/23		BA 5/23	
Controller Contacts No. 34321 H, J, O, K, D, Brush		BA 5/22		BA 5/22	
Controller Contacts No. 34321 M.P.E. Brush		BA 5/21		BA 5/21	
Controller Contacts No. 34321 F & I Brush		BA 5/20		BA 5/20	
Controller Contacts Marks AH, AK, AL, Westinghouse TIF		BA 5/19		BA 5/19	
Controller Contacts Marks AD, AE, AF, AG, AI, AJ, Westinghouse TIF.		BA 5/18		BA 5/18	
Controller Contact Finger Tips, GEB 23E		BA-T8-5159			
Controller Contact Tips for GE 10 Compressor		BA-T8-8158 (Was BA-T8-8115)			
Controller K36 - Outline			K.1807974		
Circuit Breaker M.R. 21A - Outline			K.1949156 G.E.C.		
Circuit Breaker M.R. 21 - Outline installation and details of operating cylinder, Birney Car.			K.2182770		
Circuit Breaker cylinder. Air and Safety Control Equipment.	GE-T8-8113				
Circuit Breaker MR.21A - Outline			K.1949156		
			English Elec.		
Circuit Breaker MR.21 - Outline and installation showing operating cylinder in Birney Car.			K.2182770		
Circuit Breaker Container for GE Breaker			English Elec.		
Circuit Breaker - MR4 EE			BEO 44/71		
Circuit Line Breaker Contactor		XD - 13398			
Cylinder 8" x 12" Part Details	GE-T7-7646/1	BA-T8-8147			
Cylinder 8" x 12" Part Details	GE-T7-7646/A				
Check Plate for Journal Bearing Brill 22E Max. Traction	GE-T7-7674/A				
Commutator Segment. Westinghouse 225N. Motor	GE-T8-8118B		BEF 44/201 GE-T1-614		

DESCRIPTION (Not necessarily title on drawing)	Numbers of Drawings Held At				
	GEELONG	BALLARAT	BENDIGO	WORKS DIVISION	REMARKS
Commutator for Westinghouse 225N. Motor. Assembly and Details.	GE-T8-8122A			GE-T8-8122A	
Commutator Segment for GE 202 Motor			BEO 44/74		
Commutator Vee Ring for Westinghouse 225N Motor		BA-T8-8150			
Combination Car Mounted on Brill Radiax Truck	GE-T9-8350				
Combination Car Mounted on Brill E.I.B. Special Radiax	316 M.E.S. Co.				
Combination Car, short saloon straight Sill, Class G.	R 3077 MMTB				
Combination Car, Type A.	479 MMTB		BEF 44/114	2079	
Combination Car Body, 2 man single truck trams.			MMTB 489		
Car Conversion from 36 to 34 passengers. Pengelly Car	GE-T9-8371		BEF 44/123		
Car Conversion from 2 man - 1 man cars. Brill 21E.			GE 841		
Compression Block Bush, Brush 22E Maximum Traction				6824	
Collar, Dust for Driving Wheel, Maximum Traction	GE-T7-7692/2				