

When you have achieved the correct tension, use the same needles to knit your garment (you may unravel your tension square and use the yarn in your garment). Remember, if you need to change the needle size to achieve the correct tension, you must also change the size of needles used in bands, etc.

CARDIGAN (worked in one piece to armholes). Using 3.00 (No 11) Needles, cast on 193 (209-225-241) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 7 times.

Change to 3.75 (No 9) Needles.

1st row — K1, * y fwd, sl1, K1, psso, K3, K2 tog, y fwd, K1, rep from * to end.

2nd and alt rows - Purl

3rd row — K2, * y fwd, sl1, K1, psso, K1, K2 tog, y fwd, K3, rep from * ending last rep with K2 instead of K3.

5th row — P1, * K2, y fwd, sl1, K2 tog, psso, y fwd, K2, P1, rep

7th, 9th, 11th, 13th and 15th rows - P1, * y bk, sl1, K1, psso, K1, y fwd, K1, y fwd, K1, K2 tog, P1, rep from * to end.

16th row - Purl.

Rows 1 to 16 incl form patt.

Cont in patt until work measures approx 20 (22-24-27) cm ... 73/4 (83/4-91/2-101/2) ins ... from beg, ending with a 4th patt row.

Next row - K1, * K2, y fwd, sl1, K2 tog, psso, y fwd, K3, rep from * to end.

Next row - Purl.

Next row — K2, * sl1, K1, psso, y fwd, K1, y fwd, K2 tog, K3, rep from * ending last rep with K2 instead of K3.

Next row - Purl.

Last 2 rows form yoke patt.

Divide for armholes and shape front slopes — Keeping yoke patt correct — Next row — K2 tog, patt 44 (47-49-51), cast off 5 (7-11-15) sts, patt 91 (97-101-105), cast off 5 (7-11-15) sts, patt 44 (47-49-51), K2 tog.

Cont on last 45 (48-50-52) sts for Left Front.

Dec at armhole edge in alt rows 4 (5-6-7) times, AT SAME TIME dec at front edge in foll 4th rows 2 (2-3-3) times ... 39 (41-41-42) sts.

Dec at front edge only in foll 4th rows from previous dec until 27 (29-29-29) sts rem.

Work 3 (7-5-5) rows patt.

Shape shoulder — Cast off 9 (10-10-10) sts at beg of next row and foll alt row.

Work 1 row. Cast off.

Join yarn to next 91 (97-101-105) sts for Back.

Dec at each end of alt rows until 83 (87-89-91) sts rem.

Work 51 (53-53-55) rows patt.

Shape shoulders — Cast off 9 (10-10-10) sts at beg of next 4 rows, then 9 sts at beg of foll 2 rows.

Cast off rem 29 (29-31-33) sts.

Join yarn to rem 45 (48-50-52) sts for Right Front.

Dec at armhole edge in alt rows 4 (5-6-7) times, AT SAME TIME dec at front edge in foll 4th rows 2 (2-3-3) times ... 39 (41-41-42)

Dec at front edge only in foll 4th rows from previous dec until 27 (29-29-29) sts rem.

Work 4 (8-6-6) rows patt.

Shape shoulder — Cast off 9 (10-10-10) sts at beg of next row and foll alt row

Work 1 row. Cast off.

SLEEVES. Using 3.00 (No 11) Needles, cast on 51 (53-53-55)

Work 31 rows rib as for Cardigan (1st row is right side of cuff).

32nd row - Rib 11 (9-9-7), * inc in next st, rep from * to last 10 (8-8-6) sts, rib 10 (8-8-6) ... 81 (89-89-97) sts.

Change to 3.75 (No 9) Needles.

1st row (wrong side) - Purl.

Work in patt as for Cardigan until work measures approx 37 (39-41-42) cm ... 141/2 (151/4-16-161/2) ins ... (or 1 cm ... 3/8 inch ... less than desired length) from centre of rib cuff, ending with a 4th patt row.

Next row — K1, * K2, y fwd, sl1, K2 tog, psso, y fwd, K3, rep from * to end.

Next row - Purl.

Next row — K2, * sl1, K1, psso, y fwd, K1, y fwd, K2 tog, K3, rep from * ending last rep with K2 instead of K3.

Next row - Purl.

Last 2 rows form patt.

Shape top — Keeping patt correct, cast off 2 (3-4-5) sts at beg of next 2 rows

Dec at each end of next and alt rows until 53 (57-53-57) sts rem, then at each end of every row until 19 sts rem.

Cast off

FRONT BAND. Using back-stitch, join shoulder seams.

Using 3.00 (No 11) Needles, cast on 11 sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows once.

** 5th row — Rib 4, cast off 3 sts, rib 4.

6th row - Rib 4, cast on 3 sts, rib 4.

Work 14 (16-18-20) rows rib. **

Rep from ** to ** 3 times, then 5th and 6th rows once ... 5 buttonholes.

Cont in rib without further buttonholes until band is length required to fit (slightly stretched) along fronts and across back neck. Cast off in rib.

MAKE UP. With a slightly damp cloth and warm iron, press lightly. Using running stitch (see page 7), join sleeve seams, reversing seam for 3/4 of rib for cuff. Sew in sleeves. Sew front band in position. Turn back cuffs. Sew on buttons. Press seams.

totem



Girl's Overstyle and Leg Warmers In Two Colour Variations

Use only PATONS 8 PLY TOTEM for these garments. Another yarn may give unsatisfactory results.

Size		8	10	12	14
Overstyle Length	cm	48	52	55	58
	ins	19	201/2	213/4	223/4

10 14 Size 12 Sleeve seam (approx) cm 38 42 40 43 (with cuff turned back) 153/4 161/2 17 15 (or length desired) Garment measures 74 79 84 89 cm 29 31 33 35 This is a neat-fitting garment.

PATONS 8 PLY TOTEM 50 g balls

Size	8	10	12	14	
1ST VARIATION (FRONT COVER)					
Overstyle					
1st Colour (C1) shade 1154 / 14	2	3	3	3	
2nd Colour (C2) shade 1137 14/16	3		1	4	
3rd Colour (C3) shade 1191	3		3	4	
4th Colour (C4) shade 1194		1	1	1	
5th Colour (C5) shade 1153 / / //	- 1	1	1	1	
Leg Warmers					
1st Colour (C1) shade 1154	1	1	1	1	
2nd Colour (C2) shade 1137	1	. 1	1	1	
3rd Colour (C3) shade 1191	1	1	1	1	
4th Colour (C4) shade 1194	1	1	1	1	
5th Colour (C5) shade 1153	1	1	1	1	
2ND VARIATION (PAGE 21)					
Overstyle					
Main Colour (M) shade 8675	9	9	10	10	
1st Contrast (C1) shade 1191	1	1	1	1	
2nd Contrast (C2) shade 1154	1	1	1	1	
Leg Warmers					
Main Colour (M) shade 8675	2	2	3	3	
1st Contrast (C1) shade 1191	Small	Quanti	ty Ea	ch Si	ze
2nd Contrast (C2) shade 1154	Small	Quanti	tv Ea	ch Si	ze

Quantities are approximate as they vary between knitters.

NEEDLES - Milward or Patons Beehive.

1 pair each 4.00 (No 8) and 3.25 (No 10) or sizes needed to give correct tension.

ACCESSORIES — Milward Knitters Needle to sew seams; 4 Maxart Buttons for **Overstyle**.

ABBREVIATIONS — See page 20.

TENSION — $22\frac{1}{2}$ sts to 10 cm (approx 4 ins) in width over stocking st.

Why you should knit a tension square.

Loose Tension will cause the garments to stretch, drop and rub.

Tight Tension will make the garments too small, with a hard fabric that will matt during washing.

With **Correct Tension**, your garments will look like our photo. Using 4.00 (No 8) Needles, cast on 33 sts.

Work 46 rows stocking st.

Cast off loosely.

Lay your square on a flat surface, place a metric rule across the centre of the square and mark 10 cm with pins as shown in photo on page 5. Count the number of sts between the pins.

Less sts means loose tension — try needles a size smaller.

More sts means tight tension — try needles a size larger.

When you have achieved the **correct tension**, use the same needles to knit your garments (you may unravel your tension square and use the yarn in your garments). Remember, if you need to change the needle size to achieve the correct tension, you must also change the size of needles used in bands, etc.

1st Variation.

OVERSTYLE.

BACK. Using 3.25 (No 10) Needles and C1, cast on 86 (90-98-102) sts.

1st row — K2, * P2, K2, rep from * to end.

2nd row - P2, * K2, P2, rep from * to end.

Rep 1st and 2nd rows 9 times, Sizes 10 and 14 only — inc 2 sts evenly in last row ... 86 (92-98-104) sts.

Change to 4.00 (No 8) Needles. **

NOTE — When changing colours in centre of row, twist the colour to be used underneath and to the right of the colour just used.

1st row - K43 (46-49-52) C2, K43 (46-49-52) C3.

2nd row — P43 (46-49-52) C3, P43 (46-49-52) C2.

Rep 1st and 2nd rows until work measures 32 (35-37-39) cm ... 12½ (13¾-14½-15¼) ins ... from beg, ending with a purl row.

Shape armholes — Keeping patt correct, cast off 7 (9-9-10) sts at beg of next 2 rows ... 72 (74-80-84) sts.

Work 30 (34-36-40) rows patt, Sizes 8, 12 and 14 only — inc 2 sts evenly in last row ... 74 (74-82-86) sts. ***

**** Using C1, knit 1 row, then work 17 rows rib as before (beg with a 2nd row).

Shape back neck — Next row — Rib 18 (18-22-22), cast off 38 (38-38-42) sts loosely in rib, rib 18 (18-22-22).

Work 7 rows rib on last 18 (18-22-22) sts for underlap.

Cast off loosely in rib.

Join yarn to rem 18 (18-22-22) sts and work 7 rows rib. Cast off loosely in rib.

FRONT. Work as for Back to ***.

***** Using C1, knit 1 row, then work 11 rows rib as before (beg with a 2nd row).

Next row — [Rib 6 (6-8-8), cast off 2 sts] twice, rib to last 16 (16-20-20) sts, [cast off 2 sts, rib 6 (6-8-8)] twice.

Next row — [Rib 6 (6-8-8), cast on 2 sts] twice, rib to last 12 (12-16-16) sts, [cast on 2 sts, rib 6 (6-8-8)] twice.

Work 4 rows rib. Cast off loosely in rib.

SLEEVES. Using 3.25 (No 10) Needles and C2, cast on 42 (42-46-46) sts.

Work 26 rows rib as for Back (1st row is right side of cuff).

27th row — Rib 5 (3-4-2), * inc in next st, rep from * to last 5 (3-4-2) sts, rib 5 (3-4-2) ... 74 (78-84-88) sts.

Change to 4.00 (No 8) Needles.

Work in stocking st, in stripes of 10 (12-12-14) rows each C1, C4, C3, C5 and C2, until work measures approx 38 (40-42-43) cm ... 15 (153/4-161/2-17) ins ... (or length desired) from centre of rib cuff, ending with a complete stripe.

Tie a coloured thread at each end of last row. ******

Using next colour, work 10 (12-12-14) rows stocking st. Cast off loosely.

MAKE UP. With a slightly damp cloth and warm iron, press lightly. Lap front shoulders over back for 6 rows and oversew tog at armhole edges. Using running stitch (see page 7), join side and sleeve seams to coloured threads, reversing seam for ¾ of rib for cuff. Sew in sleeves, placing rows above coloured threads to sts cast off at armholes. Turn back cuffs. Sew on buttons. Press seams.

LEG WARMERS. Using 4.00 (No 8) Needles and C2, cast on 49 (51-53-55) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 5 times.

Keeping rib correct and working throughout in stripes of 12 rows each C1, C4, C3, C5 and C2, inc at each end of next and foll 12th rows until there are 63 (67-71-73) sts.

Cont without shaping until work measures approx 36 (39-42-45) cm ... 14 (15 $\frac{1}{2}$ -16 $\frac{1}{2}$ -17 $\frac{3}{4}$) ins ... from beg, ending with a complete stripe.

Cast off loosely in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join seam.

2nd Variation.

OVERSTYLE.

BACK. Using M instead of C1, work as for Back of 1st Variation to **. (continued on next page

Book 662-Page 13

Work in stocking st until work measures 32 (35-37-39) cm ... 12½ (13¾-14½-15¼) ins ... from beg, ending with a purl row.

Shape armholes — Cast off 7 (9-9-10) sts at beg of next 2 rows ... 72 (74-80-84) sts.

Using C1, work 10 (12-12-14) rows stocking st.

Using M, work 10 (10-12-12) rows stocking st.

Using C2, work 10 (12-12-14) rows stocking st, Sizes 8, 12 and 14 only — inc 2 sts evenly in last row ... 74 (74-82-86) sts. ***

Using M instead of C1, complete as for Back of 1st Variation from **** to end.

FRONT. Work as for Back to ***.

Using M instead of C1, complete as for Front of 1st Variation from ***** to end.

SLEEVES. Using M only, work as for Sleeves of 1st Variation to ******

Using C2, work 10 (12-12-14) rows stocking st.

Cast off loosely.

MAKE UP. As for 1st Variation.

LEG WARMERS (beg at top). Using 4.00 (No 8) Needles and C2, cast on 63 (67-71-73) sts.

1st row - K2. * P1. K1. rep from * to last st. K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 4 (5-5-6) times.

Using M, rep 1st and 2nd rows 5 (5-6-6) times.

Keeping rib correct and using C1, work 10 (12-12-14) rows, dec at each end of 1st row.

Using M, cont in rib, dec at each end of next and foll 12th rows until 49 (51-53-55) sts rem.

Cont without shaping until work measures 36 (39-42-45) cm ... 14 (151/4-161/2-173/4) ins ... from beg, working last row on wrong side.

Cast off loosely in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join seam.

totem



Boy's Cabled Panel Jumper

with a double fabric round neckband

Use only PATONS 8 PLY TOTEM for this garment. Another yarn may give unsatisfactory results.

Size		10	12	14	16	
Length	cm	49	52	55	58	
CONTRACTOR OF THE PARTY OF THE	ins	191/4	201/2	213/4	223/4	
Sleeve seam	cm	38	41	44	46	
	ins	15	16	171/4	18	
	(or length desired)					
Garment measures	cm	74	79	84	89	
	ins	29	31	33	35	
		This is a neat-fitting garment				

PATONS 8 PLY TOTEM 50 g balls

Quantity 8 9 10 11 Quantities are approximate as they vary between knitters.

NEEDLES - Milward or Patons Beehive.

1 pair each 4.00 (No 8) and 3.25 (No 10) or sizes needed to give correct tension.

ACCESSORIES — A Cable Needle; 2 Stitch Holders; Milward Knitters Needle to sew seams.

ABBREVIATIONS — See page 20. "Cable" = Slip next 3 sts on to cable needle and leave at back of work, K3, then K3 from cable needle.

TENSION — $22\frac{1}{2}$ sts to 10 cm (approx 4 ins) in width over stocking st.

Why you should knit a tension square.

Loose Tension will cause the garment to stretch, drop and rub.

Tight Tension will make the garment too small, with a hard

fabric that will matt during washing.

With Correct Tension, your garment will look like our photo.

Using 4.00 (No 8) Needles, cast on 33 sts.

Work 46 rows stocking st.

Cast off loosely.

Lay your square on a flat surface, place a metric rule across the centre of the square and mark 10 cm with pins as shown in photo on page 5. Count the number of sts between the pins. You should have 22½ sts.

Page 14—Book 662

Less sts means loose tension — try needles a size smaller.

More sts means tight tension — try needles a size larger.

When you have achieved the **correct tension**, use the same needles to knit your garment (you may unravel your tension square and use the yarn in your garment). Remember, if you need to change the needle size to achieve the correct tension, you must also change the size of needles used in bands, etc.

BACK. Using 3.25 (No 10) Needles, cast on 85 (**91**-97-**103**) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end. **

Rep 1st and 2nd rows 9 times.

Change to 4.00 (No 8) Needles.

Work in stocking st until work measures 29 (31-32.5-34) cm ... $11\frac{1}{2}$ (12\frac{1}{2}-12\frac{3}{4}-13\frac{1}{2}) ins ... from beg, ending with a purl row.

Shape raglan armholes — Cast off 2 (3-3-3) sts at beg of next 2 rows.

3rd row — K3, sl1, K1, psso, knit to last 5 sts, K2 tog, K3.

Work 3 rows.

Rep last 4 rows 0 (1-1-1) time/s ... 79 (81-87-93) sts.

Dec (as before) at each end of next and alt rows until 25 (27-29-31) sts rem.

Work 1 row stocking st.

Leave rem sts on a stitch-holder.

FRONT. Work as for Back to **.

Rep 1st and 2nd rows 8 times, then 1st row once.

Next row — Rib 26 (**30**-32-**36**), (inc in next st, P1) 16 times, rib to end ... 101 (**107**-113-**119**) sts.

Change to 4.00 (No 8) Needles.

1st row — K29 (**32**-35-**38**), (P2, K6, P2, K1) 4 times, K28 (**31**-34-**37**).

2nd and 4th rows — P29 (**32**-35-**38**), (K2, P6, K2, P1) 4 times, P28 (**31**-34-**37**).

3rd row — K29 (**32**-35-**38**), (P2, "Cable", P2, K1) 4 times, K28 (**31**-34-**37**).

5th row — As 1st row.

6th row - As 2nd row.

Rows 1 to 6 incl form patt.

Cont in patt until work measures same as Back to armholes, working last row on wrong side.