



BEEES
AND
HONEY



@
SF 523
N 492
1892

ALBERT R. MANN
LIBRARY
NEW YORK STATE COLLEGES
OF
AGRICULTURE AND HOME ECONOMICS
AT
CORNELL UNIVERSITY



EVERETT FRANKLIN PHILLIPS
BEEKEEPING LIBRARY



Cornell University
Library

The original of this book is in
the Cornell University Library.

There are no known copyright restrictions in
the United States on the use of the text.

<http://www.archive.org/details/cu31924003450255>



THOMAS G. NEWMAN.



BEEES

AND

H

ONEY



OR, THE

Management of an Apiary

FOR

PLEASURE AND PROFIT.

BY

THOMAS G. NEWMAN,

Editor of the "American Bee Journal."


ILLUSTRATED.

OFFICE OF

THE AMERICAN BEE JOURNAL,

CHICAGO, ILL.





RESPIRATORY ORGANS OF THE HONEY BEE.



P R E F A C E .

It is now generally admitted that to become a profitable pursuit, bee-keeping must be conducted on scientific principles. The old management (or rather mis-management), permitting the bees to use log-gums, hollow trees, or old boxes for hives, can no longer be tolerated.

To induce the practice of scientific management of the apiary is the sole object of publishing this Book, and to that end we give our own views and experiences, and also quote from those who practice with success the plans and manipulations recommended.

Being desirous of having this Work "fully up with the times," including all the various improvements and inventions in this rapidly increasing pursuit, we have made a thorough revision of this edition in order to present the apiarist with everything that may aid in the successful management of the Honey Bee, and at the same time to produce the MOST honey, in its BEST and MOST ATTRACTIVE CONDITION.

Thomas G. Newman.




ITALIAN BEES.



QUEEN.



WORKER.




DRONE.

INDEX OF THE CHAPTERS.

	PAGE.		PAGE.
NATURAL HISTORY OF BEES	11	<i>Management of an Apiary—continued.</i>	
Introduction.....	11	Swarming; how to Control it.....	67
The Races of Bees.....	13	How to Hive a Swarm.....	69
The Queen Bee.....	13	The Loss of the Queen.....	69
The Drone Bee.....	16	What are Fertile Workers.....	71
The Worker Bee.....	17	Transferring from Box Hives.....	72
Brood.....	19	Transferring from Frame Hives.....	74
Production of Wax and Comb.....	20	Uniting Weak Colonies.....	74
Pollen, or Bee-Bread.....	24	Clipping the Queen's Wing.....	75
Propolis, or Bee Glue.....	24	Washing Out Drone Brood.....	75
ESTABLISHMENT OF AN APIARY	25	Removing Bees from the Combs.....	75
Situation and Arrangement.....	25	Preparing Bees for Shipment.....	76
Bee-Keeping a Science.....	25	Uniting Colonies in the Spring.....	78
Who Should Keep Bees.....	26	How to Separate Swarms.....	78
Suitable Location.....	26	Robber Bees.....	80
Which Way Should Hives Face.....	28	Feeding Bees.....	80
When to Commence.....	28	Quieting and Handling Bees.....	82
How Many Colonies to begin with.....	28	Shipping and Introducing Queens.....	85
Removing Bees.....	28	Bee Dysentery.....	87
What Kind of Bees to Get.....	29	Foul Brood Disease.....	87
Buying Swarms.....	30	HONEY EXTRACTOR AND ITS USE ..	89
How to Care for a First Colony.....	30	The Invention of the Extractor.....	89
Bees Kept on Shares.....	30	When to Use the Extractor.....	92
Bees Marking their Location.....	31	How to Extract.....	93
Changing the Location.....	31	COMB FOUNDATION AND ITS USE ... 95	
Will Bees Injure Fruit?.....	32	Invention of Comb Foundation..	97
Cleansing Combs of Dead Brood.....	33	Preserve the Wax.....	99
Ants in the Apiary.....	34	Comb Foundation Not Artificial..	99
Removing Propolis from Hands.....	34	Fastening Foundation to Frames 100	
HIVES AND SURPLUS RECEPTACLES 35		BEE PASTURAGE A NECESSITY 103	
What Hive to Use.....	35	Trees for Shade and Honey.....	104
The Langstroth Hive.....	36	Plants for Field and Roadside.....	108
Production of Choice Honey.....	38	Plants for Honey Exclusively....	115
Single Comb Honey Sections.....	39	Honey Plants for Decoration....	119
One-Piece Honey Sections.....	40	IMPROVEMENT IN BEES	131
Cases for Holding Sections.....	40	The Bee of the Future.....	132
Making Hives and Surplus Boxes 43		Lengthening the Bee's Tongue. 133	
PRODUCTION AND CARE OF HONEY. 45		HONEY AND BEE SHOWS	135
Preparation for the Market.....	45	Exhibitions at Fairs.....	135
How Should Honey be Marketed.....	45	Effect of Bee and Honey Shows.. 138	
Assort and Grade the Honey.....	47	THE WINTERING OF BEES	141
How to Get Bees out of Boxes.....	47	Chaff Packing for Winter.....	142
Management of Comb Honey.....	47	Preparing Cellar for Wintering.. 144	
Honey in Unglazed Sections.....	49	House for Wintering Bees.....	145
Handling and Shipping.....	50	Wintering Bees in Clamps.....	146
Candied Comb Honey.....	51	GENERAL ADVICE TO BEGINNERS. 147	
Management of Extracted Honey.....	51	General Information Necessary.....	147
Honey Must be Ripened.....	56	Selecting a Location.....	147
Metal Corners for Crates.....	57	Plan for an Apiary.....	148
Putting the Glass in the Sections.....	57	Adopt a Standard Frame.....	149
Honey as a Commercial Product 58		Keep an Apiary Register.....	149
MANAGEMENT OF AN APIARY	59	Increase by Division.....	149
Luck or Scientific Management.....	59	Artificial Swarming.....	152
The Italian Bees.....	59	Preparing Feed.....	153
Italianizing the Apiary.....	60	Guard Against Overstocking.....	154
Introducing a Queen.....	60	Provide Continuous Honey Bloom 154	
Inserting a Queen-Cell.....	62		
Nucleus Colonies.....	64		
Dividing the Colonies.....	65		



BACCONIA JAPONICA.



TEASEL.

INTRODUCTION.

It has been computed that in our World, the different species of living animals number over a quarter of a million. Among this vast concourse of life, we find much food for thought and meditation, but for instructive lessons none can rival the marvelous transformations that insect life undergoes in its processes of development!

The repulsive maggot of to-day, may to-morrow be the active little fly, visiting leaf and flower, in merry and sportive mood! The repugnant caterpillar of to-day, may to-morrow, as a chrysalis, be decked with green and gold, awaiting its speedy transformation to the butterfly, of brilliant tints and gorgeous beauty.

Such transformations give us a faint idea of the glorious state of existence that, we are assured, awaits humanity, after its passage beyond the present state of existence! We are informed that "its glories and pleasures untold" will be fully realized by the pure and the good—yet of its realization we can have no adequate conception! While in the present state of development, like the chrysalis, awaiting the next transformation, we may but inquire—"What shall it be to be there?" For—

"Dreams cannot picture a world so fair,
Sorrow and death may not enter there;
Time cannot breathe on its fadeless bloom—
Far beyond the clouds, and beyond the tomb—
It is there! It is there!"

This is not a whit more wonderful than are the transformations from the egg to the tiny larva, from the larva to the pupa, and from the pupa to the fully developed Honey Bee, with its wondrous instincts and marvelous habits! The student never ceases to wonder and admire, as he turns over leaf after leaf of "the book of nature," devoted to this interesting insect. Indeed, there is a fascination about the Apiary, that is truly indescribable; but even that, richly rewards the apiarist for all the time and labor bestowed upon it. Every scientific Bee-keeper is an enthusiast. The wonderful economy of the Bee Hive, from its very nature, presents to the thoughtful student, both admiration and delight at every step!

A single bee, with all its industry, energy, and the innumerable journeys it performs, will collect only about a tea-spoonful of honey during one season—and yet more than one hundred pounds of honey is often taken from one hive!

INTRODUCTION.

Does not the contemplation of this fact teach us a profitable lesson of what great results may arise from persevering and associated labor ?

When we view the skill exhibited in the building of the beautiful comb—so true in form, so wonderfully systematic in construction, and all completed by a crowd of bees in a dark hive—and often at night, without the aid of sun, moon or stars—we are amazed at the skill of these wonderful architects !

In fructifying the flowers, too, bees present us with a field of study so extensive that we dare not enter, further than to say that but for their oft-repeated visits, many a beautiful flower would in a short time cease to bloom—aye, and also to live ! Many plants absolutely require the visits of bees or other insects to remove their pollen-masses, and thus to fertilize them. Hence, Darwin wisely remarks, when speaking of clover and heart's-ease : “ No bees, no seed ; no seed, no increase of the flower. The more visits from the bees, the more seeds from the flower ; the more seeds from the flower, the more flowers from the seeds.” Darwin mentions the following experiment : “ Twenty heads of white clover, visited by bees, produced 2,990 seeds ; while twenty heads so protected that bees could not visit them, produced *not one seed.*”


Thus is infinite Wisdom displayed by Nature on every hand ! Nothing is created in vain ; each has its proper sphere, and each its appropriate work to perform. We admire “ the grand harmony of design,” and in meditative mood we are soon

“ Lost in wonder, love and praise !”


Then we may seem to hear the merry hum of myriads of insects, mingling with the joyous song of thousands of beautiful birds adoring their Creator in Matin Song—all Nature joining in the chorus of praise—singing—

“ The hand that made us is divine !”

As the song ascends to Heaven, billions of plants, and shrubs, and trees, and flowers burst into bloom, and bid their sweet perfume to unite with Nature's Chorus, and present a “ thank-offering” to the Great Father of all, “ who openeth His hand, and satisfieth the desire of every living thing.”



Apiary of Mr. J. H. ROBERTSON, at Pewamo, Mich.





PROF. A. J. COOK



WM. W. CARY.

NATURAL HISTORY OF THE HONEY BEE.

INTRODUCTION.

Every apiarist should be well informed, not only on the habits, but also on the Natural History of the Honey Bee.

Man's primeval state, no doubt, absolutely demanded honey—therefore to have neglected to produce such a creature as the Honey Bee, so essential to the comfort of man, "for whom all things were made," would have been totally discordant with the well-known principles of universal and Divine benevolence. Could any song of birds in Eden's enchanting bower surpass the mellifluous hum of the busy Bee? Could any sportive gambol, circling flight, sudden dart, or graceful curve of bird on the wing, equal the grace and beauty, the action and the science of her aerial sports or daily duties? Could the combined aroma and symmetrical form of the thousands of "the flowers of Paradise" compare with the sweetness of her honey or the garniture of her store house? Could any portion of "the garden," which Adam was directed to "dress and keep," present greater attraction, or have stronger claims upon his protection and care?

While Honey was "from the beginning" among the first of sweet things, and the sweetest of first things, given by the Creator to man,—sugar is, separated from its source and prepared for use by the hand of man, but of modern birth!—For thousands of years Honey was man's only sweet, and source of nourishment,—but only for a short time has sugar had its partial sway—and that alone in modern times. The former was the creation and gift of God! The latter is the invention of man!

No historian has been able to transmit to our day, a

description of the rude home that Noah provided for the bees that he carried into the ark, nor tell us if Abraham's bees were kept in log-gums or box hives, but it is recorded that the land where Abraham dwelt—Canaan—was one “flowing with milk and honey;” and when the old Patriarch, because of the famine that prevailed there, sent his sons to Egypt to buy corn, he sent as a present to the Egyptian ruler some of Canaan's famous honey.—Gen. 43 : 11.

We may well conclude that Canaan's honey was then as famous as in subsequent ages was the honey from Mount Hymettus, in Greece.

The earliest mention of honey as an article of commerce, is, that the Jews were engaged in trading it at Tyre, that old and honored mart of trade in Phœnicia.—Ezek. 27 : 17.

Sirach, who lived about the time of the re-building of the Temple at Jerusalem, speaking of the necessaries of life, mentions honey, with flour and milk.

The Persians, Grecians and Romans, used honey quite extensively as an article of diet ; they also used it largely in *preparing* their food, and by it, most of their beverages were sweetened.

Ancient Sages, among whom were Homer, Herodotus, Cato, Aristotle, Varro, Virgil, Pliny and Columella, composed poems extolling the activity, skill and economy of bees, and in more modern times, among such authors have been Swammerdam, a German naturalist ; Maraldi, an Italian mathematician ; Schirach, a Saxon priest ; Réaumur, inventor of a thermometer ; Bonnet, a Swiss entomologist ; Dr. John Hunter ; and Francis Huber, who, though totally blind, was noted for his many minute observations, by the aid of his assistant, Burnens, which caused quite a revolution in ancient theories concerning the Honey Bee. He was also assisted by Mde. Jurine, who, by delicate microscopic examinations, rendered important service not only to Huber, but also to future generations.

But space forbids us to enumerate all the apiarists of the present age—prominent among whom we may mention Dzierzon, Von Berlepsch, Leuckart, Von Siebold, Sir John Lubbock, the Rev. L. L. Langstroth, Samuel Wagner, M. Quinby, Adam Grimm, J. S. Harbison, Capt. J. E. Hether-



Suammerdam.



Baron von Berlepsch.



CAPT. J. E. HETHERINGTON.



T. F. BINGHAM.

ington, Professor A. J. Cook, and a mighty host of others, who, through faith in scientific research and devotion to experiments and manipulations, have wrought wonders with their Bees. "Pulling down the strong-holds" of old-fogy opposition, they "waxed valiant in fight" against all forms of ignorant and fossilized theories, consigning them to a burial with the fallacies of past ages—and, as if by magic wand, they have bidden modern ideas and scientific management of the Apiary to "*arise and shine*," sending benign influences to the very ends of the earth!

THE RACES OF BEES.

Of the different races of the Honey Bee, the German or black bee is the most numerous, though it is not older than the Italians, which were known to the ancients several hundred years before the Christian era, and are mentioned by Aristotle and Virgil. The Egyptian, Carniolan, Cyprian and Javan bees are but little known in this country. The Italian being the favorite because of its docility, activity and captivating beauty.

A COLONY OF BEES.

In its usual working condition, a colony of bees presents a scene of the most lively interest, not only to the naturalist, but also to every curious observer. Such a colony will contain a fertile Queen, thirty to forty thousand workers, and in some seasons, a few hundreds of drones.

THE QUEEN.

The Mother Bee, as she is called in many countries, especially in Italy, is the only perfect female in the Colony, and is the mother of it. Her only duty is to lay the eggs for the propagation of the species. She is a little larger around the body than the Worker, but not as large as the Drone.—Her body is longer than the Worker, but her wings are only about two-thirds of the length of the body, her abdomen gradually tapering to a point. She has a sting, but uses it only upon royalty.

The Queen usually leaves the hive only when accompanying a swarm, and when a few days old, to meet the drones,

for the purpose of becoming fertile. Once becoming such she is so for life, though she often lives three or four years. On her return to the hive, after meeting the Drones, if she has been fecundated, the male organs may be seen attached




FIG. 1.—*The Queen Bee, magnified.*

to her abdomen. In about two days after thus mating with the Drone she will commence to lay eggs, and she is capable of laying two thousand, or more, eggs per day.

Instinct teaches the Workers the necessity of having a Queen that is prolific, and should she become barren from



FIG. 2.—*Head of Queen, magnified.*

any cause, or be lost, they immediately prepare to raise another to take her place. This they do by building Queen cells, and if, when these are about one-half completed, the Queen has not deposited eggs in any of them, they take

eggs from worker cells and supply them. By feeding the embryo Queen with royal jelly, the egg that would have produced a Worker, had it remained in a Worker cell, becomes a Queen.

The Ovaries of the Queen, occupying a large portion of the abdomen, will be found to be two pear-shaped bodies, composed of 160 to 180 minute tubes, the tubes being bound together by enveloping air vessels. These are the ovaries, of which a highly magnified view is here given.



FIG. 3.—*The Ovaries of the Queen.*

The germs of the eggs originate in the upper ends of the tubes which compose the ovary, and the eggs develop in their onward passage, so that at the time of the busy laying season, each one of the tubes will contain, at its lower end, one or more mature eggs, with several others in a less developed state following them. These tubes terminate on each side in the oviduct, through which the egg passes into the vagina; and, in the cut, an egg will be seen in the oviduct, on the right. (Fig. 3). A globular sac will be noted, attached to the main oviduct by a short, tubular stem.

A French naturalist, M. Audouin, first discovered the true

character of this sac as the spermatheca, which contains the male semen; and Prof. Leuckart computes its size as sufficient to contain, probably, twenty-five millions of seminal filaments. It seems hardly possible that so large a number should ever be found in the spermatheca, as it would require nearly twenty years to exhaust the supply, if the queen should lay daily 2000 eggs, 365 days in the year, and each egg be impregnated. Each egg which receives one of the seminal filaments in passing, will produce a worker or queen, while an unimpregnated egg will produce only a drone. The spermatheca of an unfecundated queen contains only a transparent liquid with no seminal filaments, and the eggs of such a queen produce only drones.

The Queen usually lays from February to October, but early in the spring she lays sparingly. When fruit and flowers bloom, and the bees are getting honey and pollen, she lays more rapidly.

THE DRONES.

These are non-producers, and live on the toil and industry of others. They are the males, and have no sting—neither



FIG. 4.—*The Drone Bee, magnified.*

have they any means of gathering honey or secreting wax, or doing any work that is even necessary to their own support, or the common good of the colony.

The Drones are shorter, thicker and more bulky than the Queen, and their wings reach the entire length of their body. They are much larger and clumsier than the Workers, and are covered with short but fine hair. Their

buzzing when on the wing is much louder and differs from the others. Their only use is to serve the Queen when on her "bridal trip."

Not more than one in a thousand is ever privileged to perform that duty, but as the Queen's life is very valuable, and the dangers surrounding her flight are numerous, it is necessary to have a sufficient number of them, in order that her absence from the hive may not be protracted. After mating, she returns to the hive a fertile Queen for life.

The Drone in the act of copulation loses his life, dying instantly. At the approach of the swarming season they are




FIG. 5.—*Head of Drone, magnified.*

reared to fertilize the young Queens; after that is accomplished, they are mercilessly destroyed by the Workers.

Should a colony lose its Queen, the Drones will be retained later; instinct teaching them that without the Drone, the young Queen would remain unfertilized, and the colony soon become extinct.

THE WORKERS.

These are undeveloped females, and they do all the work that is done in the hive. They secrete the wax, build the comb, gather the pollen for the young, and honey for all; feed and rear the brood, and fight all the battles necessary to defend the colony.

Of the three kinds of bees, these are the smallest, but constitute the great mass of the population. They possess

the whole ruling power of the colony and regulate its economy.

The workers are provided with a sac or honey-bag; there is a small cavity on their posterior legs, (Fig. 43, A.) in which they store the pollen of flowers in very small lumps, being



FIG. 6.—*The Worker Bee, magnified.*

the most convenient form in which to carry it home. They are also provided with a sting, which they use only for defense.

They gather honey, which is a secretion in many flowers—pollen, which is the farina of various plants, and which is largely used in forming bee-bread, and also propolis or bee-




FIG. 7.—*Head of Worker, magnified.*

glue, a resinous substance that is used in fastening the combs to the sides of hives, and to fill cracks or open places.

Many persons entertain the idea that the Worker bees live many years. Their conclusion is drawn from the fact that colonies inhabit the same hive for a long period; but the natural life of the Worker honey-bee does not exceed six

months, and from recent experiments it is ascertained that it does not exceed six or eight weeks in the height of the honey season. Those reared in the fall, having little out-door work to perform, will live till the spring. None of them die of



FIG. 8.—*Anterior Leg of Worker, magnified.*

old age, but the majority work themselves to death, and many are killed through other causes.

BROOD.

The egg is laid by the Queen, in the bottom of the cell ; in three days it hatches into a small, white worm, called larva, which being fed by the bees, increases rapidly in size ; when this larva nearly fills the cell, it is closed up by the bees.



FIG. 9.—*Eggs and Brood.*

The time usually taken for this process is eight days for the Worker or Queen, and $9\frac{1}{2}$ days for the Drone.

The Workers will develop from the egg in 21 days ; gathering honey from about 16 days after emerging from the cell. The Drones will hatch in 24 days, and if the weather is propitious they will "fly" in a few days after. The Queens

mature in 16 days, and are able to fly in a few hours after emerging from the cell.

Until the 17th day the workers seem only to be fit for the work of the hive. Before that age they seldom leave the hive—their labors being confined to the building of the comb, nursing the brood, feeding the larvæ, capping brood and honey cells, &c.

PRODUCTION OF WAX AND COMB.

This subject is an intensely interesting study. Before the time of Huber, it was generally supposed that wax was made from bee-bread; but Huber fully demonstrated that bees could construct comb from honey, without the aid of bee-bread. But, oxygen, being the support of animal heat, *is essential* to bees while building comb, because an extraordinary amount of heat must be generated, to enable them to soften the wax and mould it into such delicate forms.

We herewith present a cut of the under surface of the Bee, showing the wax formation between the segments :





FIG. 10.—*Under surface of Worker, showing Wax in Segments.*

Dr. Dönhoff states that in new comb the thickness of the sides of the cells is but the 180th part of an inch! Such delicate work is hardly conceivable; and yet, bees often make it in the dark, on cool, cloudy days, or in the night—appearing never to rest.

Prof. Duncan, professor of Geology in King's College,




FRANCIS HUBER



C. J. H. GRAEVENHORST.



JOHN HUNTER.



ARTHUR TODD.

London, in his work on the "Transformation of Insects," remarks as follows on this interesting subject :

"The production of wax is one of the most remarkable physiological phenomena of the organization of these *Hymenoptera*. It was generally thought, formerly, that the bees disgorged their wax from the mouth, and Réaumur certainly held this opinion ; but John Hunter discovered the manner in which the wax was formed ; and it is now evident that the bees carry within themselves this important building material. The segments of the abdomen of bees overlap from before backwards, but when the margin of one is lifted up, two broad and smooth surfaces will be noticed on the uncovered surface of the next wing ; these surfaces maintain during one part of the year two thin, white, and almost transparent laminae, which are really composed of wax. The wax is really secreted by some small glands which are within the abdomen, and it transludes through the soft and smooth integument between the rings or segments. It would appear that the sugary matters which are sucked and digested by the bees are to a great extent transformed into wax, which is to all intents and purposes a sort of fat."

A writer in *Scribner's Monthly* thus describes the manner of comb building in a new swarm :

"When a swarm of bees is about to leave its old home and seek another, each bee fills itself with honey. After entering their new home, the gorged bees suspend themselves in festoons, hanging from the top of the hive. They hang motionless for about 24 hours. During this time the honey has been digested and converted into a peculiar animal oil, which collects itself in scales or laminae beneath the abdominal rings. This is the wax. One of the workers, called the founder, then draws from its own body, by means of its clawed foot, a scale of wax. This it breaks down and crumbles, and works with its mouth and mandibles till it becomes pliable; and it then issues from the mouth in the form of a long, narrow ribbon, made white and soft by an admixture of saliva from the tongue. Meanwhile the other bees are making ready their material in the same way. On the ceiling of the hive an inverted, solid arch of wax is built, and from this the first foundation cells are excavated, all the subse-

quent ones being built up and around these, which are usually three in number. The size and shape of the cell is determined by its future use; but all comb is formed of two sheets of cells placed back to back, the partition walls of the two sheets always alternating with one another. If the comb is intended for brood, 25 cells of worker-brood, and 16 of drone, go to the square inch."

Neighbour, in his work on "The Apiary," says:

"Wax is the animal fat of the bees, and to produce it requires a considerable consumption of honey, to supply the drain upon the system. To be capable of passing through the pores of the abdomen, the wax must, no doubt, be a liquid, oily matter, which, on making its appearance outside the abdominal rings, thickens, and exudes from under the 4 medial ones, in flakes like fish-scales, one on each side; so that there are 8 of these secreting cavities, which are peculiar to the worker, not being found either in the queen or drone.

"The rapidity with which comb-building progresses would lead to the supposition that there is a division of labor among bees, just as laborers convey building material to the artisans on the scaffold above. This work of comb-building is carried forward in warm weather, for a cold temperature interferes with the secretion of wax. Von Berlepsch declares that he has known cases in which a colony has built 300 square inches of comb in a single night!"

The Rev. L. L. Langstroth remarks as follows:

"It is an interesting fact, which seems hitherto to have escaped notice, that honey-gathering and comb-building go on simultaneously; so that when one stops, the other ceases also. As soon as the honey-harvest begins to fail, so that consumption is in advance of production, the bees cease to build new comb, even although large portions of their hives are unfilled. When honey no longer abounds in the fields, it is wisely ordered that they should not consume in comb-building, the treasures which may be needed for winter use. What safer rule could have been given them?"

With all our ingenuity and skill, we have been entirely unable to equal the bees as builders. Only fancy what delicate work it takes to produce comb, the 180th part of an

inch thick!! True, we take the wax they produce, melt it up, spread it into sheets, and then configure it, showing the base or foundation of the cells—but there our inventive genius, for the present at least, “takes a rest.” In comparison with their workmanship, ours is as a thick sheet of wrapping paper to a delicate sheet of tissue paper!

It is estimated that it takes about 20 pounds of honey to produce one pound of wax; it is therefore all-important that all good pieces of comb should be preserved and given again to the bees.

There are three kinds of cells in a hive. The smaller ones are hexagonal, and a little more than one-fifth of an inch in diameter, and are called Worker cells; the larger ones of the same shape are one-fourth of an inch in diameter, and are




FIG. 11.—*Frame of Brood.*

called Drone cells. These cells may be seen illustrated in Fig. 11. The smaller or Worker cells being shown at the top; the larger or Drone cells, at the bottom. The other cells, of different size and shape, (see Fig. 11.) are Queen cells; one is shown in the centre of the engraving, and four more on the left. They extend vertically or diagonally downwards, and very much resemble a peanut in form and size—they are simply the birth-place of Queens, and are

only built in swarming time, or when the colony is rearing a Queen. The Worker or Drone cells are used not only for brood-rearing, but also for storing honey and pollen, or bee-bread.

At first when the combs are built, they are generally transparently white, but with age and use for brood-rearing they become dark and opaque. The thin cocoons lining the cells, help to make them so; such are, however, just as valuable for breeding purposes for a long time, or until the size is materially diminished, thereby causing dwarfed brood. It is also valuable for storing honey, where the Extractor is used.

POLLEN OR BEE BREAD.

This is the fertilizing dust, or fine meal-like substance, which the bees procure from the stamens of flowers. When deprived of bloom, they will take flour in lieu thereof. Bees collect pollen and carry it in their pollen baskets (Fig. 43, A.) to the hive and store it for daily or future use.


When mixed with honey it is used to feed the young; older bees use it also for food, to elaborate wax, &c.

Bees only gather one kind of pollen at a time. While different bees may carry in several colors at the same time, the pellets on any one bee will be all alike.


Bees require water when comb-building and brood-rearing is going on, and should have access to it.

PROPOLIS OR BEE GLUE.

This is also collected, like pollen, by the bees, from resinous buds, and is used for fastening combs, coating uneven surfaces, and filling up cracks within the hive. They also sometimes use it in hermetically sealing up any offensive matter that may be too burdensome for them to remove from their hives.



Apiary of Mons. ED. BERTRAND, in the Swiss Alps.



Apiary of Signor BIANCHI, in Italy

THE ESTABLISHMENT OF AN APIARY.

SITUATION, STOCKING AND ARRANGEMENT.

An enthusiastic admirer of the elegant habits of Bees, persistently enquires, Did any one ever sufficiently admire—did he, indeed, ever notice—the entire elegance of the habits and pursuits of bees? their extraction of nothing but the quintessence of the flowers; their preference for those that have the finest and least adulterated odor; their avoidance of everything squalid (so unlike flies); their eager ejection or exclusion of it from the hive, as the instance of carcasses of intruders, which, if they cannot drag away, they cover up and entomb; their love of clean, quiet, and delicate neighborhoods—thymy places with brooks; their singularly clean arrangement of so liquid and adhesive a thing as honey, from which they issue forth to their work as if they had nothing to do with it; their combination with honey-making, of the elegant manufacture of wax, of which they make their apartments; their orderly policy; their delight in sunshine; their apparent indifference to anything regarding themselves, apart from the common good?

BEE-KEEPING A SCIENCE.

To succeed in any calling, we must first gain a reasonable amount of knowledge of the science upon which are founded the rules of that art. Bee-keeping is a science, having for its object the attainment of a correct knowledge of all that pertains to the habits and instincts of these wonderful insects; and a practical art which regards all the attainments thus made as the only reliable basis of successful bee-culture. Therefore, to make the pursuit both pleasant and profitable we must possess the requisite knowledge of the laws that govern these industrious creatures.

Reading and study as well as experience and observation are essential to obtain this knowledge. The lacking of these things will account for the many failures of those whose enthusiasm is not supported by experimental knowledge!

Every apiarist, therefore, *must* read and study, in order to practice the art with pleasure and profit.

WHO SHOULD KEEP BEES?



Many embark in this occupation who should not; being better adapted to some other. Only those should do so who are fond of the study of nature, particularly of the nature and habits of the honey bee! They must be willing to adopt the valuable improvements of the present day, and keep pace with this progressive age; they must be able to control themselves, in order to control their bees. Such only will succeed—while those who still cling to the brimstone and old foggy notions of their fathers, and who are averse to progressive bee-keeping, who shun the little pets on account of their pungent weapons, and when stung retaliate with more ferocity and less judgment than would become a mere animal—can never succeed, and should avoid bee-culture.

The careless, slovenly and lazy person should not keep bees. The care of an apiary is more than it is usually conceived to be—it is *work!* Work for the brain, as well as the hands and feet!


SUITABLE LOCATION.

As this work is intended principally for beginners and those unacquainted with the business of bee-keeping, we shall not discuss those questions which alone interest the advanced apiarist as to location, &c. We simply say: Get a good location where fruit and flowers abound, and where white clover and linden or basswood is found. Almost anywhere within the United States will be good.

One thing we would say: Don't go where there are already many other bee-keepers, for several reasons: 1st.—If you should have Italians, you don't want to have your queens fertilized by impure drones. 2d. The pasturage may not be sufficient to support more bees. 3d. Older bee-keepers may think you are "treading on their toes," and it may lead to unpleasant feelings, and a disastrous competition.



From the honey-house to the outer edge of the inner circle of hives, 10 feet; thence to the outer edge of the middle circle, 15 feet; thence to the outer edge of the outside circle, 25 feet.



R. F. HOLTERMANN.



CHARLES F. MUTH.

A territory of three or four miles all alone is quite a luxury, if you intend keeping bees for profit.

Our apiary was located in Chicago, close to one of the main thoroughfares and street-car lines, and the results in both increase of colonies and honey has been exceedingly satisfactory. Mr. Muth, of Cincinnati, has his apiary on the roof of his store—and is successful with it.

We use saw-dust under and around the hives, to prevent the springing up of grass to the annoyance of the bees.—Some use sand or gravel for the same object, with success.

A timber range is very desirable, for a large portion of their honey and pollen they gather from timber and shrubs. Many good localities are found near rivers or streamlets, where linden, sumac, maple, willow, cottonwood, and other trees, shrubs and vines that yield honey and pollen abound.

The bees should be near the house, or where they can be heard when they swarm. They should be so located that the north and west winds would not strike them, where they can have a warm, calm place to alight.

A hedge, high board-fence, or building on the north and west are a protection against the strong winds which destroy very many laboring bees in the spring, when one bee is worth as much as a dozen in the latter part of summer, as they are then much needed to care for the brood and keep it warm.

If, in April, the day has been rather warm and the evening cool and windy, hundreds of bees may be found on the ground in front of the hive, perhaps loaded with pollen, but exhausted from the flight and chilled with cold. As they approach the hive they relax their exertions, and a light whiff of wind dashes them to the ground, from which they are unable to arise, and before the sun could warm them up, the next morning, they will be dead.

If you have no shade for your bees, it would be best to plant fruit trees among them. These would not only supply them with pollen and honey in blooming time, but acceptable shade in hot summer days. Another thing is apparent, *i. e.*, the fruit would be a remuneration. The bees would fructify the trees and make them to bear plentifully—while in return, the trees would afford to the bees that shade which they so much require, from the burning rays of the sun.

WHICH WAY SHOULD HIVES FACE.

There seems to be no facing superior to the one that allows the sun's rays to shine directly into the entrance of a hive at 11:30 a. m. There is not a difference of any consequence between a south, south-east or south-west aspect, and selection may be made to suit the apiarist's notion. Next to this, we should say, face to the east; if this is impossible, then west—and when no other is available, submit to a north frontage.

WHEN TO COMMENCE.

The reason why many are unsuccessful is that they commence at the wrong TIME. It may have been noticed that about every third year has been a poor season for bees. After such a season but few will commence; while, if the next is a good one, many think the matter worthy of their attention, and if this is followed by another prosperous year, they then decide to embark. But alas, that is just the time to meet the third year's reverse. Those, therefore, who engage in the business should not be discouraged at one reverse.

Early in the spring is the best time to begin—and thus secure an increase of bees as well as honey the first year.

HOW MANY COLONIES TO BEGIN WITH.

Purchase a colony from some reliable breeder or dealer, and in order to get experience, increase from one or two colonies—not more.

As it is essential to know WHAT to do, WHEN to do it, and HOW to do it, we cannot too strongly advise the beginner to purchase a good manual of the apiary, and STUDY IT WELL. This is absolutely essential to success.

REMOVING BEES.

After procuring the bees and selecting the location and position in the apiary, the next thing is to know when and how to remove the bees. In the spring or fall will be the best time to remove them. In the hot weather the combs may be broken down in transit, and general ruin may be the result.

In September or October they may be removed with safety,

but the best time to begin an apiary is in April or May. Only strong colonies should be purchased, unless nuclei colonies are desired in the spring to build up into strong ones by the fall.

If the distance is less than half a mile, they should be removed late in the fall, or the purchaser may lose heavily by the bees going back to their old location. Only a few days since, we heard of a man buying a few colonies of bees of his neighbor ; and, to his surprise, only the young bees, brood and Queen remained, after a few days—the old ones having gone back to their former location, and either died in trying to find their old home or united with other colonies.

It is necessary, however, for their health that shortly after completing their journey they should have one or two fine days on which they can go out and relieve themselves. The disturbance created by transport causes every bee to fill itself with honey, and the condition thereby induced is unfavorable to lengthened confinement. We can always calculate on a fine day occurring after a short interval, in the fall—but one suitable for bee flight may not happen in winter till after the lapse of several weeks. If bees eat freely, and are constrained by an inclement atmosphere to remain long within their hives, evil consequences follow. This is what sometimes causes destruction to colonies moved in winter.

WHAT KIND OF BEES TO GET.

Some prefer to purchase black bees in box hives, and then transfer them to movable frame hives in order to get experience. In that case, they should be populous colonies with the comb yellow or brown. Then the honey received will help to pay for the cost of transferring.

The best satisfaction may be obtained by purchasing strong Italian colonies in the spring. Such will, doubtless, in a few seasons, pay for themselves, thus proving the cheapest in the end, though a little more outlay is required at first. One such colony is worth two of the former.

To examine a BOX HIVE, incline it to one side, looking from the bottom up, between the combs. By using a smoker, the bees may be driven back, and one may discover if it has

capped brood, larvæ and plenty of bees. It should have such, to be considered in good condition.

BUYING "SWARMS OF BEES."

A first swarm is always to be preferred, and if possible from a colony which gave a swarm the previous year, for then the old queen will be in her second year—vigorous and at her best. A small, second swarm should be passed by, in purchasing. Arrange the frames about $1\frac{3}{8}$ inches from center to center; tilt the hive forward, at an angle of 20 to 25 degrees, and they will be almost certain to build straight on the top-bars of the frames. If an old colony is purchased, let it be one that was heavy in the spring, with straight comb coming entirely down to the bottom of the frames, or having as much of it as possible.

HOW TO CARE FOR A FIRST COLONY.

If it comes by express or freight, take it home carefully in a spring wagon. Be sure that the combs run lengthwise of the wagon; drive slowly and handle with care. Place the hive in the position you wish it to occupy, and let it remain until evening, when the wire cloth that is usually nailed over the entrance may be removed, and some board or other obstacle placed in front of the hive, so that when the bees come out in the morning, they will circle around and mark the location, before going to their work, and thus return in due time with safety. About mid-day, it may be well to open the hive and see whether any combs are broken down, and if so, get them straightened up, and fastened either with twine or wire, until the bees have secured them, when such fastenings should be removed. Be sure to smoke them well, before opening the hive.

BEES KEPT ON SHARES.

As some may desire to keep bees "on shares"—though we never think it desirable to do so, as it often leads to misunderstandings and quarrels—we will here give the customary "terms" of such contracts:


It is usual for one party to furnish the colonies of bees, and the other party the care and labor. The expense of new hives, surplus boxes, comb foundation and queens, is usually



G. P. DADANT.



DR. A. B. MASON.



8 years
W. A. Andrews.



J. B. HAINS.

divided equally, and at the end of the season the honey and increase of bees are equally divided—leaving each to take all chances of marketing, as well as wintering.

Always make a written contract, stating the agreement in full, and then there will be less liability of a misunderstanding.

BEEES MARKING THEIR LOCATION.

This is done through the sense of *sight*. A large percentage of the bees that fly out in the early spring are those that have come into being during the winter and early spring; consequently they do not leave the hive in a straight line, but only go a few inches, then turn their heads towards the hive and oscillate back and forth in front of it; then moving further back, still hovering in front of the hive, with their heads towards the entrance, occasionally advancing towards it, as if to note more particularly the place of entrance and its immediate surroundings, they then increase the distance, taking a survey of buildings, trees, fences, or other noticeable objects near by, after which they return to the hive, and start in a direct line from it. On returning, they come directly to the hive and enter; the surrounding objects and the color of the hive are all noted by the bees.

CHANGING THE LOCATION.

It is desirable not to change the location of hives, unless it becomes absolutely necessary to do so. After the bees have become familiar with their location, should the hive be moved a few feet, they will not notice it when departing on their daily rounds, and if there are other hives near, they may perish in attempting to enter other hives or in wandering about, seeking their own home.

When it becomes necessary to move the hives, it should be done gradually, not exceeding the breadth of the hive each day. Or if they are to be moved several rods, alarm them by smoke blown into the entrance, then close it, and remove, placing some obstacle before the hive previous to opening the entrance again. In moving half a mile or more, the result is different; they note the new locality and return to it.

WILL BEES INJURE FRUIT ?

Bees never puncture fruit, and unless the skin has been broken by other insects or birds, they never molest it. Any one can easily determine whether bees injure grapes or not. We know it is charged against them by some persons, but if any one will take sound grapes and hang them up in the apiary where the bees have full access to them, the matter can be easily demonstrated. This experiment has often been tried, but we have never yet heard of a single instance where the bees have punctured even one sound grape.

Dr. Wm. R. Howard, of Texas, says : "I have tried the following experiments : Bees were covering the grapes in the vineyard, and seemed actually intoxicated on the wine. Removing several bunches, some of which had punctured berries, and some sound ones, were taken to the apiary, and the bees soon found them and went to work vigorously. As soon as the punctured ones were exhausted, the bees abandoned them and went in quest of something better. Then the bees were furnished more of the same lot, and closed in the hive ; as soon as the punctured ones were exhausted, they seemed uneasy, then bunch after bunch of sound grapes were given them, which were eagerly covered, but as soon as it was found that none were punctured, they fell back in dismay. The mandibles of the honey bee are not dentate or serrate, but are simply smooth, and beautifully rounded at the points, spoon or scoop-shaped, covered on the body with fine hairs rather long, and on the edges are covered with still finer hair, with a second row around the internal surface, just suited to work soft wax, brush it up and give it the proper finish. If any one will examine these mandibles with a good microscope, it will satisfy him at a glance of the incapability of the honey bee to damage, by puncture, any fruits whatever."

Mr. D. H. Cutting, of Michigan, remarks : "I suspended a cluster of grapes under a tree, and poured sugar syrup on it ; they took all of the syrup, but did not damage the cluster, until a wasp managed to bite three berries before I could kill it ; those three the bees finished. With many experiments, during five years, being surrounded by bees and affording them every opportunity of doing damage, and, failing to find them doing any, I think those who condemn the bees should

experiment for themselves, and ascertain whether the bees do them any damage or not ; they may come to the same conclusion as did the people of Massachusetts, who, years ago, thought the bees damaged their fruit, and had them banished, but, finding that fruit began to decrease and become of a poor quality, were only too glad to have the law repealed, and get the bees back again, when their fruit improved again."

CLEANSING COMBS CONTAINING DEAD BROOD.

Brood is sometimes deserted by the bees from some cause, and, of course, dies—it might have been spread too much, or the bees were insufficient to properly care for it. It is often asked what to do with the combs containing such dead brood. We would say : Uncap those cells in which brood has died, then put them away in some dry place till the dead brood has dried and shrunken. When wanted for use, put them one or two at a time in the stronger colonies, where they will be speedily and thoroughly prepared for use. In order to make them desirable for brood combs, it is necessary that the cells be ready for the queen's occupancy as soon as she reaches the comb, or she will either pass over the comb entirely, or deposit her eggs here and there, wherever she finds unobjectionable spots. Every close observer has noticed that the queen invariably makes a close inspection of the cell she proposes using, and unless perfectly clean she will not deposit an egg in it. With a cell here and there occupied with dead larvæ, it is easy to imagine how the living larvæ adjoining may be more or less liable to become chilled, as inanimate bodies are not possessed of the natural heat which pertains to those living. It is undoubtedly this natural law which instinctively impels a "good" queen to deposit her eggs compactly in an oval space in the comb, thus economizing to the greatest extent the heat of each individual larva to help keep its neighbor warm. To what extent the presence of dead brood in the combs (which has died from natural causes) may have caused the death of contiguous brood, we cannot say, but certainly it has contributed largely to many of the theories regarding "foul brood" and its tendencies, and perhaps in rare instances has had a tendency to enfeeble many of those bees which survived to maturity.


It may not be out of place, in this connection, to advise that the stronger colonies be selected to do all the drudge-work of the apiary, such as cleansing befouled combs, removing mold from combs, and pulling out such dead bees from the cells as will not shake out when dried and shrunken. If your strong colonies have their hives already filled with frames of brood, then remove sufficient to accomplish the purpose; but where a colony is already feeble, and it is desirable to build it up rapidly, no disagreeable work should be imposed upon the bees to perform, for it will task their energies sufficiently to provide pollen, water, and do the feeding and nursing necessary for successful brood-rearing. A strong colony will accomplish in a few hours that which would embarrass a weak colony for nearly a whole season.

ANTS IN THE APIARY.

These are sometimes troublesome in the apiary. The following remedy is practiced and recommended by Mr. A. B. McLavy: "With a weeding hoe, clear the ground in and around the yard of weeds and tufts of grass; in a day or two, the ants will have established a trail from their beds to the hives. By this means you can readily trace them home. To a five-gallon can of water, add, say, ten ounces of cyanide of potassium, and let it dissolve; with a trowel dig gently in the ant-bed until you find the nest, which will be known by the white eggs. Then pour on the water, and make the dirt into a thin mud right in the nest, pour the water on plentifully, so as to effectually poison the very earth. By this means you dispose of ants and queen ant, and unfit the larvæ for reproduction. You may miss destroying it at the first trial, but will eventually clean them out. Keep the cyanide of potash out of reach of children, as it is a violent poison. It retails at the drug stores for about one dollar per pound."

REMOVING PROPOLIS FROM THE HANDS.


We are often asked what will remove bee glue from the hands. Alcohol or spirits of turpentine will do it; or a little slacked lime kept in the bee house will be found convenient, during the summer, to remove propolis from the hands. Moisten the parts desired to be cleansed, then rub with wet lime until the propolis is removed.




Hives for Observation.



Prof. COOK'S Observation Hive.



Harmer's Observation Hive.



Worrall's Observation Hive.





CHARLES DADANT.



REV. L. L. LANGSTROTH.

HIVES AND SURPLUS HONEY RECEPTACLES.

WHAT HIVE TO USE.

Indefatigable industry is the peculiar characteristic of the Bees. During the height of their harvest, they often sally forth even before the rising of the orb of day, and when the short twilight of evening has cast its somber mantle over the face of nature, they may sometimes be seen returning to their homes laden with sweets, which, but for their industry, would be forever lost. Neither the scorching rays of the sun, nor wind, nor storm, will stop them; they avail themselves of every moment that can be employed to advantage, when the fields are decked with flowers containing the precious nectar!

The Creator gave to the Bees no written law, but to guide their labors, He imparted to them instinct to a surprising degree. When the faded bloom and darkened horizon indicate the approach of winter, they look to their hoarded stores for sustenance till the early flowers of spring put in an appearance.

As they provide abundantly, their keeper may reasonably call for the surplus, after supplying their own necessities.— For this he should supply them with a neat and comfortable home, having all the conveniences for storing the precious nectar in convenient and attractive shape. It is, therefore, a matter of some moment to decide what style of hive will best accommodate them as well as their master.

A good hive will give the apiarist complete control of the frames of comb, and afford no harbor for moths. It must give sufficient room for the breeding apartment as well as for surplus honey, and must admit of close scrutiny and easy manipulation.

THE LANGSTROTH HIVE.

Though movable-frame hives were in use in Europe, in rude form, as early as 1795, they were not at all practical until the illustrious German, Dzierzon, invented a hive, in 1848, and our own distinguished and honored Langstroth, in 1852, presented the world with one that has, with his system of management, completely revolutionized bee-keeping everywhere, making it a practical science.

The patent which was issued to the Rev. L. L. Langstroth in 1852 expired in 1873, and there is now no patent either on his hive or frame.

With the movable-frame hive, all the combs can be taken out and replaced, or exchanged with other hives at will, without the least detriment to the bees. The combs having a surplus of honey can be emptied with the Extractor, with-




FIG. 12.— *Langstroth Hive.*

out injury, and returned to the hive to be refilled,—thus saving labor for the bees in making new combs, and honey for their keeper.

The Queen can be found, examined, and, when necessary, can be replaced by one more prolific, or one in some other way more desirable; and artificial colonies can be made at will, as we shall see hereafter. If a colony be weak, it can be strengthened by giving it a frame or two of brood from some other hive. In fact, the movable frame makes the bee-keeper “the master of the situation.”

ALIGHTING BOARD FOR HIVE.

Some prefer the hive to have a Stand, to raise it from the ground. The one illustrated here has a slanting alighting




FIG. 13.—*Alighting-Board and Stand for Hive.*

board to aid the bees in crawling up to the hive when returning from the fields with a load.

THE LANGSTROTH FRAME.

The brood-frames used in the Langstroth hive measure $9\frac{1}{8} \times 17\frac{5}{8}$ inches, outside, and are made with a V-shaped top-bar as shown in the engraving.




FIG. 14.—*The Langstroth Frame.*

When the Langstroth hive was invented, it had frames for surplus honey similar to the brood-frames, but one-half their depth, and were used above a honey-board having holes bored in it, to admit the bees to the surplus apartment.

THE PRODUCTION OF CHOICE HONEY.

In no country on the face of the earth is honey produced, either in ancient or modern times, that can excel that produced in North America. Nature has supplied this vast Continent with honey-sources as varied and plenteous as can be found anywhere in the world. And within the past few years, many improved methods and appliances have been invented for the increased production of honey, as well as to multiply the volume and vastly enrich the quality of the product. Simultaneously with these improvements, we find the consequent increased consumption. Heretofore it was a luxury, enjoyed only by a few—but now it takes its place among staple articles. Improved management, as well as increased production, has brought the price down to that which can be afforded by every family.

HONEY IN THE COMB.

Not only have we forsaken the log-gums and rude straw and box hives of our fathers, and given these busy little workers a neater home, with movable frames to contain their combs, but we have taught them to store their surplus honey in small sectional-frames, so that it can be easily






FIG. 15.—*Honey Frames and Sections.*

taken from the hives when full, and marketed in convenient shape, suited to the requirements of retail purchasers.

The first improvement was to get the surplus honey in “boxes” holding two or more combs. Then came the “California frames,” invented by Mr. J. S. Harbison, which were made something like the standing brood-frames, only they were about 6x6 inches in size, and the sides and top were $1\frac{1}{2}$ inches wide, with narrower bottoms. (Fig. 15 *a*.)



Honey-Comb Coral.



Honey-Comb Coral.



W. Z. HUTCHINSON.



A. I. ROOT.

The first "honey-boxes" were made to hold several combs about six inches square. A. G. Hill, of Indiana, conceived the idea of inserting "comb guides" two inches apart, and then sawing about half way through these boxes, between the "guides," so that the retailer could, with a knife, cut the combs apart, without injuring the honey-combs.

About the same time, Geo. T. Wheeler, of New York, invented honey-boxes for single combs, having wood tops and bottoms, and glass ends; and when taken off the hives (where full-sized, tin separators were used) the sides were also glassed. The bee-entrance was a "slot" in the bottoms.

Then N. N. Betsinger, of New York, invented the honey box (Fig. 15 *b*) made by nailing $2 \times \frac{1}{2}$ inch sides to $1\frac{1}{2} \times \frac{1}{2}$ inch tops and bottoms, to be used with tin separators, and glassed on the sides after being taken from the hives. These were to hold two pounds of honey.

Then A. I. Root, of Ohio, made one-pound sections, eight of them, $4\frac{1}{4} \times 4\frac{1}{4}$ inches, to fit a "wide frame" (Fig. 24) of the same size as the Langstroth brood-frame. These were of $\frac{1}{2}$ -inch wood all around, and "dovetailed;" the sides being 2 inches, and the tops and bottoms $1\frac{1}{4}$ inches wide, leaving room for the bees to enter between every two—to be used with tin separators $3\frac{1}{2}$ inches wide.

After the four-piece dovetailed sections before mentioned, Prof. Cook used berry-box stuff bent to shape around a block, and nailed. Then several attempts were made to get the sections made in one-piece; but that was not perfected until about 1880, in Watertown, Wis., when the present one-piece section with V-groove was perfected.

For years these two-pound sections were the favorites for marketing comb honey—but they are now nearly driven from the market by the one-piece sections holding one pound of honey, and measuring $4\frac{1}{4} \times 4\frac{1}{4}$ inches, outside.




FIG. 16.—*One-Piece, One-Pound Honey Section.*

This cut shows the $4\frac{1}{4} \times 4\frac{1}{4}$ one-piece section, the grooves being represented by a, a, a. These can be easily bent into the shape of a box, by hand, but that can of course be done much faster by machinery. (Fig. 26.)

SUPERS FOR USE WITHOUT SEPARATORS.

The engraving (Fig. 17) shows a Super containing 21 two-pound sections, of the size to fit the Langstroth hive. It is designed for obtaining honey in the comb, without the use of separators. The sections for this arrangement are $1\frac{3}{4}$




FIG. 17.—*Super for Sections without Separators.*

inches wide, and will hold just the same quantity of honey as the 2-inch sections when separators are used. In the absence of separators, of course the sections should be filled with comb foundation, in order to secure straight combs, and such as may be packed in the crates for marketing without interfering with one another.

As these "stories" are arranged with a $\frac{3}{8}$ -inch space over the sections, they may be "tiered up" when desired.




FIG. 18.—*Super for One-Pound Sections.*

The second engraving shows a Super containing 28 one pound sections, also fitting the top of the Langstroth hive, and to be used without separators.

The above described and illustrated Supers, can be made for any of the various styles of hives in use, by simply varying the size to suit the hive.

SHIPPING CRATES FOR COMB HONEY.

This Crate holds two tiers of one-pound sections. A stout sheet of manilla paper should be cut the right size and




FIG. 19.—*Shipping Crate for 24 one-pound Sections.*

placed between the tiers, to prevent any leakage that might occur from combs being broken in transit; this will prevent any leakage from injuring the sections below.




FIG. 20.—*Shipping Crate for 12 one-pound Sections.*

The above Crate holds 12 one-pound Sections, with glass on the end instead of the side. The inside measure of this Crate is just 12 inches in length; carrying two rows of sections of either width, 6 to the foot or 7 to the foot.




FIG. 21.—*Shipping Crate for 12 two-pound Sections.*

This Crate holds one dozen, two-pound Sections. Either the "crate" or the "sections" may be glassed.

SUPERS REQUIRING SEPARATORS.

The engraving shows the seven-inch story, as used on the Langstroth hive (with one of the seven wide frames raised)




FIG. 22.—*Story for Wide Frames, with Separators.*

with the three two-pound sections ($5\frac{1}{4} \times 6\frac{1}{4}$) and tin separator fastened to the frame, as shown in the next engraving.




FIG. 23.—*Wide Frame used in the above Story.*

Wide frames, as well as the seven-inch story, are a part of the hive—only the sections being sold with the honey.




FIG. 24.—*Wide Frame Containing 8 One-Pound Sections.*

This engraving shows a frame, 2 inches in width, of the ordinary size of a Langstroth frame, and holds 8 sections (Fig. 16), with tin separators between them—for use at the sides of the brood-chamber, or above it.

The Comb-Honey Rack holds 18 two-pound sections, with separators between them, marked B in the engraving. The wedge (A) holds all with a vise-like grasp. The outer




FIG. 25.—*Comb-Honey Rack, with Separators.*

sections are glassed (C) as they stand on the hive. By removing the wedge (A) any section may be instantly removed, examined, returned, or replaced by an empty one—the spaces between the rows readily admitting the fingers for that purpose.

Two-pound Sections, with a tight top-bar (2 inches wide) are used in the Comb-honey Rack (Fig. 25); those used in wide frames (Fig. 23) have the top and bottom bars only $1\frac{3}{4}$ inches wide—the wide frame being 2 inches in width, prevents any bees from going above it.




FIG. 26.—*Machine to Press Sections into Shape.*

Sections can be nicely and rapidly put into proper shape by the use of the press shown in the above engraving.

Some time since, we saw a large lot of beautiful honey put up in all sorts of odds and ends, intended to represent sections. The apiarist evidently had these sections on hand, or bought them at half-price, and in a spirit of wasteful frugality, determined to use them rather than pay a fair price for a neat, attractive section. He undoubtedly lost enough time in assorting and arranging them to have paid for a good article. His economy cost him just four cents per pound on his honey. That was extravagant economy!

TIN POINTS FOR GLASSING SECTIONS.


Two tin points should be inserted in the top-bar of the section, one-eighth of an inch from the edge, and the same in the bottom-bar. Between these the glass may be inserted, bending down the tin points closely to it; the sides being full 2 inches in width, while the top and bottom are $\frac{1}{8}$ of an inch less on either side—the glass will make all even. The glass may be taken off at pleasure, by simply straightening up the tin points.



Some paste paper over the joints, to keep the package air-tight. However desirable the latter may be, the paper is a positive detriment, for it soon becomes covered with fly-specks and dirt, thus rendering it quite unattractive to the purchaser.

The above directions are for sections used in wide frames (Fig. 23.) Those with the tight top-bar, used in the Comb-honey Rack (Fig. 25) are fastened with the tin points at the bottom, as before described, and at the top by having a tin point inserted outside of the glass.

REVERSIBLE BROOD FRAMES.



The engraving represents the reversible brood-frame made by Mr. James Heddon. Many devices have been presented to reverse the frames, but this is as good as any, where reversing is desired.

PLIERS FOR HANDLING FRAMES.

Frame Pliers, for taking frames out of hives, or moving them in any way desired, are made of Japanned iron, with






FIG. 27.—*Pliers for Handling Frames.*

a long claw for loosening frames, and a hook which may be used to carry other frames besides that held by the Pliers.




A, Exit. C, Entrance.

Reese Bee-Escape—Top View.




A, Exit. C, Entrance.

Russell Bee-Escape—Under Side.



Apiary of Mons. De LAYENS, near Paris, France.



PRODUCTION AND CARE OF HONEY.

PREPARATION FOR THE MARKET.

The Arabs, it is stated, obtained their knowledge of Astronomy while crossing the trackless desert, being compelled to observe very closely the position of the stars to guide them in their journey. Just so should the bee-keeper closely watch the continual and varied changes that occur in the demands of the public concerning the preparation of honey for the market. Instead of settling down to the conclusion that, in reference to marketing honey he knows it all, he should be careful to observe what dealers and consumers demand, and then at once, freely and fully meet the requirements of the trade. In this way only, can he become a successful apiarist.

The progressive producer of this God-given sweet is never surprised to find that the methods of preparing honey for the market, which were acceptable during one season, are behind the times for the next, and require modifications or improvements in order to keep pace with the public requirements.

HOW SHOULD HONEY BE MARKETED?

It should never be forgotten that honey of good quality, and in any of the popular packages, will *command* the highest price, and be in constant demand. Such tempt the purchaser, and cause a steady demand.

The marketing of honey is a subject that interests every apiarist. In order that honey may be sold readily, it **MUST BE ATTRACTIVE!** Has it never occurred to the reader to inquire why bolts of muslin are labeled with pictures of luscious fruit? Or why boxes of fancy toilet articles are adorned with lithographs of enchanting faces with bewitching

smiles? Answers to such questions offer us instructive lessons that will pay for the learning! Manufacturers know full well that in order to have their goods sell readily, they must be attractive! No matter how good the quality, nor how cheap the price—they must *attract and please the eye!*

To-day, comb-honey is *the preference* for table use, and if we would cater to the public want, we must produce that article in the most attractive shape. This must be arrived at by growth! We could not obtain “the most desirable shape” at one bound, but may approximate perfection!

No product of field or farm varies so much in price as honey; and why? Because of the unattractive manner in which some put it upon the market. It only requires to be attractively put up, to find ready sale at remunerative prices. If we meet the requirements of consumers, there will be a demand for all the honey produced in America.

As the articles for sauce decrease in the fall, the thrifty house-keeper looks around for something to take its place besides canned fruit. Honey is just the thing she desires; and it only remains for us to convince the millions of house-keepers of that fact, for the demand to increase and grow astonishingly—if the supply be kept up attractively.


One great question, towering far above all others in importance, is: “*How to dispose of honey to the best advantage.*” In vain do we talk of the best hives—the best implements for every department of the apiary. In vain do we toil and labor from morn till eventide, manipulating our pets and their surroundings. In vain do we tell of the large amount of honey stored away in our honey houses. *Vain* is all this, if we cannot dispose of it to advantage and thus *reap the reward* of our well doing.

ASSORT AND GRADE THE HONEY.

All honey should be graded, and a scale of prices be established. Now, one compelled by his needs, may sell honey at the commencement of the season for any price offered, and thus unintentionally break down the market, by giving a start at too low a rate. Systematic organization could and should help this state of affairs. Some State Conventions have appointed committees to grade and then dispose of the honey of the members. If this were done in every State or district, we should hear no more of the markets being broken down by premature and forced sales.



PROF. N. W. McLAIN.



REV. STEPHEN ROESE.



yours Truly
G. M. Doolittle

MANAGEMENT OF COMB HONEY.

Comb honey should be taken from the hive as soon as it is finished, or as soon thereafter as possible. "No apiarist can expect to have his honey sell for the highest market price," says G. M. Doolittle, "if he allows it to stay in the hives for weeks after it has been sealed over, allowing the bees to give the combs a dirty yellow color, by constantly traveling over it. All comb-honey producers know that there always will be cells next to the section that are partly filled with honey but not sealed over, and when taken from the hive, if the section is turned over sidewise, the honey, being thin, will run out, making sticky work. The remedy for this is a small, warm room. Bees evaporate their honey by heat, and therefore, if we expect to keep our honey in good condition for market, we must keep it as the bees do, in such a position that it will grow thicker, instead of thinner all the while. Our honey room is situated on the south side of our shop, and is about 7 feet square, by 9 feet high. We have a large window in it, and the whole south side is painted a dark color, to draw the heat. In it the mercury stands from 80° to 90°, while our honey is in it; and when we crate it for market, we can tip our sections as much as we please and no honey will drip, neither will any of the combs have a watery appearance—all will be bright, dry and clean. But if we keep honey thus warm, the moth will make its appearance, and make it unfit for market, by gnawing off the sealing from our beautiful combs.

"We build a platform on either side of our honey room, of scantling, about 16 inches high, and on this we place the sections so that the fumes from burning sulphur can enter each one; in about 2 weeks we fumigate, by burning $\frac{3}{4}$ of a pound of sulphur for every 200 cubic feet in the room. We take coals from the stove and put them in an old kettle, so as not to get anything on fire; pour on the sulphur and push it under the pile of honey, and shut up the room. Watch through the window, and in 15 minutes after the last fly or bee that chances to be in the room has died, open the door and let out the smoke, for if it stands too long, the smoke may settle on the combs and give them a greenish hue. As there may be a few eggs that have not yet hatched, we fumigate again in about 10 days, after which the honey will be free from moths, if you do not let millers into the room."

HANDLING AND SHIPPING.

It has been estimated that the surplus honey product of America amounts to seventy-five millions of pounds; therefore, the placing of this enormous product upon the market is a subject of vast importance to honey producers. Any method that will add one cent per pound to the marketable value, is worth to them three-quarters of a million of dollars; and any error of management, causing a reduction of one cent per pound, is to them a corresponding loss! We should ascertain what the market demands, and then diligently apply ourselves to the work, in order to reap the reward of "well doing," and rejoice in the labor of our hands.

Honey in the comb is a luxury—a fancy article—and our first care should be to produce it in such a manner as to command a fancy price. It must captivate the eye of the consumer, and tempt him to purchase. To this end comb honey should be put up in single-comb sections, all combs being straight and evenly built, and labeled with the kind of bloom which produced it, giving the producer's name and address. It should be put up in uniform crates, and not veneered, *i. e.*, the combs inside should be just as good as those on the exterior of the crate. Small packages sell the most readily; twelve in a crate (fig. 20) is usually sufficient, and always the most desirable for the jobbing trade.

The apiarist should give his personal attention to its crating, grading and shipping, so that he may be positive as to the details, should any question, involving these, be raised by the consignee. The inexperienced and careless ones are always a detriment, and sometimes ruin the market for their more careful and experienced neighbors. They take an inferior grade of honey, put up in irregular and soiled packages, to market early, just to get a little money, and sell for any price offered; and this often settles the price for that locality and season, and the attractive honey is either sacrificed to their carelessness, or shipped to another market.

If shipped away to market, it must not be packed in straw or chaff; but put in small crates containing a single tier (fig. 20), and placed with the top bar downwards, which is the strongest way, and will prevent much breaking down. Ship

by freight, for the expressage will be so high that it will take off all the profits, and is, in nearly all cases, liable to do as much damage as when sent by freight. See to its packing in the car, wagon or vehicle, and place the combs lengthwise to the engine, but crosswise to the horses, and give direction not to have it unloaded on trucks, but invariably to be unloaded by hand.

WHAT TO DO WITH CANDIED COMB HONEY.

When honey becomes old and candied in the combs, it cannot be removed by the Honey Extractor, and inquiries are made as to what to do with it. This is Mrs. L. Harrison's method: "The honey was mashed up in a pan, and set over a kettle of boiling water, and stirred frequently. Before the honey was very hot, the wax had risen to the surface, and being set out in the cold, quickly congealed, so that the warm honey could be poured from under it, through a coffee strainer into another vessel, leaving the wax in the pan. After the honey was melted, the wax was all melted up together, and considerable honey of inferior quality was under it, which can be kept separate and be used for cooking, making gingerbread, etc. The rinsings of vessels used in manipulating the honey, will make excellent vinegar. The wax can be melted in a pan over boiling water, and should be poured, when melted, through a hot coffee strainer, and when cool, will be of a light straw color."

MANAGEMENT OF EXTRACTED HONEY.

The marketing of extracted honey is an important matter, for a good article, attractively put up, will always command the best price, and it is, therefore, of the utmost importance to producers to have honey put up in the best shape.

None but a thoroughly good article should be produced or placed on the market, as the price depends on the quality. A good article of extracted honey has excellent qualities, which, when well known, will commend it to all consumers, and is equal in every respect to the very best article of comb honey.

It is very gratifying to know that extracted honey is now produced to a much larger extent than ever before. Without

saying anything to the disparagement of comb honey, we may say that we think it will become a staple only in the *extracted* form. Its excellent qualities, when better understood, will bring it into almost universal favor.

Every bee-keeper should fully supply his own locality, and he should let it be distinctly understood that it is the pure honey taken from the combs by centrifugal force—that nothing is added to it, and nothing taken from it but the comb—that it is not the old-fashioned “strained honey,” which was obtained by being taken from mashed brood-combs, and “strained” from dead bees, pollen, &c., but that it is the *pure* liquid gathered from the flowers, which will give health to the body, force to the mind, and strength to the intellect of those who use it.

It should also be kept before consumers that granulated honey can be reduced to its liquid state in a few moments by placing the honey in a jar in warm water. When thus liquefied, it so remains for some time before again crystallizing. Consumers may be sure of a wholesome article by purchasing granulated honey and reducing it.

Mr. Heddon used earthen crocks holding about ten pounds, and he likes them very well; it is very convenient to take the honey from them when it is candied, or to liquefy it by placing the crock in warm water.

If the product is for a home market, then, of course, the producer must study the local preference regarding the size and style of package, as well as the grade of honey most easily disposed of. As far as practicable, keep each grade of honey separate; it is a mistake to suppose a few pounds of inferior or different shade honey will make no difference in a large bulk of white clover honey, or that thereby a better rate will be obtained for the second grade article. Instead, the result will most likely be to class it all as second grade, and the price of all will be depreciated. Again, if possible, keep the white clover and basswood honey separate. In order to do this, keep a vigilant watch of the basswood bloom, and extract the white clover quite close before the bees commence gathering from the former. A little clover in the basswood honey, however, will not do the harm that would result if the proportions were reversed. After the basswood

harvest is all gathered by the bees, extract it closely, for it will not do to taint any other honey, even though it be from fall flowers and somewhat darker, with its aromatic flavor.

TIN PAILS FOR HONEY.

For retail packages, tin pails (fig. 28), with close-fitting covers, are the best. Purchased by the gross or in lots of 1,000 or more, the price is so inconsiderable that no consumer will object to paying what they cost, in addition to the price of honey, for they are so "handy to have in the house" that not one in a hundred would return the pail.



FIG. 28.—*Straight Pails.*

A neatly printed label should be gummed or pasted on each Pail, stating the amount and kind of honey, name of apiarist by whom put up, and giving in a foot-note directions for liquefying the honey in case it granulates.




FIG. 28.—*Tapering Pails.*

They are heavier and stronger than the straight Pails; the covers are deeper and the top-edge of the Pail is doubled over. A smaller size is also made to hold about one pound.

If smaller packages are wanted, then use glass jars (fig. 29) or tumblers. These are always worth their cost in the family—the former for pickles, catsups, and a thousand other uses, while the latter are equally appreciated for their convenience in putting up jellies, etc. Jars and tumblers, like the tin pails, should be tastefully put up and labeled.




FIG. 29.—Glass Honey Jars.

For a retail market, excellence of goods should be the prime consideration, but the attractiveness of the package should never be lost sight of. Manufacturers of adulterated goods, of nearly every description, depend more upon effecting sales by the employment of attractive packages and tasteful, pretentious labels than upon the excellence of the pretended article sold. In this respect, bee-keepers have been woefully negligent, and many have appeared wholly indifferent as to the appearance of their honey, seeming to imagine that their personal assurance to the grocer of the purity of the article, was sufficient to convince the public of its desirableness.

If the extracted honey be destined for a metropolitan or foreign market, an entirely different method of putting it up should be employed. There is nothing more convenient, attractive or economical than square tin cans, or small kegs




FIG. 30.—*Small Kegs for Honey.*

made of pine. The soft-wood kegs need no waxing. If thoroughly drenched with water a few hours before using, no leakage will take place.

The square tin Cans furnish excellent packages for safely shipping extracted honey. Each Can holds about 60 pounds, and two of them may be shipped together in one crate, as seen in the engraving to the right. There is no leakage in




FIG. 31.—*Square Cans for Shipping Extracted Honey.*

transit, if even moderately well handled. A stick one inch square should be placed over each Can, before nailing the cover down.

Barrels are too heavy and cumbersome for convenient handling, and too large for rapid sales. No hard-wood barrel is safe to put honey in, till after it has been thoroughly waxed. Taking into account the value of the wax and time consumed in applying it, together with the price of the barrel, the cans or kegs are the cheapest, without considering their convenience and less liability of leakage. As the jobber never pays for the barrel, the shipper should use the cheapest—if the best.

Many times jobbers and commission dealers decline small sales, rather than furnish smaller packages and give the time requisite for dividing up a large barrel of honey. The time is rapidly approaching when there will be a discrimination of at least one cent per pound in favor of the small packages, for the finer grades of extracted honey, whether for retailing or manufacturing purposes.

HONEY MUST BE RIPENED.

The nectar gathered from the flowers cannot be called honey until the evaporation and ripening process has so far gone on that the bees have commenced capping it over. If it be extracted before it is capped by the bees, as some apiarists recommend, on account of the quantity being thereby greatly augmented, then it should be ripened before it is placed in tight packages or shipped, or it is liable to ferment and sour.

The bee-keepers of California find it necessary to extract the honey as fast as it is gathered, but they thoroughly ripen it. Mr. Gridley thus describes his plan of ripening honey :



FIG. 32.—*Honey Evaporator.*

“The honey from the extractor runs through a galvanized iron pipe (one-and-a-fourth inch) drain, a distance of fifty feet, emptying into a pan, 3x6 feet, four inches deep, made in this manner: This pan is put into a wooden case and covered with a glass sash; set it at an angle of about forty-

five degrees. The honey runs around these partitions, back and forth, a distance of one-hundred feet before it reaches the outlet at the further end; from there it passes through ten feet of pipe into the tank, containing one ton. By the time it reaches the tank, the water is pretty well evaporated."

METAL CORNERS FOR CRATE COVERS.

Mr. W. H. Fletcher, of Sauk Rapids, Minn., has made a very simple little contrivance for attaching to the corners of




FIG. 33.—*Metal Corners for Crate Covers.*

crate covers. These can be made of tin, require no especial ingenuity to manufacture, are easily tacked on the corners of the covers, and will be found very convenient by the grocer or family to hold the cover exactly in place, thereby effectually excluding flies and bees from the honey. Fig. 33 illustrates a section of the crate and cover with the tin corner attached.

PUTTING THE GLASS IN THE SECTIONS.

This is not such an easy matter to do, especially without some tool to drive in the tin points. Mr. C. Wurster, of Canada, has made a tool to do this (fig. 34), the use of which he describes as follows: "When using the tool, the section must be laid down flat, lay the glass on, and the side of the section you wish to drive the points in should be nearest you,

then with your left hand hold the section and glass in place, and with the left hand thumb to steady the tool, having, as will be noticed, one jaw shorter, which must be facing the glass in front of it, keeping the tool close to the edge of the



FIG. 34.—*Tool for Glassing Sections.*


glass, and, while pressing down with the left fore-finger, press the glass against the tool, or at least from pushing it off in case a point is a little faulty and sometimes apt to bend.

HONEY AS A COMMERCIAL PRODUCT.


With a ready and anxious market for our comb honey in England, France, Germany, China and Japan, as eager consumers of American extracted honey, all fears of overstocking the market are happily set at rest, and the time is not far distant when prices will be as quotable, and as generally uniform as for any other product. Nor need we fear a divided market by reason of Foreign competition; for no country in Europe is so greatly favored by nature for honey producing as is the United States, and none produces honey of finer quality.

Time was when prejudice militated greatly against our sales abroad, but the cultivation of fraternal relations with our friends in Foreign lands, and the assurance of friendly feelings and honorable transactions, have turned their honest prejudice into esteem, and their jealousy into generous co-operation.

Our faith in the future of honey as a staple article, like butter, cheese and eggs, is strong and invincible. To this we have devoted our time, energies and means, and we are fully aware that all our "earnest work," as well as that of our co laborers, will be rewarded. Let us all be wide awake—for "the day of prosperity" for our chosen avocation is just dawning.




BEE STAND, for Summer and Winter.



(Side View.)

HONEY EVAPORATOR.

(End View.)



Method for Fastening Foundation in Sections.



BORAGE.



Apiary of Mr. E. Armstrong, Jerseyville, Ill.

MANAGEMENT OF AN APIARY.

LUCK OR SCIENTIFIC MANAGEMENT.

While some are said to be lucky with bees—others could never have any luck with them. Some will not sell their bees, others will not even give them away! Still others will neither sell nor give them away, but will allow them to be stolen, if sufficient money be left on the stand to cover their value. Some superstitious ones contend that when a member of the family dies, some one must go and whisper it to the bees or they will do no good afterwards. A host of other whims could be arrayed, belonging to the age of superstition. Practical knowledge is the only secret of success. Stock-growers say, if they want to raise good stock they must attend to them, and administer to their wants. This is precisely the case with bees, and is the sole secret of that success which the ignorant and lazy ascribe to luck.

THE ITALIAN BEES.

Briefly stated, their superiority is thus demonstrated:

1. They have longer tongues and gather honey from the flowers where black bees cannot.
2. They are more industrious and persevering, and with the same opportunity will gather much more than black bees.
3. They work earlier and later in the day, as well as in the season, often gathering stores when the blacks are idle.
4. They are better to guard their hives against robbers, and proof against the ravages of the bee moth's larvæ.
5. They are more prolific in the spring, and are less liable to breed in the winter.
6. Queens adhere more tenaciously to the comb.
7. They are amiable, and it is easy to manipulate them.

ITALIANIZING OF THE APIARY.

To do this, a tested Italian queen (Fig. 1) should be obtained from some RELIABLE dealer or breeder, and introduced into one of the best colonies of the apiary. For, as the queen is the mother of the colony, to change queens is to change the whole character of the colony in a short space of time. To successfully

INTRODUCE A QUEEN

it will be necessary to find the queen to be superseded and take her away. A black queen being easily frightened, will hide or run away to some corner, therefore it is best to proceed cautiously and without jarring.

In the middle of the day, when the old bees are at work, open the hive, taking out the centre frame, examine both sides, and if the queen is not there, proceed with the adjacent frames till she is found. If not successful the first time,




FIG. 35.—*Mandible of Queen, greatly magnified.*

close the hive an hour or two, till the bees become quiet, and then repeat the operation. An Italian queen would be easily found, but the blacks are more troublesome. When found, either destroy her or make such other disposition of her as may be desired; cage the Italian queen and insert it between two combs containing honey which the queen may be able to reach at pleasure.

Fig. 36 gives a good illustration of a piece of furniture that will be found very useful in an apiary. It is a stand on which to hang the first frames removed from a hive, when an examination of it is made. It was made by Mr. J. M. Valentine, who describes it so minutely that one can readily make it. Usually the first frames are leaned against the hive, standing upon the ground, and more or less bees are injured. With this "Stand," they are hung up, entirely out of danger.




FIG. 36.—*Valentine's Frame Stand.*

"The uprights are $1\frac{1}{2} \times \frac{3}{4}$, 24 inches high; a piece 1 inch square runs across the top for a handle to lift it by and to hold the top together. Two inches below the top-bar are hooks on both sides, so as to hang on two frames if desirable. Four inches below the bottom of the frames (when suspended on the hooks) is a shelf 12 inches wide, to which the uprights are nailed. This makes a nice place on which to lay cages, etc. Under this shelf is a drawer 6x8, that draws out on either side, in which I keep a dozen queen cages, a sharp-pointed knife, and a small pair of scissors."

In about 48 hours release the queen upon one of the combs,

and see how she is received. If she is attacked by the bees, molesting her wings and legs, return her to the cage for another 36 hours, after which she will, no doubt, be accepted. Queen cells, if any have been started, should be destroyed.

Another plan, and one that is regularly practiced in our apiary with uniform success, is to make the colony queenless for 24 hours, and then with an Atomizer (Fig. 37) throw a fine spray of peppermint water over both the queen and bees, letting the queen loose upon one of the central combs, and close up the hive. The peppermint water makes the bees




FIG. 37.—Atomizer, for Spraying Bees.

and queen of the same scent, and, almost invariably, she is received with favor. The spray is so FINE, that it is not the least detriment either to the bees, comb, brood or honey.

With a valuable queen, where it is not desired to take the least risk, a new colony may be formed, by taking hatching brood from several hives. Being ALL young bees, the queen will be unmolested. This may be done with perfect safety.

INSERTING A QUEEN CELL.


A ripe queen cell will almost invariably be received with favor by a queenless colony. Of course all other queen cells must be destroyed.

Fig. 38 shows a queen cell finished and sealed, containing an embryo queen. The orifice *a* is capped, and the cell-walls are thickened preparatory to being extended in the direction of the dotted lines *b b*.

When the embryo queen is nearly mature, within 12 to 16 hours of emerging, the bees begin to demolish the exterior compartment (Fig. 38, *b b*), reducing it to a level with the outer edge of the cap of the cell proper (Fig. 38, *a*). The con-



DR. C. C. MILLER.



T. S. BULL.

QUEEN REGISTER.

EGGS.

No.

MISSING.

BROOD.

LAYING.

o

CELL.

APPROVED.

MATCHED.

MARCH.

NOT APPROVED.

OCT.

APRIL.

SEPT.


o

MAY.

AUG.

JUNE

JULY.



DIRECTIONS.—Tack the Card on a conspicuous part of the Hive or Nucleus box; then, with a pair of Pliers, force a common pin into the centre **O** of each circle, after it is bent in such a manner that the head will press securely on any figure or word. Use tinned or galvanized tacks, that will not rust, etc.

vex cap, being then very prominent, is liable to be injured ; and, to protect it, the bees coat it with a fresh layer of wax, making it nearly as thick as the cell walls. Fig. 39 shows the cell as seen after the anterior compartment has been removed, exhibiting the convex cap *a*.




FIG. 38.—*Finished Queen Cell, sealed over.*

The young queen pierces a hole through the edge of the cover (Fig. 39, *a*) with her mandibles (Fig. 35), and then makes a circular cut along its periphery. Being thus detached from the cell walls, the cap drops, opening a circular passage, through which the queen emerges.

To cut a queen cell out, commence on each side of the base of the cell, not nearer than half an inch, and cut upwards a wedge-shaped piece (see Fig. 11), being careful not to squeeze



FIG. 39.—*A Ripe Queen Cell.*

or even to handle the base of the cell. A similar wedge-shaped piece must be cut out of the frame of comb that it is desired to put the cell into. Then carefully place the cell into the hole thus made, fitting it securely in position ; place the frame into the hive and close it up.

MAKING NUCLEI COLONIES.

Nuclei are made by taking two or more frames, as may be desired (at least one of which should contain brood), with adhering bees, and the frame, already furnished as described, with a queen-cell, and shaking into the hive the bees from one or more frames, so that there may be enough young bees to remain after the old bees have returned to their former hives, to keep the temperature sufficiently high to hatch out the brood, as well as to care for the emerging Queen. In making up nuclei colonies *be sure not to take away the Queen* with any of the frames, else the cell will be destroyed, and all their labor lost.

It is better to use the regular frames for nuclei hives, and either use the ordinary hives with a division-board (Fig. 40) to contract the brood-chamber, and economize the heat, or make small hives just to suit the number of frames used.




FIG. 40.—*Division Board.*

Many inquire whether there is any patent on the ordinary division-board, or not. We say emphatically, *No!* One man claims a patent on a division-board fitted up with "woolen" or "rubber strips," at the sides, and "lugs," or feet at the bottom. No one need fear to use the ordinary "division-board." A board of *one* piece is neither patented nor patentable!

As the virgin Queen emerges from the nucleus to meet the drones, sometimes the bees will accompany her if they have no unsealed brood. To prevent this, two or three days after the Queens are hatched, insert a frame containing eggs and young larvæ in each nucleus. If the Queen should be lost on her bridal tour, the materials will be on hand for the bees to rear another, if it is unnoticed by the apiarist.

When the nuclei colonies are formed, put them away in the shade, and in two or three days the Queen will be hatched, and a week or ten days later will become fertilized, and be laying; this may be readily discovered upon examination. Now the apiarist is ready for the formation of new colonies, without the inconvenience of natural swarming, by

DIVIDING THE COLONIES.

Bees swarm because it is their natural manner of increase. By dividing them we secure the increase without swarming, and save time in watching and hiving natural swarms. This, however, must not be overdone. The beginner sometimes imagines that by dividing he can make almost any number of colonies from each one, forgetting that *strong* colonies are the only ones that accomplish anything. Dividing should never be done unless the colony be very populous, and can well spare the bees and combs. To more than *double* the number of colonies each season is not good, unless increase is desired at the expense of honey.

Some divide their strong colonies equally, or nearly so, carefully looking for the Queen, putting her into the new hive, placing bees and brood in the centre, filling up with frames containing comb foundation (Fig. 69), removing the hive with the Queen to a new location; leaving the queenless colony on the old stand, to rear for itself a Queen from the brood it possesses. If the Queen be a choice one, and it is desired to get Queens from her, it is a good plan to get the queen-cells started for the nuclei, as before described.

Ordinarily, we prefer the nucleus plan of multiplying colonies. Take one of the nucleus hives before described (which should be of the same pattern and size as those to be divided), and remove the division-board. Then take a frame containing brood and adhering bees from each colony, placing them into the nucleus until it is full. Be sure not to take the queen away from any colony. The bees that will hatch out in a few days will make that nucleus a populous colony. Put a frame nearly filled with comb foundation (Fig. 69) into each hive from which the frame of brood was taken, and in a few days they will have this all worked out into beautiful comb; and, in all probability, filled with eggs.

The new colony having a young and fertile queen, and plenty of bees, will soon rival the old one in the vigor of its work. Each of the nuclei can be built up in this way, giving a new colony every few days—or, if the apiary be large, several every day—and thus effectually prevent swarming. Increase being secured in this way, none of the colonies are disturbed, and the bees everywhere “pursue the even tenor of their way.” All being kept strong in numbers they are ready for the honey harvest, and will work in boxes very willingly.

Dividing should be done in the middle of the day, when the bees are busy in the fields and the yield of honey is abundant.

Another plan practised with success, is to take away the division board in the nucleus hive, fill the frames with comb foundation (Fig. 29), and exchange places with a populous colony, caging the queen of the nucleus for about 36 hours, or until her acquaintance has been made by the strange bees that come pouring into it from the fields—for bees will always return to the exact spot occupied by their home.






FIG. 41.—*Davis' Queen Nursery.*

To raise queens for the purpose of Italianizing an apiary, the Queen Nursery (Fig. 41), invented by Dr. Jewell Davis, may be used with success. Put into the cages of the nursery, between the tins, a few cells of sealed honey, in new comb if possible. Then cut from the combs of a pure Italian colony as many queen cells, large and well developed, as you have pre-



Foot-Power Saw, for Making Hives, etc.



German Unrapping Machine.



Truly Yours
W P Allen

pared cages with the honey, as above. Suspend one of the cells in each of the cages. Good care should be taken to have the best cells, and not injured by bruising, handling or jarring. Having thus supplied each cage of the nursery with a queen-cell and food—the food is thus supplied that the young queens may not starve if the bees do not feed them, a thing they often fail to do when there is a scarcity of honey in the flowers. The nursery cages so prepared are adjusted in the nursery frame. Then having removed a centre comb from a strong black colony, the queen-nursery may be placed into the vacancy made by the removal of the comb, there to remain until the queens are hatched, which will be in 3 or 4 days, if the cells were not cut from the combs too early, or before the 9th day. When the queens have emerged from the cells, remove the cage and introduce the caged queen to a black colony, liberating her on the next day about sundown—if necessary, spraying the bees with perfumed water by the atomizer (Fig. 37).



FIG. 42.—*Queen-Registering Slate.*

To remember dates every one has not the faculty, and yet all the operations of queen-rearing require that it should be done. For instance, the time when a choice colony was made queenless, to have queen cells started—the time these cells are given to the nuclei—the time of hatching—when the queens commence to lay, &c. To save time and trouble in remembering these and other dates, a small slate (Fig. 42), 3x4 inches, with a hole in the center of the top, should be hung on the hive by a small nail with all these dates written thereon. A printed card tacked on to the inside of the cap is used by some to advantage, in keeping track of such dates.

If the dividing of colonies be neglected, or if it is not desired to practice that method of increase, the bees will become greatly crowded for room, and will necessarily

SWARM.

For some days before swarms issue the bees may be seen clustering at the entrance of their hive, though some come

out where there are little or no indications of a swarm. When honey is abundant, and bees plenty, look for them to come forth at almost any time, from the hours of 10 in the morning to 3 in the afternoon, for first swarms ; for second and third swarms, from 7 in the morning until 4 in the afternoon.

By examining the hive it can be ascertained whether they are about to swarm or not. If queen-cells are seen with eggs or larvæ nearly ready to be sealed over, a swarm may be expected within one or two days after the first cell is sealed over, or as soon after as the weather will permit.

After whirling a few minutes in the air, the mass of the bees will cluster on the branch of some convenient tree or bush—generally one that is shaded from the sun's rays.

They should be hived as soon as the cluster is formed, else they may leave for the woods ; or, if another colony should cast a swarm while the first was clustered, they would probably unite.

Should the Queen fail to join the bees, by reason of having one of her wings clipped, or for any other cause, the swarm will return to the hive, as soon as they make that discovery. As the bees are gorged with honey, they may be handled without fear of stings.

“After-swarms” being unprofitable, all but one of the queen-cells should be destroyed, or cut out, as before described, for nuclei—this will prevent any more swarms issuing. Within eight days, the first Queen will issue, and finding that she has no rival she will take possession of the hive, apparently having no idea of swarming.

To ascertain that she has no rival, she makes a peculiar sound—called “piping.” If there is another Queen in the cell nearly ready to emerge, it will answer by a “piping” sound. If this Queen, still in the cell, is protected by the bees, so that the first Queen cannot find and destroy it, she will also prepare to swarm within 2 or 3 days. After the departure of this swarm, and the emerging of the second Queen and her “piping” is also answered by a third Queen, a third swarm may also issue.

If the desire to swarm is satisfied after the departure of the first swarm, the queen-cells will be all destroyed by the first young Queen that emerges.

HOW TO HIVE A SWARM.

If the cluster be low, it is easily performed. The queen is usually in the lower part of the cluster, and by finding "her majesty," and placing her into a hive, which should be placed conveniently near for the purpose of hiving the swarm, and with a dipper, or any other convenient vessel, place the bees down in front of the hive on a sheet, or piece of paper. They will then crawl into the hive, and, finding the queen, be satisfied to remain. When the bees are in, place the hive where it is to remain; a shaded position will be the best. If comb foundation (Fig. 29) be placed into the frames, it will be of very great advantage in comb building.

If they have clustered on a branch or twig, a basket will be quite essential, into which to shake or brush the bees. If on a wall or fence, or on the trunk of a tree, brush them into the basket, and proceed to hive as before described.

A frame of brood and another of honey placed into the new hive will be of much advantage to the bees. The former will prevent the swarm from leaving the hive, and should the queen be lost, it will give them the means of raising another, and the latter will give them a good start. By filling the other frames with comb foundation, (Fig. 29) they will soon be in good condition and perfectly at home in their new quarters.

Sometimes a swarm will make for the woods without clustering—but this is rarely the case.

The beating of tin pans, and all such old-fogy notions, is, of course, of no avail; throwing a stream of water from a fountain pump is often done to bring down an absconding swarm, and cause them to alight and cluster.

THE LOSS OF THE QUEEN.

When the bees manifest a restless and uneasy disposition by running about the front of the hive and signaling each other, it is a sign that they have lost their queen, and they should be examined at once.

Should a colony become queenless from any cause, three weeks may be gained by having an extra queen to give it at once. Upon examination, if no brood is found where the bees are clustering, the colony is queenless. At any time during

the season, from March to October, this is a sure sign. Colonies that lose their queens during the winter have a forlorn appearance. The bees walk around the entrance listlessly and without eagerness; but few of them go in search of either honey or pollen.

No time should be lost in giving a queenless colony a comb of eggs or young larvæ, or both, from which to raise a queen.



FIG. 43.—*Legs of an Italian Worker Bee.*

Sometimes such a colony will refuse to raise queen cells: it may be too weak; its queen may be too old to lay, or they may have a fertile worker. If it be too weak, it should be united with another colony. If its queen be old, she should be removed and the bees given a frame of brood from a prosperous colony. If it has a fertile worker the most effective way to get rid of it is to break up the colony, dividing it among strong colonies having fertile queens.

Fig. 43 shows the legs of a worker bee. The two at the left showing the outside; while the two at the right exhibit the appearance of the inside of the legs, *i. e.*, that part nearest the body. Those at the top of the engraving are the anterior, and the lower ones are the posterior legs; the latter showing the "pollen baskets" at A, A.

Worker bees being undeveloped females, it is not strange that now and then one may be sufficiently developed to lay eggs. Some account for this by the possibility that the larva




FIG. 44.—*The Ovaries*

may have been adjacent to the queen cell and received some of the royal pabulum, given so plentifully to the queen.

Prof. Leuckart remarks that "it results entirely from the development of egg-germs and eggs in the individual ovarian tubes—which proceeds precisely in the manner described in the case of the queen." As they are incapable of meeting the drones and becoming fully fertilized, their eggs will only produce drones. Fig. 44 presents a view of the genitalia of such a bee. It differs from the queen merely in the more advanced development of the ovaries. (Fig. 43, A A).

workers deposit the eggs in a very irregular manner, caused by the tubes being very imperfectly furnished with eggs.

TRANSFERRING BEES.

June is the month of swarming in the Northern States, while in the Middle and Southern States the early and abundant bloom signal its advent. The best time to transfer bees from the common to movable-frame hives is about the season of swarming, though it may be done on any warm afternoon, when the bees are actively at work.

A transferring board (Fig. 47), about the size of the frame, should be prepared in advance, by making grooves of about one-half an inch wide and one-fourth of an inch deep, and about 2 inches apart. The spaces between these grooves should be cushioned with several thicknesses of cloth, to prevent the brood from being injured when the comb is laid upon it.

Transferring sticks (Fig. 46) should be prepared from some light, tough wood, about one-half inch longer than the frames




FIG. 45.—*Frame of Transferred Comb.*

are deep, and about one-fourth of an inch square. Fasten two of these sticks together with a piece of fine annealed wire, so as to leave about one inch of space between them, (Fig. 46); attach a piece of wire to the other end of one of the sticks, (Fig. 46, *b.*) to be used in fastening when placed around the frame of comb. (Fig. 45.) A small notch should be cut to admit the wire, and prevent slipping.—These sticks should be made in pairs, and be kept ready for use.

TRANSFERRING FROM A BOX-HIVE.

After smoking the bees at the entrance of a box-hive, remove it some distance from the old stand, leaving an empty hive or box in its place, to receive the bees that

return from the fields ; invert the hive, place an empty box or hive over it, of the same size and shape, wrapping a sheet or cloth around where they come together, leaving no cracks large enough for a bee to escape. By gently tapping the hive for some time, most of the bees, with the queen, will enter the upper box. When they have nearly all left the hive, place the upper box with the bees on the old stand.— Being alarmed and filled with honey, they may be handled without fear.

The old hive may now be removed to a convenient room or building, and taken to pieces, by cutting off the nails with a cold chisel and prying off the ends, cutting the combs when taken out as near as possible to the size of the frames to be used. The transferring board (Fig. 47) should be placed upon a table or box, to be in a convenient position for working over it.

The pieces of combs containing honey may be placed at one side till some with brood are found ; this should be put upon the transferring board (Fig. 47), so that when the frame




FIG. 46.—*Wired Sticks for Transferring.*

is placed in position over it, the brood may be nearly in the same position as it occupied in the old hive and near the top of the frame, as that will be the warmest position in the hive. With a honey knife (Fig. 28) cut these combs to make them fit. If more are wanted to fill the frame, use the combs of honey first removed from the hive. Then push the ends of the sticks, (Fig. 46, *b*,) that have no wire attached, through the grooves, from the bottom of the frames, where the combs may need support ; the other sticks attached, place on the top of the comb, and fasten the ends together at the top of the frame, as seen in Fig. 45, to match the fastenings below. Place this frame in the hive, and proceed in the same manner with the next brood comb, and let it occupy the adjoining position in the hive, giving the frames containing honey the outside position on either side. The honey from pieces of comb not used, and especially from all drone comb, should be removed with the Extractor

Carry the new hive to the old stand, and empty the bees out of the box on a sheet, in front of the hive. See that the queen, as well as all the bees, enter it. To prevent robbing, the entrance should be contracted; and in two or three days, when the bees have fastened the combs, the transferring sticks should be removed. Always work slowly with the bees, and avoid jarring.

TRANSFERRING FROM A MOVABLE-FRAME HIVE.

When it is desired simply to transfer from one style of frame to another, smoke the bees well, and after finding the queen and putting her in a tumbler or some secure place, take a frame, and shake or brush the bees off into the new hive; place the frame upon the transferring board (Fig. 47) and cut out the comb; place the new frame over it and cut




FIG. 47.—*Transferring Board.*

to suit that frame, in the best way possible. Then fasten as before described with wired sticks, (Fig. 46); after thus transferring all the combs, proceed to hive the bees as above directed, letting the queen loose upon one of the brood combs as soon as they are transferred.

UNITING WEAK COLONIES.

Weak colonies may be united after smoking them well, by removing the combs with adhering bees and placing them together in one hive, spraying them with peppermint water by an atomizer (Fig. 38), to give them all the same scent. Give them ventilation and close the entrance till sunset, placing them where the stronger of the two colonies stood. Swarms issuing the same day can be united peaceably.

CLIPPING THE QUEEN'S WING.

This is done to prevent her from leaving with a swarm. In attempting to fly she will fall to the ground in front of the hive, and the bees missing her, will return to the hive. This must not be done until after the queen has met the drone, or she will remain unfertile. To perform the operation, open the hive and lift the frame carefully, and avoid jars; when the queen is seen—with a pair of sharp-pointed scissors, lift one of the front wings and cut off about one-half of it. It is better that she be walking, or at least standing, so that a leg be not cut off with the wing. She should not be handled; if it becomes necessary to pick her up, be sure not to take her by the abdomen. She may be held by the wings without danger.

WASHING OUT DRONE BROOD.

Undesired drone brood can be very easily washed out of the comb by using a rubber sprinkler, which will be found very useful for other purposes about the apiary. All that is



FIG. 48.—*Rubber Sprinkler.*

required being a basin with water with which to fill the sprinkler, and into which the brood may be washed out. To use the sprinkler, compress the bulb, thereby expelling the air; then put the nozzle into water, and it will fill itself.

REMOVING BEES FROM THE COMBS.

The following is the "shaking off process" as practiced and recommended by Mr. G. M. Doolittle: "Place the ends of the frame on the ends of the two middle fingers of each hand, and then, with a quick upward stroke, throw the ends

of the frame against the ball, or thick part of the hand, at the base of the thumb. As the frame strikes the hand, let the hands give a sudden downward motion, which makes the shock still greater. As the frame strikes the fingers again, it is thrown back against the hand, and so on till all, or nearly all, of the bees are off. The principle is that the bee is on her guard all the while to keep from falling off, thus holding on tenaciously so as not to be easily shaken off. By the sudden stopping of the upward, and a quick downward motion, the bees are thrown off their guard and dislodged from the comb. I do not remember of ever having broken a comb by shaking it, as above described. Now, if we disturb the Italians, causing them to fill themselves with honey, they can then be shaken from the combs about as easily as black bees. But even if we cannot afford time to wait till they are filled with honey, four-fifths of them can be shaken off. To get off the remainder, I take a turkey or goose quill and trim down the feather edge about half on the wide side, and with this I have no trouble in getting off those remaining, without irritating them. Of course, it will appear a little awkward at first, but will soon be found easy enough."

PREPARING BEES FOR SHIPMENT.

The best time for shipping bees any considerable distance, is in April, or quite early in May, before the combs are too heavy with brood; but with proper care in preparing them and ordinary usage in handling, they may be shipped at any time with comparative safety, except in quite cold weather.

The first work is to go through the hives and extract about all the uncapped honey, as the least daubing will prove fatal to the bees; then procure a block one inch square, and as long as the hive is wide, in this cut notches and tack in the bottom of the hive, in which to place the frames to keep them steady; now select the new combs and those heavy with brood or sealed honey, secure them well in the frames with strip-binders, and place in the hive; tack the ends of the frames firmly to the rabbets on which they rest; dip the blanket in clean water, lightly wring, fold about six thicknesses, and lay on the front ends of the frames. If the hive has no portico, leave off the cover, and use wire cloth instead, nailing on top

of that, three one-inch strips, two inches wide—one across the center, the others across each end, to insure ventilation when piled on each other. Now tack wire cloth over the entrance, and your bees are ready for shipment.

If the hive has a portico, prepare in the same manner as above, except to bore a one-and-a-half inch hole in each side of the brood chamber, and also in the cover, which will be used in place of the wire cloth over the frames; the holes to be covered inside and outside with wire cloth, to admit of ventilation. Leave the entrance open full size, but cover the entire portico securely with wire cloth, leaving free access to it from the interior of the hive; care must be taken, however, to bore a one-and-a-half inch hole under the roof-board of the portico, and left open, to allow free ingress to the interior of the hive, as the entrance beneath may become choked up, and the cluster of bees, with the queen, die of starvation through inability to get at the honey in the hive. Hives made with porticoes are much better for shipping bees, for it allows them to drag out the dead, cleanse the hive, and, to a great extent, prevent dysentery. Prepared in this manner, full colonies may be shipped at all seasons, from May 1st until Aug. 10th, with perfect success.

Two colonies sent to New Zealand, after being confined six weeks, were received in splendid condition, and are thus described by the consignee, after their arrival: "The hives my bees came in were eight-framed "Langstroth," tin rabbits, bottom board flush with entrance, nailed on to body of the hive, cover flat with one-inch strips, one-and-a-half inches wide, nailed across the top at each end: from one end of cover toward the center, over the middle frames, a piece about 9x5 inches sawn out, and one-inch strips, one-and-a-half inches wide, nailed round the edge on the upper side. This hole was covered with wire cloth on under side, a sponge laid on that, and then covered with wire cloth on upper side, and the cover screwed down. The frames contained old tough comb, and where they had not been built right down to the bottom bar, strips of wood were joined in between the comb and bar, making it secure. Two wire binders were put around each frame, one-third from each end, and in one of the center frames a flat bottle containing water was fastened with wire,

for which a part of the comb had been cut away, next to the end bar; this, of course, was neck downward, corked and some lampwick communicating with the water. The frames rested in a notched strip on bottom board, the width of the hive (not nailed), and two notched strips secured them on top, the cover going down on these, held all firmly. The entrances were covered with wire cloth, and directions for giving water on the sponge were pasted on each hive.



Upon arrival it was found that about a gill of water had been used from each bottle. There was no sealed brood in the hives, but both queens had commenced to lay, as there were hatched larvæ in some of the cells.

UNITING COLONIES IN EARLY SPRING.


Remove the queen from one colony, and put the frames with bees and brood at one side, putting in a divider made by tacking wire-cloth on one side of a brood frame, with the ends extending to reach full length of the hive; now bring the brood, queen and bees from the other hive and place in this one; close the entrance on the bees and queen put in for twenty four hours, slant a board in front, remove the hive vacated, and the work is done. In twenty-four hours, or the next night, remove the obstruction from the entrance, leaving the slanting board in front, which will cause the bees to mark their home anew. On the third day remove the dividing-frame and the board from the front. No hive should occupy the old stand, from which the queen and bees were removed, for several days.

HOW TO SEPARATE SWARMS.


The following is a very successful plan of accomplishing this task. Messrs. Bray & Seacord, of California, say that it works like a charm every time: "Make a box three feet long, wide and deep enough to hang the frames in, from the hive you use; place the frames in the box, same spaces apart as they are in the movable comb hive; make one entrance for the bees on the side of the box, twice the length and of the same height as the entrance to the hive. Make three or four division boards to fit the box, then make a cover with cleats on both sides (no end cleats) to fit the box; hive the swarms




Alley's Drone Excluder, Queen and Drone Trap.



Heddon's Non-Swarming Attachment.




Longmate's Swarm Controller and Drone and Queen Trap.







Swarm Catcher.




Hive Scraper.



Solar Wax-Extractor.



Manum's Swarming Apparatus.



Hive Clamp.

of two or more in the box ; place the box in the shade until the next morning, then push the cover lengthwise of the box and you will see each colony clustered by themselves. Put a division board between each cluster, after which push back the cover over the box and set it where you wish to hive the bees. Place the hive in a convenient position to receive the bees, push the box cover back from over the first cluster, carefully drawing out the frames from the box, for the bees build comb twenty-four hours or less from the time hived. On some of the frames you will find comb ; place those frames with bees on, into the hive. This will start a roar in the hive ; the rest of the bees can be removed with a feather. When all the bees are in the hive, place it where you wish it to stand, and proceed with other clusters in a similar manner."

Mr. J. W. Bailey, of Wisconsin, makes "swarm catchers" of wire cloth nailed to a frame (fig. 49), and thinks them the most valuable assistant for the apiary.




FIG. 49.—Bailey's Swarm Catcher.

Mr. J. S. Hill, of Ohio, uses a swarm catcher, the bag of which is made of factory, having a handle of cloth on the inside as well as the out—making it reversible (fig. 50). With a long wooden pole it will reach any swarm, and when the bees are emptied in front of the hive, the handle on the outside gives the apiarist control of it, and when turned inside-out, a handle is still on the outside, as it has two.

ROBBER BEES.

If all the colonies are kept strong there is no danger of robbing. It is only the weak ones that are robbed. Working with bees at unseasonable times, leaving honey exposed in the apiary, etc., induces robbing. Colonies of black bees and nuclei are usually the sufferers. Contracting the entrance, so that but a single bee can pass, is usually a cure for robbing. In times of scarcity of honey, the apiarist should be careful not to keep a hive open long, or robbing may be the result. All strong colonies maintain sentinels at the entrance in times of scarcity. Those of that colony are allowed to pass, but strangers are "arrested on the spot." If a colony is unable to defend itself, close up the entrance with wire cloth and remove it to the cellar, or some other convenient place,



FIG. 50.—*Hill's Swarm Catcher.*

for a few days, and when it is returned to the old stand, contract the entrance to allow only one bee to pass at a time.

FEEDING BEES.

Feeding early in the spring is advisable to stimulate breeding, and keep the colony strong, so that when the early bloom comes it may be strong enough to gather the delicious nectar. Whenever there is any necessity for it, feeding pays; especially in the fall, before preparing for winter, if their stores are insufficient, feed them; each colony should have at least thirty pounds of good capped honey.

Extracted honey, or coffee A sugar, reduced to the consistency of honey, is best for feeding, in the absence of good sealed honey. The poorer grades of sugar and glucose are

totally unfit for feeding bees. To stimulate in the spring, one-half of a pound per day is all-sufficient for a colony.

For feeding inside the hive the division-board feeder (fig. 51) may be used to advantage. It was devised by Prof. Cook, who describes it thus: "The top bar of this division-board feeder (fig. 51) is two inches wide; from the upper central portion, beneath the top-bar, a rectangular piece the size of an oyster-can is replaced with an oyster-can (G), after the top of the latter has been removed. A vertical piece of wood (D) is fitted into the can so as to separate a space about one-inch square, on one side from the balance of the chamber. This piece does not reach quite to the bottom of the can, there being a one-eighth inch space beneath. In the top-bar there is an opening (E) just above the smaller space below.




FIG. 51.—*Division-Board Bee Feeder.*

In the larger space is a wooden float (F) full of holes. On one side, opposite the larger chamber of the can, a half-inch piece of the top (C) is cut off, so that the bees can pass between the can and top-bar on to the float, where they can sip the feed. The feed is turned into the hole in the top-bar (E), and without touching a bee, passes down under the vertical strip (D) and raises the float (F). The can may be tacked to the board at the ends near the top. Two or three tacks through the can into the vertical piece (D) will hold the latter firmly in place; or the top-bar may press on the vertical piece so that it cannot move. Crowding a narrow

piece of woollen cloth between the can and board, and nailing a similar strip around the beveled edge of the division-board, makes all snug. The feeder is placed at the end of the brood-chamber and the top-bar covered by the quilt. To feed, we have only to fold the quilt over, when, with a tea-pot, we pour the feed into the hole in the top-bar. If a honey board is used, there must be a hole in this just above the hole in the division-board feeder. In either case, no bees can escape, the heat is confined, and our division-board feeder is but little more expensive than a division-board alone. The best time to feed is just at nightfall. In this case the feed will be carried away before the next day, and the danger to weak colonies from robbing is not so great."

Shuck's Bee Feeder (fig. 52) feeds at the entrance, any time in the day, without danger from robbery, as the food can be




FIG. 52.—*Shuck's Bee Feeder.*

reached only from the inside of the hive; it is placed on the alighting board, with the side (D) nearly covering the entrance. In the engraving, the top is cut away to show the wood divisions (A A) in the feed-cup; the food is poured into it without removing, through the hole (C), which is covered with wire-cloth. When done the cap (B) is closed over it, making all tight.

QUIETING AND HANDLING BEES.

The bee sting is composed of three distinct parts, of which the sheath forms one. These three parts join near the edges, and form a tube which, viewed sectionally, has the shape of a triangle, the angles being rounded off.

The other two parts constitute the sting proper, and in a sectional view are semi-circular (fig. 53, A), the upper edges being thicker than the lower ones, and squared to each other, one of the edges having a projection extending along the

under or inner portion of it, thereby forming a rabbet along which the opposite part freely moves. The under or inner edge of each of these parts tapers down to extreme thinness, while near the termination of the edge there runs a minute groove which corresponds with the ridge mentioned in the description of the sheath, and along which the parts move




FIG. 53.—Sectional View of a Bee Sting

freely. Each of these parts properly tapers down to an exceedingly fine point. Near the point begin the barbs (fig. 53, B), which in some stings number as many as ten, extending along the sting nearly one-half its length, and are well-defined. It may happen that one or both of the chief parts of the sting are left in the wound when the sheath is withdrawn, but are rarely perceived on account of their minuteness, the

person stung at the same time congratulating himself that the sting has been extracted.

On being stung, if the poison-bag has not been emptied, remove it and suck the wound strongly to extract the poison; this is usually sufficient. If not, apply ammonia or salt to the part to prevent swelling. Still another plan used with success is to blow some smoke on the place from the bee smoker (fig. 54).

Smoke is harmless and is the best thing to alarm and quiet bees. With a good smoker (fig. 54), blow a little smoke in at the entrance before opening the hive. Give them a little




FIG. 54.—*Bingham's Bee Smoker.*

more as you uncover the frames; if very cross repeat the dose, until they yield obedience; then they may be handled with safety. Handle them gently and without fear, avoiding all quick motions; such usually incite them to anger. When honey is being stored rapidly, Italians may be handled without smoke; when there is a scarcity it is not safe to do so.

To those who are commencing, and until familiarity causes the loss of fear, a pair of good gauntlet gloves and a veil are necessary, but after that fear has been overcome, a good veil will be sufficient. Such may be placed over a hat, the bottom of it coming down under the coat or vest, and when thus ad-

justed it is a complete protection for the neck and face (fig. 55). It being made of white netting, it does not stain the clothing, and as the piece over the face is black, it can be seen through, nearly as well as if not worn.

A pair of gauntlet rubber gloves is best for those who need such protection, while unaccustomed to manipulating bees. The advanced apiarist prefers to have the free use of his



FIG. 55.—*Bee Veil.*

hands at all times. Bees when gorged with honey are very peaceable; when often handled they become accustomed to the practice, and when this is gently done, they will scarcely notice the disturbance.

SHIPPING AND INTRODUCING QUEENS.

Fig. 56 shows a safe introducing cage, which is made by taking four strips of wood about four inches long and three-eighths of an inch square; mortise both ends of one piece half way, and one end each of two others, so as to form a three-sided frame; on this tack fine wire cloth, and through each side-piece drive two three-fourths or one-inch finishing brads, letting the ends project; drive two brads through the fourth or loose strip. Take from the brood chamber a frame of comb containing sealed brood, remove the queen from it, if there; then shake the old bees in front of the hive, and place

the introducing cage on the comb, over sealed brood and a few cells of uncapped honey, letting the projecting nails run through the comb so as to hold the cage firmly and closely on the surface of the comb; then let the queen run from the shipping cage under the wire cloth, and quickly close by placing the fourth strip on the comb at the open end of the




FIG. 56.—*Surface Introducing Cage.*

cage (fig. 56). Replace the frame in the hive, and the work is done. The young bees emerging from the cells affiliate with the queen confined with them, and the newly emptied cells afford room for depositing eggs. At the end of two or




FIG. 57.—*Outman's Introducing Cage.*

three days she can be released by removing the end strip, and all danger from "balling" is obviated.

Many queen cages are on the market for shipping and introducing queens, and almost all of them are well adapted to the use for which they are intended.

WOOD-ZINC HONEY-BOARD.

This is made of alternated strips of wood ($1\frac{1}{2}$ inches wide) and perforated zinc ($\frac{3}{4}$ of an inch wide), with one row of




FIG. 58.—*Wood-Zinc Slatted Honey-Board.*

holes. The zinc strips are held in place by fitting into saw-kerfs on the sides of the strips of wood. It can be made to fit any hive.

BEE-DIARRHEA.

Bee-diarrhea in the latter part of winter and early spring is a malady that affects some apiaries. The bees discharge their excrements over the hives and combs, producing a dark appearance and offensive odor. The cause is either fermented honey, improper food, long confinement, or too warm and poorly-ventilated quarters. Give them good capped honey and a cleansing flight. If too cold for this, out-of-doors, take the hive into a warm room, make a box, with the front and top made of wire-cloth or mosquito netting, adjust it to the entrance, so that the bees must enter it on leaving the hive. This will usually prove an effectual remedy.

FOUL BROOD DISEASE.

Foul brood is the rotting of brood in a hive; the caps of the sealed brood appear indented and shriveled, and the larvæ and young bees in unsealed cells become putrid, emitting a disgusting stench.

When the disease has a firm hold, even though it may be possible to cure it, we should advise the total destruction by fire, of the bees, combs, frames and hives, with everything which might harbor the disease. In its primary stages it may be cured in this way: With an atomizer (Fig. 37) spray the hive, bees, brood, honey and combs with a solution of salicylic acid, borax and rain water, repeated on the sixth day. Remove the diseased brood from the hive, and give them capped honey—if not too far advanced, this may give relief.

The following is Mr. D. A. Jones' method: "Remove all the combs not containing brood, extract the honey and boil it, then it is ready to feed back. Render the combs into wax and make it into foundation; boil the frames fifteen minutes, and fill in the foundation again, placing them in clean hives; drum and smoke the bees until they all fill themselves with honey (this is very important, for if some are not filled, they will die when others have plenty); shake off the bees, leaving enough to nurse the brood; place them in a box covered with wire cloth, carry it to a dark, cool cellar or bee house, lay it on its side, and allow the bees to






FIG. 60.—*Hastings' Shipping Cage.*


remain there from sixty to eighty hours, until they drop, and show signs of starvation; then shake them into the clean hives with foundation, feed them, and put them into a new location at least one or two miles away from the diseased yard. As soon as the queen and bees are removed for starving, the hatching brood and bees should be doubled up, so as to have all colonies full of combs of hatching brood. The empty hives thus secured should be scalded for future use. As soon as all the brood hatches, the bees may be brushed off the combs after being made to fill themselves with honey, like the first lot, placed in boxes, and treated in the same way. Now bring the first lot purified back to the yard again, and you have all your bees and hives purified and free from disease, if you have done it as it should be done, without any loss except your time."



WAX EXTRACTOR.



HONEY EXTRACTOR.



REVOLVING FRAME HOLDER.





Major FRANCESCO de HRUSCHKA.



Herr ANDREAS SCHMIDT.

THE HONEY EXTRACTOR AND ITS USE.

THE INVENTION OF THE EXTRACTOR.

Following closely after the increased knowledge concerning the natural history of the Honey Bee came improvements in bee hives and modern appliances for obtaining the increased production of honey. Major Von Hruschka, a retired Austrian officer, who was then keeping bees in Italy, invented the Honey Extractor; and its great value is everywhere admitted by all progressive bee-keepers.

The following is a brief history of the discovery: One day when the Major, who was a most observing and critical bee-keeper, was in his apiary, his little boy came there to him. The boy had a small tin pail tied to a string, which he was swinging, boy-like, around and around in a circle, holding the end of the string in his hand. The father gave the youth a small piece of comb filled with honey, putting it into the little pail. The boy, after a while, began to swing the pail again as before, with the honey in it. A few moments after, he became tired of that amusement, and put the pail down to talk to his father, who took it up, and, by chance, noticed that the honey had left the comb and settled down into the pail, leaving the comb perfectly clean that had been on the outside of the circle when the boy was swinging it around. The Major wondered at the circumstance, and, turning the comb over, bade the boy swing it again, when, to his great astonishment, the other side of the comb also became perfectly clean, all the honey being extracted and lying at the bottom of the pail. That night Major Von Hruschka, after going to bed, commenced to think the circumstance over; he thought, and thought, and his thoughts troubled him so much that on the morrow he commenced a series of experiments which resulted in his giving to the

World the first honey extractor, which, by whirling, something like his son whirled that little tin pail, gave him the pure liquid honey, extracted by centrifugal force, leaving the honey comb entirely free from the liquid sweet, which he gave again to the bees to fill; allowing him the pure honey for making wine, mead and metheglin, or honey cakes, as desired, without employing the troublesome and primitive method in use up to that time, of mashing up the combs containing the honey, pollen, and sometimes brood, too, to let the




FIG. 61.—*Honey Extractor.*

honey drain through the cloth in which it was placed—giving what was formerly known as “strained honey.”

Major Von Hruschka's original and complicated Honey Extractor has been vastly improved in America by Messrs. Winder, Peabody, Murphy, Chapman, Root, Everett, Muth, Coffinberry, and others. Now we have neat and inexpensive machines which do their work well and rapidly, but honey consumers generally have no idea how it is accomplished, and some “old fogy” bee-keepers as well as novices, still ask how it is done.

Extracted honey is obtained by the combs being uncapped and placed in the basket or frame-holder of a Honey Extractor (fig. 62), which being attached to a single rod in a large can and revolved, the centrifugal force throws out the pure honey from the combs, which runs down the sides of the can and is drawn off and placed in jars or some other desirable receptacle. Extracted honey is the pure liquid—minus the comb.




FIG. 62.—Comb Basket of an Extractor.

The essential points in a good Honey Extractor are: one that can be easily taken to pieces and cleaned—one that the shaft holding the revolving basket in position, does *not* revolve in the honey—one that has sufficient room below the comb basket to allow the honey to remain and ripen before drawing it off, leaving it clean and free from sediment, and fit for the market—one that has an over-motion and strong gearing so essential to ease of operation and effective work—one that has covers to protect the honey from insects—and one that may be easily operated.

Honey must be “uncapped” before extracting, therefore, a good honey knife is a necessity. Such is the Bingham &

Hetherington honey knife (fig. 63). It is made of the best steel, strong at the bend near the handle, and is wide enough to allow the cappings to remain on the knife while running across the comb. Both edges are sharp and are beveled on the side that comes in contact with the combs. This prevents the knife from adhering to the combs and tearing



FIG. 63.—*Bingham & Hetherington Honey Knife.*

them, while shaving off the cappings. As both edges are alike, it admits of being used for right or left-hand work—the sharp point also allows it to be used in corners or uneven places.

Another and cheaper one is the Muth knife (fig. 64) which, though it is not as desirable, will be used by those desiring an inexpensive knife.

WHEN TO USE THE HONEY EXTRACTOR.

Honey can be extracted, if carefully done, without the least injury to the bees or the comb; the latter may be replaced in the hive, and often are refilled by the bees within three or four days.

When the breeding apartment becomes so full of honey that the queen has no room to lay, to extract it is a necessity.



FIG. 64.—*Muth's Honey Knife.*

By the extractor all the honey can be taken from partly-filled sections—a holder for small pieces of comb (fig. 65) being furnished with some extractors for that purpose, as well as extracting from pieces when transferring. By its judicious use, many pounds of honey can be obtained that would not be completed in the sections by the bees.

Empty combs in the spring are invaluable, and in the fall there are usually many surplus brood combs. By extracting

the honey from these and carefully putting them away, you not only have the honey for use or sale, but also the much-desired combs in the spring.

Inexperienced bee-keepers are sometimes tempted to extract too closely, and thus ruin the colony. The Extractor should only be used when there is a rapid storing of honey, and the outside frames of comb are nearly capped over.—Capped brood will not be injured, but there is danger in using the extractor when the brood is uncapped.

To prevent swarming, the honey extractor is successfully used by some. Its frequent use will usually control it.—



FIG. 65.—*Small Piece Honey Comb Holder.*

Many swarms and large yields of honey will not be obtained during the same season. The one will be at the expense of the other.

HOW TO EXTRACT.

With a good "smoker," blow some smoke in at the entrance of the hive; after awhile, open it and take out the frames of honey you wish to extract from. Shake the bees from each frame by one or two sudden jars, brushing the remaining ones off, right over the frames into the hive, or down in front of the entrance, with a large feather or small turkey-wing.

Place empty combs or a frame furnished with comb foundation in place of those taken from the first hive. A box, or carry-all, with legs and folding covers, capable of holding about ten frames, and having long projecting handles is very convenient to carry the frames to the operating room. Mr.

Davis, of Tenn., has devised a honey carriage (fig. 66) for this purpose, which combines many useful points.

After carefully removing the "cappings" with a sharp knife (fig. 63) from one comb, place it into the comb basket of the extractor, with the uncapped side outwards; select another of about the same weight, and repeat the operation. A few turns of the crank throws out the honey. Then remove these frames, uncap the other side, and after extracting the honey from them all as before described, place them back into the carry-all, and take them to the next hive to be extracted; perform the same operation, using the frames just





FIG. 66.—Davis' Honey Carriage.

"extracted" from, to fill the places of those taken from the hive, and repeat the operation till ALL the hives are treated in the same manner that have a surplus of honey.

By this plan, much work is saved, each colony is handled but once, the bees are less disturbed and will resume work much sooner. If desired, the frames from the last hive may be given to the first, after being emptied of the honey, instead of empty frames—if no extra combs are at hand for that purpose. This is an additional reason why only ONE style of hive should be used in an apiary—so that the frames may ALL be interchangeable. In "dividing," too, this is very essential.

For ordinary sized frames, the comb basket should hold three or four frames (fig. 62), and thus save much labor for the operator. Many of the Extractors are also furnished with an attachment for holding small pieces of comb, obtained while transferring, etc. (fig. 65); this is hitched on to the top of the comb basket for that purpose, and may be instantly either put on or taken off.



Honey Show Case.




Glass Pail for Honey.



Powell Honey-Board.




Bee-Veil.



Hastings' Bee-Feeder.



Yucca Brush.



Dibbern's Hive-Hook.



Ornamenting Comb Honey, in Sections.



THE GIVEN FOUNDATION PRESS.

COMB FOUNDATION AND ITS USE.

The Bee Hive is an emblem of industry, and the perfection of its government is truly marvelous! When we view the skill exhibited in the building of the beautiful comb—so true in form, so wonderfully systematic in construction, and all completed by a crowd of bees in a dark hive—and often at night, without the light of the sun, moon or stars—we are amazed at the skill of these wonderful little architects! Think of their wonderfully-delicate cells of wax, only 180th part of an inch in thickness, made without the aid of




FIG. 67.—Bases and Cross-Sections of Cells.

rules, angles or plumb lines—and yet one ounce of this delicate work will contain a pound of honey, of sufficient strength to be transported thousands of miles without injury, with but ordinary care. Contemplate the perfection of these cells. A noted German aptly puts it thus: “The cells of bees are found to fulfill perfectly the most subtle conditions of an intricate mathematical problem. Let it be required to find what *shape* a given quantity of matter must take in order to have the *greatest capacity* and *strength*, occupying at the same time the *least space*, and consuming the *least labor* in its construction. When this problem is solved by the most refined

mathematical processes, the answer is, the *hexagonal*, or six-sided cell, of the honey bee, with its three four-sided figures at the base."

As the bases exactly fit into one another from opposite sides, and the insects work on both sides at the same time, in what language did they communicate the proportions to be observed, while making these bases, common to the cells on opposite sides? (Fig. 67.)

These interesting workers are all arranged and classed so that neither discord nor confusion may interrupt their work.




FIG. 68.—Honey Comb.

As we have seen—the *comb builders* construct the delicate comb. The *honey gatherers* collect the sweet juices from the flowers and deposit them in the cells. *Water carriers* employ themselves in bringing in the water required for the support of the young brood. The *pollen-gatherers* gather the farina from the blossoms, and carry it in cavities, formed for the purpose, on their legs. The *nursing bees* feed the young bees until these are old and strong enough to take care of themselves; and faithful *guards*, ever mindful of the peace and harmony of the colony, carefully watch the entrance to the hive—admitting no intruder, neither insect nor strange

bee. It is amusing to notice how dexterously they pounce upon anything daring even to approach the entrance.

We are sometimes asked *why* the bees do not build comb when they have nothing else to do, and thus save valuable time, the enquirer forgetting that comb-building and honey gathering are zealously carried on simultaneously, and when the honey flow ceases, comb building is also given up. The latter is chiefly done at night or during unfavorable weather:

THE INVENTION OF COMB FOUNDATION.

It is estimated that the workers consume about twenty pounds of honey, to construct one pound of comb. This being true, one pound of comb is equal in value to twenty




FIG. 69.—*Comb Foundation.*

pounds of honey. If, therefore, honey is worth fifteen cents per pound, comb costs three dollars per pound, when produced by the bees. From this we may learn the value of comb foundation (fig. 69) when supplied to the bees.

This, when only smooth sheets of wax, was first used in Germany, and Mr. W. M. Hoge, in 1874, assisted Mr. Frederick Weiss, an aged German, then living in New York to introduce it to American bee-keepers. In 1875 we visited both of these gentlemen in New York, and obtained some of the first sheets produced. This poor old German has, since then, lived in Chicago, and often visited the office of the BEE JOURNAL. Being poor, old and crippled with rheumatism, he sought refuge in the Cook County (Illinois) Poor House, and there died some years ago.

Comb foundation (fig. 69) consists of sheets of beeswax, formed by dipping wooden plates into melted wax, and upon

being rolled through a machine (fig. 70), have indentations made on both sides that form the foundation of cells, which the bees readily accept and work out into comb.

It would be tedious to review all the various styles of foundation presented to bee-keepers since it was first introduced in America, and the claims of the many machines now upon the market for its manufacture. We have had foundation with triangular-shaped cells, with flat-bottomed cells, with high side-walls, and with no walls at all; with linen, cotton, wood, paper, tin-foil and woven-wire for a base; while latterly, we have had foundation with fine wires imbedded




FIG. 70.—Comb Foundation Mill.

therein, and frames of foundation with wires pressed therein. Experience is demonstrating, however, that a medium heavy sheet—say, four-and-a-half to five feet per pound, with a thin base or septum, and heavy prominent side-walls or lines, is the most desirable for economy in the use of wax, and rapidity in comb-building by the bees; and whether it be distinguished by the name of Dunham, Given, Bourgmeyer or Ferris—or call it what you will—the above characteristics will be predominant in the comb foundation hereafter used by all progressive apiarists.

Manufacturers should avoid using soap and all other obnoxious preparations in making foundation ; many pounds of good wax have been condemned as adulterated, because of the wash used on the rollers.

Considering the start given to a colony of bees by judiciously using comb foundation, the certainty of having the combs all built straight, the ease with which the number of drones produced by a colony may be controlled, let no one say that we are not making prodigious strides in making bee-keeping a scientific occupation.

PRESERVE THE WAX.

The use of comb foundation bids fair to use all the available wax in the country ; every bit of wax and old combs should therefore be preserved. A wax extractor (fig. 71)




FIG. 71.—*Wax Extractor.*

will soon pay for itself. By its use all the old comb may be saved, utilized, and restored to the bees in comb foundation to be worked out into beautiful comb, forming either the cradle of bees or the receptacle of immaculately-pure honey.

COMB FOUNDATION NOT ARTIFICIAL.

Newton, seeing a falling apple, asked, *why?* Franklin, upon witnessing the lightning's flash, asked, *why?* Fulton, perceiving the force contained in steam, asked, *why?* Thousands of scientific discoveries have resulted from some one asking *why?* When we hear persons call Comb Foundation "artificial," we naturally ask, *why?* Artificial is "*unnatural,*"

“fraudulent,” an “imitation!” What is there *unnatural* about Comb Foundation? Is the wax *unnatural*? Does melting, and dipping a board in it, make it a fraud? Does peeling off the cooling sheet of wax from the board make it an “imitation?” Or running it between rollers, or pressing configurations into it, make it *unnatural*? If so, why do the bees take to it so naturally, instantly seizing it, building it out into beautiful cells, in which to raise their brood or store their honey? Is not everything genuine, natural and real? Then *why*, in the name of common sense, should it be called “artificial?” We much prefer the real, the natural, the genuine, be it ever so plain, to the gilded fraud, or the elegant imitation! Let all ask, *why*? An honest doubt often leads to greater truth!

FASTENING FOUNDATION TO THE FRAMES.

We use Langstroth frames with a V-shaped top-bar; the foundation is just as wide as the inside of the frame from the bottom-bar to the lower point of the top-bar, and is one-inch




FIG. 72.—*Foundation Fastened to Top-Bar.*

shorter than the frame from end to end. When ready to use a set of frames, the foundation is placed on clean paper, evenly piled, with the straightest edge next to the operator; now with a sharp knife, make four incisions or cuts half an inch long down through the foundation to the paper, and at equal distances from each other and at the ends; with the hands placed at each end of the pile, turn up the two end-cuts with the thumbs, and proceed to the center, which is also turned up; now lift the sheet clear from the pile and turn the two remaining cuts or flaps in the opposite direction;

lay the sheet down with the top edge nearest you, place the frame with the lower or sharp edge fitting closely to the joints, formed by alternately bending up and down the flaps, and press the foundation to the top-bar with the thumbs, drawing to you. When warm and the wax quite pliable, the work is very speedily and effectively performed—scarcely



FIG. 73.—*Machine for Fastening Foundation*

requiring more than ten minutes for a full set of frames. The foundation will reach within half an inch of each end-bar and the bottom-bar, and give ample room for the bees to pass from side to side. Of course, a greater number of euts will do no harm, except to take up more room. With good foundation we have never had any breaking down, warping, nor




FIG. 74.—*Goodrich's Foundation Fastener.*

sagging to any appreciable extent. Fig. 72 gives a comprehensive idea of the appearance of a sheet of foundation ready for the hive.

Many bee-keepers use a top-bar with a tongue or in-set projecting below its surface, to which they fasten the foundation by pressing with a putty-knife. Others lay the edge of the foundation along the tongue, and fasten by tacking a thin strip of wood over it. Melted beeswax and rosin is used

a great deal, with which the foundation is sealed to the top-bar. Split top-bars are used by many, and possess some advantages over most other kinds. These, however, necessitate considerable labor, as the nailing down of the top-bars cannot be completed till after the foundation is inserted.

Mr. S. Goodrich has invented a machine for fastening full sheets of foundation to the top and sides of frames having flat top-bars (fig. 74).

Starters two or three inches long will not always insure straight combs, but, of course, are much better than empty frames; full sheets are much more satisfactory.

In hiving swarms, if very strong, we would throw them on full sheets and a full complement, to prevent concentrating





FIG. 75.—*Grooved Board for Cutting Starters.*

too much weight on a few; but if building up, then give full sheets, in the center of the brood nest, only as fast as they can use them.

For cutting it into strips of uniform size, for starters in sections, a grooved board (fig. 75) may be used; the distance between the grooves corresponding to the width of the strips desired to be cut. Several kinds are now made so thin that it can be used to advantage in surplus honey. If natural comb be used in surplus, IT MUST be new and nice. Any other is but a damage to its sale as well as to its flavor.


Bees bred in new comb are generally much larger than those reared in old. The cells in the old comb become smaller every year, as every bee that is hatched in them leaves its silky cocoon adhering to the walls of the cell, thus diminishing its size, and, consequently, the size of the bee.




Alley's Drone and Queen Trap.



Fountain Pump.




Foundation Wiring Tool.




Zinc Queen-Excluder.



French Straw Hive or "Ekc."



Triple Lense Magnifier.



Apiary near the St. Lawrence River.

BEE PASTURAGE A NECESSITY.

As civilization, with its improved and perfected machinery, clears away the forest trees and upturns the prairie sods, it is year by year lessening the productive honey field for the bees, and gives rise to the frequent remark that bees in cer-



FIG. 76.—*Honey Locust Tree.*

tain localities do not prove so profitable as in years gone by. In many instances the honey yield is not so heavy, and the loss in wintering about consumes the profits; especially is the latter the case where bee-keepers have kept apace with

the improved appliances for depriving their bees of the fruits of their labor during summer, as fast as gathered, but have been too shiftless to provide certain and wholesome nectar-yielding bloom with which to replace the earlier stores taken away. In view of the uncertainty of nature providing sufficient continuous bloom, and the certainty of annually recurring periods of cold weather, and long, hazardous confinement, the bee-keeper, to insure success, should as conscientiously provide pasture from which his bees can gather food, as to




FIG. 77.—*Basswood or Linden Leaf and Blossoms.*

provide hives with which to shelter them from the storms. With a liberal allowance of good, wholesome honey in the fall, the first requirement for successful wintering will be provided. We cannot understand how any one can mistake his duty to provide pasturage, if profits are expected; nor how a humane, generous-hearted bee-keeper, can increase his numbers of bees without making some provision against starving.

TREES FOR SHADE AND HONEY.

Every home can be beautified by a judicious selection of ornamental shade trees, and where the roads, streets and

lanes are nicely bordered with them, the market value of the property will be increased more than double the cost of the trees and labor necessary. For this purpose the basswood or linden (*Tilia Americana*) is one of the most desirable.



FIG. 78.—*Tulip or Poplar Leaf and Blossom.*

Its rank, thrifty growth, large, glossy-green leaves, beautifully perfumed flowers, adaptability to almost any soil and climate, and ease with which it can be cultivated, make it one of the most desirable for lawn or lane. It is easily prop-

agated from the seed or cuttings, and can be transplanted with certainty, and may be obtained with little trouble. It blooms in early July, and yields a white, aromatic honey, of superior quality.

The tulip tree (*Liriodendron tulipifera*), often called poplar, is also of rapid growth, hardy, and easily cultivated. This makes a beautiful shade, and yields an abundance of delicious honey. As a producer it ranks only second to the linden, but being a very soft and brittle wood, is not so desirable for shade.

Box-elder (*Negundium Americanum*) or ash-leaved maple, is very desirable for a shade, and being a hard wood, is quite valuable for its timber. Like the linden and tulip, it is a great favorite with bees, and yields a superior honey. Blooming between the two, and forming a beautiful contrast in foliage, it might be alternated with the others with nice effect.

There are two or three varieties of willows, all good honey-producers, which are great favorites as shades, and are adapted to all sections of our country. The little care required to propagate them, is a recommendation in their favor.

The Eucalyptus or blue gum, will undoubtedly become as great a favorite in our Southern States as it is in California, and is said to be a superior and beautiful honey-producer.

The black locusts should not be overlooked in the arrangement of our selection of shade trees. They are almost certain honey-producers. Although the duration of bloom is but limited, they yield a bountiful supply of rich nectar, and bees will literally swarm among the highly-perfumed blossoms. Hon. G. W. Demaree, of Kentucky, writes as follows regarding the locust: "The time of year in which it blooms nearly filling the interval between the late fruit bloom and the white clover, makes it an exceedingly valuable auxiliary to the honey harvest in the middle states, if not elsewhere. It is a most profuse honey bearer, rivaling the famous linden in quality, and only inferior to the product of the latter in color. Locust honey cannot be said to be dark in color. It is of a rich pale-red color, when in a liquid state; but when in the shape of comb honey, its appearance, if removed from

the hive when first finished, is but little inferior to our superior clover honey. It becomes exceedingly thick, if left with the bees till the cells are thoroughly sealed, and its keeping qualities are therefore most excellent. The trees are planted by the side of fences, in waste places, and on poor, worn-out lands. They may be propagated from the seeds, or by transplanting the young trees from one to three years old. If the ground is plowed in the spring, and the locust seeds planted on the hills with corn, or with other hill-crops, and cultivated the first year, the young trees will grow with great rapidity,



FIG. 79.—*Limb, Pod and Seed of Honey Locust.*

even on very poor lands. In this way beautiful groves can be started, making the land, in process of time, very valuable, in locations where timber is an object, besides giving a perfect sea of bloom, laden with precious nectar."

Fruit trees of all kinds are eagerly visited by the bees, and yield plentifully of pollen as well as honey. They are entitled, also, to consideration for the value of their fruit productions as well as honey.

Above we have named the more common and most desirable of the honey-producing trees. There are many others which could be planted with profit, but the list gives the names of those which can be grown almost anywhere, and

combine ornament with utility. All are worth the little trouble they cause.

PLANTS FOR FIELD AND ROADSIDE.

Where the apiarist is so situated that a few acres of land can be devoted to bee pasturage, we would advise that such selections be made with a view to answering the double purpose of producing honey, and grain or winter forage for stock. Although convinced that a handsome profit can be realized from land devoted to honey-producing alone, yet all will admit that if a remunerative profit can be obtained from its



FIG. 80.—*Sweet Clover Branch and Bloom.*

cultivation for honey, and any other return be derived from the crop, it is an additional net profit, less the cost of harvesting and marketing.

There are, however, many bee-keepers whose grounds are very limited, but in whose immediate vicinity are lanes and alleys but little used, or waste commons and worn-out fields, which, with little labor and less expense, could be made to give profitable employment to an apiary of one-hundred to two-hundred colonies, thus becoming spots of beauty and sources of revenue, instead of remaining evidences of sloth and a public reproach.

For field or commons our first preference is decidedly given to sweet clover or melilot (*Melilotus alba*). Being one of the hardiest plants we have, it will withstand any degree of winter's cold or summer's heat, and its deep-penetrating and wide-spreading roots, admirably adapt it to any variety of soil, whether wet or dry, sand or clay, loam or gravel. Being remarkably thrifty in growth, it will be found equal to red clover for soiling, and can be successfully grown in locations where the latter will prove a failure. Prof. C. E. Thorne, of the Ohio State University, thus testifies regarding its value as a field plant. "It will grow quite luxuriantly in hard, poor clay, where even white clover will scarcely live at all, and grows much more rapidly than red clover in any soil, while in the soils that are, as is said, 'Clover-sick,' it thrives as well as anywhere. It is a good forage plant for bees and for cattle, and is well adapted for soiling, as it makes a growth of four to six feet during the season, and is said to bear two or three cuttings. A German analysis gives its hay a feeding value of fifteen dollars per ton as against sixteen dollars and twenty-eight cents for very good red clover hay. While red clover, upon which our farming in many sections, and especially in clay lands, depends so essentially for crops of grain, is becoming more and more uncertain. It would seem to be worth while to try this 'fast weed' as a resource for recuperative green manuring, in heavy soils especially."

But its greatest recommendation for the general bee-keeper is the fact that it requires no especial cultivation, thus making it particularly desirable for roadsides and commons. Being a biennial, the seeds possess great vitality, and may be kept over for a long time, and scattered a handful at a time, as opportunity offers, or a bare place develops itself. Where possible to devote even a limited time to its cultivation, the ground may be plowed and the seed lightly harrowed under in the fall with winter wheat, or planted with barley; or in early spring it can be sown with wheat, oats or rye, without detriment to the grain. If wanted, however, in its greatest perfection, it should be planted in drills four feet apart, and once hilled up with the cultivator. Sweet clover blooms and yields nectar continuously in this latitude from

about June 10th till Aug. 1st, when the first seed crop matures, which is succeeded with a new foliage and profuse second bloom about Aug. 15th, and this continues till winter sets in. If a part of the field be mown about July 1st, it will bloom and yield nectar, except when rains are falling or during the prevalence of strong, adverse winds, from the middle of June till past the middle of October—certainly as long a period as our impatient little workers can utilize it; nor will it then cease to “waste its sweetness on the desert air,” but after the advent of winter, when all else has passed into “the sere and yellow leaf,” its modest flowers will waft a fragrant good-bye to the bees when on their last flight, and leave pleasant memories for their long winter dreams.

H. S. Hackman, of Illinois, commenced the season of 1881 with ten colonies, which he increased to seventy, and obtained 1,200 pounds of surplus honey—1,000 pounds of extracted and 200 of comb honey—equal to 120 pounds per colony, spring count, and an increase to over seven colonies from one! Mr. Hackman, who is an experienced bee-keeper, and whose veracity is unquestionable, in a letter dated Nov. 15, 1881, writes: “Please find inclosed flowers of the sweet clover, picked from the roadside, on the prairie, yesterday, 14th inst. I suppose I owe my wonderful summer success largely to the sweet clover. We had the hottest and driest season we ever had—no rain from June 15th until Sept. 15th. The hotter and drier the more honey, seemingly. Sweet clover, as a weed! Although it has been growing in our roads, on waste land, along railroads, and on our hill-sides for twenty-five years, it does not seem to get into the fields, except where water has carried the seeds into low places.”

W. T. Stewart, of Kentucky, says: “Melilot is best sown in the fall, but will grow any time or anywhere, except on a flat rock.”

To sum up, it is worth more to the farmer for soiling than red clover, because of its thrifty growth; it is a more reliable pasture for cattle, sheep, etc., than red clover, because it will thrive on soils where red clover sickens; it will yield much more fodder than red clover, because it will stand two or three cuttings; and it lacks but seven per cent. of the

nutritious properties of red clover. We can add, we believe it is worth the cost of cultivation to the bee-keeper, for honey alone, even though he is not the possessor of a four-footed animal, because its flow of nectar is not affected by atmospheric changes, as is the case with many plants, notably white clover and linden, and its honey is second to none.

Alsike or Swedish clover (*Trifolium hybridum*) is also a good grazing and honey plant, and sown in connection with



FIG. 81.—*Alsike Clover.*

dairying pursuits or stock-raising, will prove doubly valuable. Mr. M. M. Baldrige, who has devoted much careful study to this clover, says: "The stem and branches are finer and less woody than the common red, and when cut and cured for hay, it is perfectly free from fuzz and dust. It does not turn black, but remains the color of well-cured timothy. The bees have no trouble in finding the honey, as the blossoms are short, and the heads no larger than white clover.

The blossoms at first are white, but soon change to a beautiful pink, and emit considerable fragrance. It ripens in the latitude of Chicago in the latter part of July, but need not be cut till August, if the weather be unfavorable. The crop of seed is always obtained from this cutting, in which respect it is unlike the common red. It is not advisable to cut this



FIG. 82.—*Alsike Clover Root and Crown*
average size, one year old.



FIG. 83.—*Red Clover Root and Crown*,
one year old.

clover more than once each season, but it may be pastured moderately during the fall. When sowed by itself, four pounds of seed is sufficient for an acre; but this is not the best plan to pursue, especially on dry western prairie land. It is much the best to mix it with timothy or common red clover, or both. When thus mixed they are a help to each

other, and two pounds of alsike seed to the acre are sufficient. Alsike clover as a fertilizer, must be as good a plant as red clover, as the roots penetrate much deeper and are more numerous. It is a clover which every farmer can and should cultivate, whether he keeps bees or not, as it is superior to the common red for hay or pasture for all kinds of stock." The seed can now be had at a very moderate price, and it is certainly worthy of a trial.

White or Dutch clover (*Trifolium repens*) is too well known to require particular description, and is associated with too many pleasant recollections to call for commenda-




FIG. 84.—White or Dutch Clover.

tion. Its modest, unassuming bloom, has hallowed many a sacred spot, and perpetuated enduring virtues long after the earthly form has moldered to dust beneath. The lawn would, indeed, seem incomplete, if still was wanting the clover carpet with its velvet surface of mingling white and green, inviting the weary to partake of rest, and giving out its ambrosial perfume while the grateful bees in myriads sing from flower to flower. For its modest, cheerful appearance, white clover will always be a welcome tenant of waste corners, nooks and roadsides, and no farmer needs be told of its value for pasturage. Its honey is only excelled by that

from sweet clover. Sow the seed in the fall, or in winter on the snow, or harrow in with the spring rains.

There are several varieties of the mustard (*Sinapis*) which furnish honey. These have been extensively cultivated for the seeds alone, and always have a commercial value. The length of season for bloom is quite extended, and where a dearth of honey pasturage prevails, bees will work on them vigorously. They bloom during July and August.

Buckwheat (*Fagopyrum esculentum*) is familiar to every northern bee-keeper. Its value cannot be too highly estima-



FIG. 85.—*Buckwheat in Bloom.*

ted. Its grain always commands ready sale in market, and the honey, though dark and strong, is highly prized for manufacturing and other purposes. It furnishes an excellent winter food for the bees, and when well ripened will enable the producer to avail himself of all the white grades of honey stored earlier in the season. In early morning the bees work on the buckwheat with great enthusiasm, and gather honey from it rapidly; but during the middle and latter part of the day they entirely neglect it, unless the weather be quite cloudy and humid. In the Southern States, we have been

told, buckwheat is worthless as a honey-producer, and, in fact, the same is true of many localities in the Middle and Northern States ; but where it does produce honey abundantly, it is well worth cultivation.

There are many other plants which will undoubtedly well repay cultivation for field purposes alone, and yield a profitable *bonus* through the labors of the bees. This of course will depend upon circumstances surrounding the apiarist. In the list can be placed many kinds of fruits, plants, grains and grasses, and much will depend upon the judgment and observation of the bee-keeper.

PLANTS FOR HONEY EXCLUSIVELY.

The catalogue of honey-producing plants is almost without end. Scarcely one but is some assistance, either in furnishing honey or pollen ; but observation and judgment will be required to determine the best.

If for the roadside, hillside or commons, where cattle, sheep and hogs run at large, the Rocky Mountain bee plant (*Cleome integrifolia*) is probably one of the best, owing to its immunity from grazing animals. T. J. Dodds, of Iowa, says of it: "Its *habitat* is clay, gravel, rock and limestone. Our river bluffs are carbonate and magnesian limestone, our streets and gutters are macadamized and paved with this stone, and in this the bee plant finds its most attractive home. Hundreds of plants can be found in sight by the writer of this, that will measure five feet in circumference and five feet in height. Through curiosity I went across the street and counted the pods on one stalk alone, out of hundreds of the same kind all around. They numbered 272 ; the space occupied was 5 ft. 10 inches, height 5 ft. 8 inches ; circumference of stalk, $1\frac{1}{4}$ inches. No rain here for nearly three months, yet they are green, luxuriant and beautiful. No animal will touch them, and they outgrow everything they come in contact with, thus proving the survival of the fittest. Sow the seed anywhere—among rocks, on craggy hillsides, along the highways, in fence corners where nothing useful will grow, and where the winds and rains will spread them, and in a few years your waste places will prove attractive to the eye, and yield abundance of sweets for the table." Seed

should be sown in the fall, when the plants will bloom the next season.

Spider plant (*Cleome pungens*) has been attracting much attention as a honey plant among progressive bee-keepers. It is a beautiful and interesting plant, and produces an abundance of fine honey, but we fear its popularity as a reliable honey plant will never become established. The care required in its cultivation, and the lateness before coming into bloom, will militate against it, so long as there are plenty



FIG. 86.—*Cleome in Bloom.*

equally as good which will be only too grateful for an opportunity to occupy the soil unmolested, and pay their sweet tribute. Spider plant should be sprouted in hot-beds and transplanted.

After several years of careful, close observation, we are more than confirmed in the good opinion we have heretofore formed and expressed regarding the excellence of mammoth

mignonette (*Reseda grandiflora*) as a honey plant. It is a plant of vigorous, rapid growth; having a strong, deep-penetrating tap-root, it is very tenacious in its hold upon the soil, and will grow, and bloom, and yield a rich return of beautiful nectar under the most adverse circumstances; with a sharp, pungent taste, not unlike horse-radish, the foliage is not a favorite resort for spiders or insects. Before white clover has fairly passed its maximum of excellence, the graceful



FIG. 87.—*Mammoth Mignonette.*

and modest blossoms of the mignonette will have won the preference of the discriminating bees. The flowers are thickly studded on the points of curving racemes, and as the base matures its many pods well filled with diminutive black seeds, the point is daily presenting a succession of fresh bloom, which continues until winter has fairly set in, thus providing each fair day a nectar flow, despite the drenching

rains which may precede. It is not unusual to see racemes three feet or more in length. The roots, in taste, are a counterpart of horse-radish. The foliage is not at all similar to *Reseda odorata*, and is said to be an excellent table salad. We hope every bee-keeper will give it a fair trial. Plant early in the spring, in drills three feet apart, or in a hot-bed, and transplant; but the latter method is unnecessary, as it is perfectly hardy and will blossom quite soon enough, with but little care. Do not plant too thick. It blossoms the first season.



FIG. 88.—*Motherwort*.

Motherwort cannot be too highly spoken of for a honey plant, and in the order of progress is destined to become very popular. Its blossoms make their appearance in July, and it remains constantly in bloom till frost, and its green leaves are among the first visible foliage in spring. The stalks are quite large and vigorous, and once well rooted, it blooms and thrives under very adverse circumstances. Like catnip, it is

not a great favorite with grazing animals, and may be planted on the roadsides and commons where stock are allowed to run at large. Four pounds of seed per acre are an abundance, and it may be sown at any time, after which it needs no further attention, and will replant itself. It thrives well among the timber, or in open places.

Simpson honey-plant (*Figwort*) is quite desirable, but of slow growth. The best method of cultivating is by sprouting in hot-beds and transplanting. The growth is slow, but once well rooted, it may be perpetuated for years, and furnishes honey quite plentifully. The plants attain considerable dimensions. The flower is quite small and unassuming, but the stalk grows tall and is very graceful in appearance.

Catnip (*Nepeta cataria*) can be planted any time and any where. It makes a vigorous growth, and possesses much vitality. Bees work on it early and late, and the honey is excellent. Four pounds of seed per acre. It may be sown any time.

We doubt not there are many plants accessible to all bee-keepers, and each adapted more especially to particular or peculiar localities, quite as good as any we have named. But we have already enumerated sufficient from which a very desirable selection can be made for any locality, and all of which will prove very profitable. By all means give each a trial, and select the best for all purposes, after which give those the preference. As farmers are constantly testing the best grains suited to their particular wants, or the best forage for their especial grades of stock, so should bee-keepers be equally generous to their bees, and considerate of themselves and their best interests to give at least a liberal thought to the subject.

HONEY PLANTS FOR DECORATIVE PURPOSES.

Unless actually seen, no idea can be formed of the beautiful and pleasing effect which can be produced by honey plants, when artistically and tastefully arranged. Even the most common of our wild plants, with a little thought and trouble, can be made to transform a very homely lawn into a seeming paradise, and the addition of a column here, with its niches supplied with variegated wild flowers, and a trellis

there, covered with blooming vines attractive to the bees, and now and then a flowery diamond, or a heart or circle, will lend an enchantment to the lawn, rivaling the more expensive exotic displays whose main features are the lavish expenditure of money, and which delight the eye only when first beheld, then become monotonous because planned alone to please the eye.

In arranging the garden or lawn, especial reference should always be studied to present the greatest contrast in colors,




FIG. 89.—*Column for Drive-way or Lawn.*

and yet have them blend in a harmonious whole, so that, let the eye turn which way it will, something new and pleasing will be seen, but nothing abrupt should be presented to startle or tire.

Mr. W. C. Barry, in an essay read before the American Association of Nurserymen, in 1881, truthfully says:

“Gardens are to be seen which have been planned and planted utterly regardless of all rules of landscape gardening. Those who have a knowledge of the art cannot refrain from noticing the blunders that are made, and it is particularly annoying to them to see fine grounds, which might have been rendered exceedingly interesting, utterly ruined by injudicious planning and planting. The owners of such grounds, though they know nothing about gardening, feel that they have made grave errors, but that it is beyond their power to correct them. One of the mistakes most frequently committed, is that of planting indiscriminately—leaving no breadth of turf, and destroying the lawn without realizing any effects from the plantings. If we look about us we shall see how often this occurs; yet it seems very strange that gentlemen who have spent thousands upon a house, would be willing to sacrifice beautiful grounds by careless planting. The same attention and care which are bestowed upon the house should be devoted to the garden, in order that the house and its surroundings may present one harmonious whole. Another common error is that of planting trees which attain large size, in small lots. A tall elm or Norway spruce, or other large trees, is very much out of place on a small lawn. There is no excuse for errors of this kind, for there are numbers of trees of secondary size, which can be employed with advantage.”

If the lawn be spacious, a couple of columns similar to the one illustrated on page 120 (fig. 89) can be cheaply constructed and painted, and covered with vines and flowering plants, all affording a rich and continuous field for the bees, and adding wonderfully to the general effect. Fig. 90 illustrates a residence with a narrow front lawn, decorated neatly, but cheaply.

If a pond or considerable depression occurs in the grounds, it can be transformed very easily into a beauty-spot, and be made to contribute to the profits derived from the apiary, as also to the pleasure of the beholder. Where golden rods, wild bergamot, asters, and other honey plants grow spontaneously in the neighborhood, we would give them the preference in cultivating, as they would be hardier, more easily developed, and neighbors not keeping bees would be encour-

aged to foster them for their natural, but hitherto unappreciated beauty. Clumps of pussy or button willows might be transplanted to the grounds with little trouble, and the alder-berry bush would be a beautiful substitute for the popular, but almost worthless, snow-ball. Beds of asters would look delightful, and mints of all kinds, sage, summer savory, sweet alyssum, and many other plants could be used in variegated beds or for borders. By pursuing this course, not only would a taste for flowers be cultivated, but the younger




FIG. 90.—A *Floral Lawn*.

members of the family (and the older ones, too) would exhibit a wonderful aptitude for effective floriculture, which in turn would lead to the study and acquirement of a botanical education. This will be found an important and useful accomplishment, to aid in discriminating against obnoxious and poisonous flowers and shrubs, such as foxglove (*Digitalis*), mountain laurel, oleander, etc.

We quote from Mr. W. T. Stewart, of Kentucky, the following very appropriate hints on the subject, which will give a general idea of what to do, and how best to do it, leaving to the gardener the exercise of taste to vary the plans to suit surroundings :

“To make a beautiful mound, or what will appear to be a mound, yet is only level ground, plant that which grows tallest in the center of a ring or circle, next tallest outside of that, and so on down to a creeping ground plant. For instance, you want a mound twelve feet across, six or eight feet high in center, gradually sloping off lower until it is on a level with the ground. You will first mark it off in rings, say eighteen inches apart. Now transplant in the center ring eight or ten fine plants of figwort; it grows six to




FIG. 91.—*Fox Glove*, pretty but poisonous.

eight feet high, filled with beautiful seed pods as large as buckshot. Next row transplant with goldenrod; grows four to six feet high; then the next row plant in spider plant, which grows three to five feet high, and its pretty pink flowers contrasting strikingly with the golden rod. Next row transplant with motherwort and catnip mixed equally; two feet high; bloom white. Next row plant princess feather; bloom is scarlet and an excellent honey plant. Next row, white mustard; one foot high; bloom golden yellow. Next row transplant peppermint; bloom white. Last row, ground ivy, a creeping vine, and good for bees. This will, when grown

up, appear to be a costly mound, most beautiful to the eye of man or bee. We can make a basin in the same way by reversing the plants, putting the lowest in the center, and so on. By a little study and ingenuity in planting we can contrive many pretty designs that cost nothing, and have every plant to pay nearly as well as vegetables in a garden. Plant in groups of various colored bloom and varied foliage, too, among our bee hives, making them contrast with the color of



FIG. 92.—*Round Ribbon Flower Bed.*

the hives, etc. Plant a row of basswood, poplar, locust, elm or maple all round the fence, and keep trimmed nicely. Plums, pears and cherries among your hives, for shade, honey and fruit; gooseberries, currants and raspberries can all be made ornamental in the shape of hedges around poultry yards, garden walk, etc., and all are good honey plants, too.

“For trellises, around porches, verandas and windows as a running vine, there is nothing superior to the Clematis for



FIG. 93.—*Diamond Ribbon Flower Bed.*

beauty, shade or honey. Various colored hollyhocks may be used to advantage in grouping or single; it is also a good honey producer, but better for pollen. A few stalks of buckwheat worked in for variety or contrast, does not look badly. Make a border of peppermint on each side of every walk and outer edges of flower beds, and even around the door and gate, so that every time there is any passing around, the clothing or feet will brush against the peppermint. In this way your lawn is constantly perfumed, and you will be surprised to see how much mint you can have growing in this

way, and also surprised to see how the bees take to it through August and September—just when they need it. If you have a low, wet spot on your grounds, plant there a clump of willows. With a group of six or eight willows growing on your lawn, you can make it the center of attraction. By bending and tying them together you can make them grow in every conceivable shape—chairs, ladders, heaps, etc., can




FIG. 94.—*Floral Window.*

be had growing; besides, it is beautiful as a shade tree, and one among the most useful of all honey producers, because it comes so early in the spring, and is full of nectar for early use. Plant a tree of either elm or basswood (twelve feet apart is about right), one on each side of your gate; when they arrive at the right height, bend and tie them together in the form of an arch; keep them tied until they have grown in that shape. An arch over the gate is pretty, and these trees are good for forage.

“Make a ring or diamond of ten feet in diameter and transplant into it dandelions six inches apart all around the outside, then fill up the center by transplanting wild turkey peas, thickly set. This is very pretty; early in spring the



FIG. 95.—*Laying out a Flower Bed.*

bed will be white as snow and the border yellow. Both are good honey producers, and they come so very early that they are quite a luxury for our bees. A hedge all around the fences of motherwort is quite a bonanza. You will notice that most all the plants I have named for ornamenting are



FIG. 96.—*Care of the Flowers.*

such as will only require planting once, and come from the old root for years afterward. Remember, that it is the design and in the ingenuity displayed in planting that attracts the attention of visitors, more than the quality of plants. Common plants, when ingeniously modeled, are prettier than

costly green-house plants scattered helter skelter, without any pretense to form or model. But when you have laid out beautiful models of common plants, your wife will be sure to improve their appearance by the addition of a few pet green-house plants, which are not honey producers themselves. But they will not drive the bees away from those that do produce it.

“When once we have introduced this novelty in our town, we will soon see our neighbors trying to imitate it more or less, because of the novelty of it (not for bee forage). But our bees will go over and appropriate it to their use just the same as if it was purposely for them. But we must keep



FIG. 97.—*Spike of Giant Mignonette.*

still as to the purpose of such a lawn, and let people just think that the novelty of the thing is the main point, if we wish them to appreciate it or pattern after it on their own lawns. If people in general knew that such a lawn was intended for forage for bees, it would lose half its charms in their estimation; but work on, getting up novelties, and say nothing about the bee part of it, and you will see that it is contagious, and people will gradually fall into novelty lawn planting.”

The *American Agriculturist* gives, in its March number, 1882, the following excellent advice, bearing upon the subject of selecting the fittest for general honey bloom. We take pleasure in recommending its careful perusal to those

who are locating homes in the treeless Territories which are included in the Act of Congress granting domain for planting forest trees ; and especially is it desirable that apiarists in those districts persuade and assist new settlers in making the proper selections :

“From the middle of March, and even earlier, in the far South, to the middle of April, is the time to attend to special planting for bees. As well remarked by Mr. Coffinberry at the National Convention (October, 1881), no subject connected with apiculture is more deserving attention. If each colony of bees in the four to six weeks of storing can give one-hundred pounds of honey to the apiarist, what might be



FIG. 98.—*Head of Goldenrod.*

expected, could they be kept at work the whole season through? The great fall yield from autumn flowers, in Michigan and some other States, suggests the answer. The past season, in some sections, the autumn yield was more than all the rest of the crop. Yet such men as G. M. Doolittle, L. C. Root, and others, if we are rightly informed, get no autumn yield at all. Surely this matter of providing plants for bee pasturage is worthy of consideration.

“Road-side tree planting is attracting much attention at the present time. Dr. Warder, of Ohio, and others, are giving the subject their best thought and study. The Legislatures of some States encourage tree planting by appointing “Arbor days”—days set apart for tree planting, and even by granting homesteads, and exemption from taxes to those

who will devote time to this important work. Why do not bee-keepers see to it that the valuable maples, which furnish early pollen and honey, are accompanied by the still more valuable and equally beautiful basswood and tulip tree, called poplar at the South, and in regions where they will do




FIG. 99.—*Branch and Blossoms of Sourwood.*

well, the sourwood and Judas tree. Would not a little energy secure these trees at least in goodly proportions in the roadside tree planting? No tree excels in beauty the basswood and tulip tree, and the great amount and excellence of the nectar which they furnish is well known. It is wise

in the matter of bee food, as elsewhere, to add as many 'strings to one's bow' as is possible.

"Every bee-keeper may well see to it that waste places along roadsides by railroads, etc., are covered with figwort, Rocky Mountain bee plant, spider plant, catnip, motherwort, and melilot or sweet clover. This last is a most valuable honey plant, but some of our farmers object to it as a troublesome weed. How is this? Many who have tried it say it is not troublesome in the least. If a pest, why did Prof. Thorn, of the Ohio State University, recommend it lately as a good forage plant, and as very desirable for green manuring?"



FIG. 100.—*Bed of Marigolds.*


"Bee-keepers should also try to get farmers to sow alsike clover, even if they have to furnish the seed. It will pay both parties largely, without doubt. The mammoth red clover is also a good bee plant.

"As all bee-keepers well know, nearly all our plants fail in times of drouth. True, the mustards and borage yield some honey, but not bountifully. Why should we not try to introduce the famous white sage of California? This plant owes its very existence to its power of resistance to drouth. We may try if it can be grown in the East, and what the result will be in yield of nectar.


"Let me urge bee-keepers not to allow the spring to pass without an effort to do something in the way of culture of special honey plants."



California Honey-Plant, *Filaree*.—1. General form; 2. Stalk; 3. Leaf.



Combs Built by Apis Dorsata.



Plan for an Apiary by Dr. Whiting.



Stingless Bees of Central America.

IMPROVEMENT IN BEES.

To obtain the best results we must possess the highest grade of bees that it is possible to obtain. Our object being to elevate the race, no deterioration should be countenanced, and the most thorough and rigid treatment must be employed, all looking to the building up of a strain of bees that will give the best of results.

The queen must be prolific to be able to keep the hive full of bees, to gather the honey harvest when it comes; the bees must be industrious to let nothing escape their vigorous search while gathering the sweet nectar; they must be docile to allow the apiarist to manipulate them with ease and pleasure; they must be strong and hardy, to withstand the rapid changes in climate; and must be of singular beauty, to attract the admiration of the fancier of fine stock.

"The bee of the future" will be present at the very moment when the slumbering flower, under the penetrating dew, awakes to consciousness, and unfolds its buds to take in the first rays of the morning sun. The ideal bee will dip into that tiny fountain, which distills the honey drop by drop, and bear off its honeyed treasure to its cells of virgin comb.

In developing the highest strain of horses, not all their offspring are equal to the best; careful selection of those coming the nearest to the ideal animal must always be chosen, from which to breed, and the closest scrutiny is necessary while making that selection. The same is true of cattle, sheep, hogs, poultry and bees. "Sports" and "variations" continually occur, producing inferior progeny; but all careful breeders who have an eye to the improvement of the race, will reject those that do not come up to the "standard of excellence," sending such animals and poultry to the shambles—so let us carefully select the best queens and drones to breed from, and remorselessly sacrifice all others.

In searching for the best bees, we have tried and discarded the Carniolan, Dalmatian, Smyrnian, Herzegovinian and the Egyptian. In 1866, two eminent Germans, Count Kolowrat and Hern Cori, imported the first Cyprian bees into Europe, but to Italy and America belong the honor of putting forth the greatest exertions to produce the best bees in the World. Did not Signor J. Fiorini, an Italian, make a journey to the Island of Cyprus and to Palestine in search of Cyprian and Syrian bees, to improve the race of Italian bees by crossing, or to improve those races by careful breeding? Mr. D. A. Jones, of Canada, at a cost of thousands of dollars, also journeyed to the Island of Cyprus and to Palestine, for the same object; he secured many colonies of Syrian bees, and established an apiary in Cyprus, in charge of Mr. Benton, a brave and fearless American, who (to his honor be it stated) has journeyed through Arabia, India, Ceylon, and the East Indies, and in the face of danger and difficulties untold, in search of some superior race of bees, or some that may be improved by judicious breeding. True, he has not been as successful as could have been desired, but he has planted in Ceylon some colonies of bees from Italy and Cyprus, and if a "cross" of any value can be obtained between these and *Apis dorsata*, or *Apis florea*, he has placed it among the possibilities, in the development of "the bee of the future."

With the different species of bees now at hand from every clime, history will repeat itself—the improved merino sheep but typifies the improved honey bee of the future. For ages the fine-wooled sheep of Spain had been famous, but were not to be had until the French invasion of Spain made it possible. The American merino sheep is a descendant of the best sheep of Spain—but, by the careful American breeder, it is made to yield four times as much wool as the original Spanish sheep. The skillful and scientific breeding of bees promises as great a triumph for America, as the development of that famous ten thousand dollar buck, "Gold Drop."

Dr. J. P. H. Brown, of Georgia, at the National Convention of 1881, reported that the tongues of the Cyprian bees, in a trial of six, aggregated 1-32 of an inch longer than he reached with six of his improved Italians, and they in turn aggregated 3-32 of an inch (one-tenth) longer than the imported Italians.



Apiary of Signor FIORINI, near Merandole, Italy.





SEARCHING FOR APIS DORSATA.

Equally pronounced is the result of Prof. Cook's numerous microscopical measurements of the tongues of the Syrian bees, which he finds to equal those of the Cyprians, and .006




FIG. 101.—Tongue of the Honey Bee.

A—Tongue extended ; B—Ligula, sheath extended ; C—Cross section of ligula.

of an inch longer than those of the Italian. If the Syrians are capable of as great improvement as has taken place in the Italians up to this time, we may count upon a tongue


more than one-third of an inch in length, which will be sufficient to reach the nectar in the first bloom of red clover.


In 1879 we attended the great Bee and Honey Shows and Congresses of Europe, and took with us some bees from the apiary of the BEE JOURNAL—not to “astonish the natives,” nor to arouse the jealousy of those of Foreign climes—but to get a frank and free expression of opinion concerning them from some of the best apiarists of the World. We submitted them to such eminent men as Signors Pietro Pilati and the late Lucio Paglia, two extensive Italian bee breeders; Mons. Dennler, editor of the *Alsacian Biènen Zuechter*; Mons. Ed. Bertrand, editor of the *Bulletin D'Apiculteur*, of Switzerland; Herr Karl Gatter, editor of *Biènen Vater*, in Vienna, Austria; Mons. Ed. Drory, late editor of *L'Apiculteur*, Bordeaux, France; Mons. H. Hamet, editor of *L'Apiculteur*, Paris; Count Gaetano Barbo, President of the “Central Societie d'Apicoltore;” Count Alfonso Visconti de Saliceto, editor of *L'Apicoltore*, at Milan, Italy; the great Dr. Dzierzon; the Countess, widow of the late Baron of Berlepsch; the late Herr Augustus Schmid, editor of the *Biènen Zeitung*; Herr Emil Hilbert; Herr Vogel, and many others, whose names are “household words” throughout the apicultural World—and these American-bred Italians were pronounced the most beautiful bees they had ever examined.

L'Apicoltore for October, 1879, contained the following: “We have had a visit from Signor T. G. Newman, editor of the AMERICAN BEE JOURNAL, and President of the North American Bee-Keepers' Society, who exhibited to us some samples of American-bred Italian bees obtained by constant selection of the best to breed from. They were workers and drones the most beautiful we have ever seen. Their color was of a splendid light yellow; the rings of the abdomen were also yellow, with the exception of the last, which was blackish, yet the sides were yellow. On the corselet, near the junction of the abdomen, they were of purer yellow than we had ever seen on any other bees.”

The bee of the “future” will be the one that will gather the most honey, be the most prolific, and, at the same time, the most docile, hardy and industrious; and when produced, whatever may be its color or markings, its name will be *Apis Americana!*

Canadian Honey Exhibit in London, England.—1886.





BEE TENT OF C. H. LAKE AT THE FAIR GROUNDS.

HONEY AND BEE SHOWS.

Public manipulations with bees and magnificent honey exhibits would be the most attractive features of State, County, and District Fairs. There are many good reasons for introducing such, but the chief one, perhaps, is that those who produce honey for the market may be induced to present it in the most marketable shape; for the new methods and new ideas of practical management must take the place of the old and undesirable ones.

It is our aim to make honey a staple product. To this end we have endeavored to popularize the consumption of honey by the masses, as well as to raise the standard of production, by applying correct principles and progressive art to the management of the apiary.

Bees and honey are already the great attraction at such fairs as have given prominence to this industry—and this will become more apparent each successive year. The officers of the St. Joseph, Mo., Exposition were surprised at the result of their *experiment* in encouraging the apiarian department; they realized the fact that it formed the greatest attraction presented by the Exposition.

The editor of the *Gazette* gave his views of the subject in the following article: "Few things last week brought us so many pleasant and profitable things combined—as the display of honey made at the fair, and the lecture of Mr. Newman, of Chicago, on "Bees and Honey." The attention given to the subject this year marks a new era; the display attracted very great attention; good prizes were offered and awarded; the bee-keepers of the region were encouraged, and a more general interest was aroused in the subject. The lecture was very practical, and contained many hints that are invaluable. But practical as it was, the pleasure of the apiary as well as the profit was told; for Mr. Newman is an enthusiast, as, to use his own words, all bee-keepers are."

Mr. Musser, Superintendent of the department, wrote as follows: "The exhibits of last year have worked up quite an interest in progressive apiculture in this vicinity. Many then, for the first time, saw the new apiarian improvements, single comb sections, comb foundation, etc., and had never heard of planting anything for their bees to get honey from. Not one cent in premiums was offered last year, but this year over \$120, besides diplomas are offered, and next year I know we can double the amount."

The managers of the St. Joseph Fair, have, by their foresight, given a good example for others to follow, and we hope






FIG. 102.—*Corner of Building enclosed with Netting.*

the time will speedily come when apiculture, so long neglected by the managers of fairs, will receive its due share of attention. Liberal premiums should be offered for the best exhibits, and these premiums should cover a large variety of special points in order to make the competition the more lively, as well as to enhance apiarian science in general.

Fig. 102 shows one corner of a room on the second floor of a building on the Fair grounds, enclosed by mosquito bar—the hives of bees being inside, with a tube connecting with



House for Exhibits on Fair Grounds.



Pavilion of the Khedive of Egypt.

the entrances running through the sides of the building, allowing the bees free passage in and out of the hives. Manipulation or examination of the bees, may be accomplished by going inside the netting, and no one outside need be disturbed by the bees. Fig. 103 shows the ground plan of the same corner: A shows the netting; B, C, D, E, F, G shows the entrance tubes to the hives.

When in Great Britain, during the summer of 1879, we found that the most attractive features of the fairs were the public manipulations with bees, and the large display of honey of captivating beauty. There they had a large tent (fig. 104); the inner circle being enclosed by mosquito bar or netting around the sides and about eight feet high, leaving the top entirely open. Around this circle is a passageway,




FIG. 103.—Corner of Building showing Entrance Tubes.

covered with canvas above and outside, about eight feet high, and six feet broad; in this inclosure the audience assemble to witness the manipulations with bees.

We gave eight half-hour lectures in this tent; each time the inclosure was full of eager listeners. Two of these were delivered at the Scottish Bee and Honey Show, at Perth, concerning which the Dundee *Advertiser* remarks: "The manipulating tent was a scene of great interest during the show. It is of octagon shape, the operator standing in the middle, while the public feel secure under the protection of an intervening gauze screen. Driving bees from a straw skep and transferring their combs to a bar-frame hive, were hourly operations, and never failed to strike with astonishment the spectators, who stood aghast at seeing a human being unprotected turning up a hive of bees, and handling them as if they were blue flies. Mr. Thos. G. Newman, edi-

tor of the *AMERICAN BEE JOURNAL*, was present, and gave lectures on American bee-keeping, which were very interesting. The Society presented to him a medal as a souvenir of his visit to this country, and for the valuable services he has rendered to the present session of the Society."

For exhibiting bees, observatory hives were used—those having glass sides, through which the bees may be seen at work—the hives being inside the exhibition building, with a tube covering the entrance, and running through the side of the building, giving free passage, in and out, for the bees.




FIG. 104.—*Bee Tent near Column Vase.*

Sometimes, a glass box inclosing each frame, arranged like leaves of a book, with a common entrance to all of them, from the tube running through the side of the building, is made to exhibit bees. This gives an opportunity for thorough examination of the whole colony.

THE EFFECT OF BEE AND HONEY SHOWS.

A correspondent in the *London Horticultural Journal*, says: "I can state without fear of contradiction that never in the memory of man has there been such a desire to keep bees as at the present time. People here have been so encouraged in

bee-keeping as taught in the bee tents, that I have almost daily applications for instructions concerning bees and hives."

A letter from a gentleman in England says: "The American honey introduced into this country in the "prize"





FIG. 105.—*Bee and Honey Pavilion at the Paris Exposition.*

boxes, have exercised a complete influence upon the honey show this year. The season being more propitious than last—the large number of American surplus boxes im-


ported into this country, have gone into use, and the ninety-eight different exhibits, displayed at least a variety never found at an American fair, while the highest prizes in any class, were awarded to the honey in American sections."

Concerning the Toronto Bee and Honey Show, Mr. Wm. F. Clarke says: "Under the stimulus of the liberal prize list, there was a magnificent array of honey. The directors appropriated an entire building to the use of bee-keepers, and for the first time at a great exhibition on the American continent, "honey hall" advertised itself side by side with horticultural hall, dairy hall, etc. Honey was displayed in every form, calculated to make the mouths of spectators water. The tin packages and cans were gorgeously colored and labeled; the glass jars were in various beautiful shapes, and even the wooden boxes displayed a wonderful diversity of taste. In the center was a miniature church, ingeniously built of honey comb and wax, with pinnacles and spire. A smashing trade in honey was done at the exhibition. Thousands of people might be seen with gay-looking tin cans dangling from their fingers, or with pretty glass jars in their hands, or nice boxes under their arms. They bought and carried them home very much as is usually done with toys and trinkets on such occasions. The success of this show awakens great expectations as to the future of bee-keeping in this country."


Of the Honey Show in San Francisco, Cal., the *Semi-Tropic* said: "The attractive display of bees and honey formed a center around which apiarists literally swarmed. One hundred and two varieties of honey-producing flowers, formed a novel and interesting feature of this exhibition. The decorations of white sage were tasteful and appropriate, and the nectar itself, in jars arranged in pyramidal shape, clear as crystal, supported by frame after frame of comb honey, snowy and inviting, made a picture which cannot be photographed except by the artist memory. There were samples of excellent honey vinegar, almost colorless, and above average in acidity; several samples of fruit preserved in honey with undeniable success, and three kinds of honey cake, which elicited the warmest praise from those who were fortunate enough to secure a sample. Fruit cake made with honey is richer and retains moisture much longer than that made of sugar."



HON. R. L. TAYLOR.



HON. EUGENE SECOR.



APLARY OF MR. FRANK BENTON, IN CYPRUS.

THE WINTERING OF BEES.

Notwithstanding much has been said and written regarding the requisites for successful wintering, the problem yet seems unsolved. In Russia, in order to evade the rigors of winter, a deep pit or subterranean vault is dug in the ground, and the "gums" containing the bees are piled one above the other several feet below the surface; then a straw hut is constructed above-ground, over the pit, with a door for ventilation in the leeward side, to carry off the moisture and heat from the bees. If fifty per cent. of the bees survive till spring the bee-keeper feels much encouraged. In our Central and Northern States, cellar repositories seem to have met with more favor than perhaps any other plan; still, some experienced and comparatively quite successful apiarists are found among the advocates of numerous other methods, most prominent of which are chaff hives on summer stands, double-wall hives, frame hives with deep combs, etc.

To account for the many failures of all the popular methods numerous theories have been put forth by the wise ones, while others stand aghast at having had their pet theories proven mere chimeras; and even the most confident look forward with trembling anxiety, scarcely knowing which is the strongest sentiment—hope or fear. Breed our bees up to what standard we may, create a popular demand for honey till it is as eagerly sought after as bread, build up the price till our profits count cent. per cent. when Providence ordains a favorable winter, and yet, with all these, there is a nervous anxiety about the business that is not dispelled till we have passed the last nipping frost of spring. Disguise the fact as we may, until some method for wintering is devised—that is, a method which will prove as safe and certain for a medium weak colony as a strong one; which will at all times give bees access to their stores let them be in what part of the hive they may; that will be as safe in a long, inclement win-

ter, such as 1880-81, as they were the winter before; that will carry a colony through on the lowest minimum of honey; that will be cheap of construction and easy of application—until then, the success attending bee-keeping will be more or less a matter of chance.

All the best apicultural authorities of the present day, as well as those who have gone before, give the following as absolute requisites for safe wintering: 1. An even temperature ranging from 42° to 45° . 2. Complete expulsion or absorption of moisture from the body of the hive. 3. Perfect freedom from outward disturbances. 4. Protection of stores from contact with frost. 5. Protracted isolation from atmospheric changes in spring. 6. Exclusion of light. 7. Sufficient stores for winter consumption. It is generally admitted that with these seven contingencies provided for, there will be no hazard in wintering, and it is further admitted, that no plan so far practiced combines all these essentials.

There have been various devices gotten up, such as chaff-packed hives, porous-wall hives and double-wall hives, many of which have proved very effective during an ordinary winter, and all of which, as a rule, were much better than no protection at all, but with such a winter as that of 1880-81, all methods of out-door packing were more or less faulty, except where all the other requirements were most amply provided for. The winter of 1881-82 was quite to the other extreme—but few periods occurring where more than two or three weeks elapsed without a purifying flight, and bees wholly unprotected seemed to fare quite as well as those packed or celled with the greatest care.

CHAFF PACKING FOR WINTER.

Under this heading we will embrace all the different methods for wintering on the summer stand. The double-wall hive, perhaps, will convey the best idea, which can be modified to suit the convenience or judgment of the apiarist. The hive illustrated uses the Gallup frame, which is nearly square, the top-bar being $13\frac{1}{2}$ inches long; end bars, $10\frac{3}{8}$ inches, and the bottom bar $11\frac{3}{8}$ inches, making a frame 12×11 inches outside. The body of the hive is square, measuring $18\frac{1}{2} \times 18\frac{1}{2}$ inches outside. D E are reversible cases,

closed on one side each with $\frac{3}{8}$ inch boards, and top mounted with metal rabbets. These can be packed with chaff, straw or leaves, and the open side covered with burlaps, tacked around the edges; or the spaces can be left unfilled, forming an air-space between the outer and inner walls of the hive. For wintering on summer stands, these inner cases may be turned, bringing the warm cushions next the bees. This forms an absorbent of inside moisture, and also keeps the bees at an even temperature, being warm in winter and cool in summer. With the Langstroth hive, double front and rear can be used, and by inserting a division-board at each side,




FIG. 106.—*Hive with Chaff Packing for Winter.*

and filling with chaff, or taking out two brood-frames, and slipping down a chaff or straw cushion, the sides will be provided for; then a woolen blanket over, on which a chaff or straw cushion may be placed, and the hive cover placed over all. We like Mr. C. F. Muth's suggestion to bore a hole in each end of the cover, above the packing, to give escape to the moisture from above, and prevent the formation of frost and mold in the hive.

Another method is, to surround the hive with a box some six inches larger, then put the hive in, provide a winter passage out from the entrance, and fill with sawdust, forest leaves or chaff; leaving the cover off the hive, filling in on top, over the blanket or cushion with packing loose, and then

cover the box. In all cases of packing on the summer stand, a passage-way should be made through each comb, a little above and back of the center, or three-quarter inch square sticks be laid over the tops of the frames, to afford the bees a passage from comb to comb, to reach their stores without going to the extreme ends of the frames to pass around.

For wintering on summer stands, all preparations should be made early enough in the fall to admit of ample feeding in case of a scarcity of stores, as they cannot often be fed afterward without great disturbance.

PREPARING THE CELLAR FOR WINTERING.

The first step in this direction, is to be assured that the cellar is sufficiently warm to prevent the freezing of potatoes, apples, etc., and provided with sufficient ventilation to allow of the escape from it of noxious gases and heat generated by the bees. It is wisdom to provide a means of letting in cold air from the outside, should occasion require. Although when unoccupied the cellar may be at a mean temperature of 40° F., if 100 colonies be placed in it they would soon generate sufficient animal heat to run the mercury up to 50°, or even more. The bee apartment should be separate by itself, and not so situated as to be subject to constant invasions by individuals or vermin. The covers should be removed from the hives, one or two thicknesses of woolen or cotton cloth spread over the frames, two or three inch-square sticks laid crosswise of the hive, and the next one set on top and treated the same way, proceeding thus till all are neatly and carefully piled up. This work should not be done till the fall is so far advanced that the bees will be quite chilled, and exhibit but little activity when slightly disturbed. Of course, too much care cannot be exercised to do all your work gently, and if you can do so without the bees knowing they are being moved, it will be much better. When all are nicely piled away, darken every nook and crack, so that should the bees venture to the entrances to the hives, they might think it a perpetual night. At least every fortnight enter your bee apartment with a dark lantern, and satisfy yourself that all progresses favorably. If the thermometer indicates above 45° F., admit cold air at night; if below 40° F., partly close the escape, to bring the mercury up to the desired temperature. Be cer-

tain, before winter has come, that all are provided with thirty-pounds each of good honey, and they are provided for a four month's repose.

HOUSE FOR WINTERING BEES.

Mr. W. L. Drake has invented a triple-walled house for this purpose, and to be used for a dairy house in summer. The house is built of brick. The illustration gives an end view of the house, with door closed and air-supply drafts




FIG. 107.—Triple-Wall Winter Bee House.

open. O, gives a view with the corner bricks removed, exposing the air-spaces in the wall. The outer air-space completely envelops the middle and inner brick wall, and is intended for a circulating air chamber. The inner space is a dead-air chamber, completely enveloping the inner wall, and entirely disconnected from the outer air chamber. E is a flue connecting with the body of the room, for the purpose of

drawing off the heat and permitting the escape of noxious gases generated by the bees. It will be observed the flues or dampers connected with the outer or circulating air chamber can be opened or closed at will, to regulate the temperature in the outer space, and this again can be discharged in the main room by means of flues piercing through and independent of the dead air or second space. The floor and ceiling are each double, air-tight, and connected with the dead-air space. The outer or front door is a double battened door, with an inner or sash door. A house of this kind, 12x18 feet, will accommodate about 300 colonies.


Mr. F. W. Comings gives the following description of a house which passed the ordeal of the winter of 1880-81 with the loss of but two, which succumbed from starvation: "The house is 12x18 feet, and studding ten feet. There being no cellar under it, we dug a trench about two feet deep, and laid a heavy stone wall in it. The sills were 6x14 inches. We then put up a set of 2x5 inch studs, and double-boarded the outside and sided up the inside, filling the wall with sawdust. Then put up a set of 1x2 inch studs against this wall and sided up; then another set of 2x5 inch studs and sided with matched spruce, filling the second wall with sawdust. Thus we have two five-inch stuffed walls, and an inch dead-air space between them. Overhead we put ten inches of sawdust, and studded the floor, using four inches for that. We use three doors in one end, in winter, making two dead-air spaces. Have ample ventilations in roof and floor."

WINTERING BEES IN CLAMPS.

Mr. M. Quinby favored wintering bees by burying, which is practiced by many at the present day. The mode is to dig a trench in a hillside or ground with sufficient slope to insure drainage. This is partly filled in with straw, on which the hives are placed; boards are slanted up in front; wooden tubes placed in position to ventilate the pit, straw thrown on the hives, over which boards are laid lengthwise, and dirt piled over all to turn off the water.



MOSES QUINBY.



GENERAL ADVICE TO BEGINNERS.

Having already described a suitable location for an apiary, and indicated who should engage in the business, when to commence, what kind and how many colonies of bees to begin with, we offer the following advice to beginners :

GENERAL INFORMATION NECESSARY.

Obtain, at least, a general knowledge of the natural history of the honey bee, and of its management. Become acquainted, both theoretically and practically, with the use of improved apiarian implements. This can be obtained by studying a good manual for the apiary and bee periodicals, in connection with experience in the apiary. Spend some time with a practical and progressive apiarist, even if you have to pay for the privilege of "helping" him; for successful and prudent care of bees at all seasons and under varied circumstances, and the skill necessary to obtain the most honey in the best condition for the market, can be obtained only by practical experience in the apiary. From time immemorial bees have been kept by man, but until the past few years the pursuit has not received that attention that it demands. In this, as in all other departments of business, it is only the careful and practical that succeed. Nature has provided the health-giving delicious nectar in myriads of beautiful flowers, that deck forest, field and garden, and developed the bees to gather this abundant sweetness and store it in quantities far exceeding their wants—and man may step in to aid nature and bees, and utilize the surplus honey for his pleasure and sustenance.

SELECTING A LOCATION.

Locate where there is a profusion of white clover, with timber to the west and north, within range, where basswood or linden abounds; goldenrod, asters, Spanish needle and heartsease, or smartweed, abound in almost every locality,

and where they do not, it is easy and profitable to put in a few acres of buckwheat for late fall honey, as there is none better for wintering bees, and extracted buckwheat honey will always find a ready sale. In locating an apiary, avoid the close proximity of laurel thickets, as honey gathered from the laurel is unwholesome, if not really poisonous; avoid the neighborhood of cider mills, and do not locate immediately near a large body of water, as it will confine your bee-range to one direction exclusively. A broken or low country is no particular disparagement, because the less desirable for cultivation, the more encouragement will there be for you to take time by the forelock, and plant plentifully of such honey plants as will insure a constant bloom, and provide against the time when others, encouraged by your success, shall also commence bee-keeping in your neighborhood and over-stock the location, unless nature is liberally assisted. With all the above natural advantages secured, aided by your provident forethought in planting, you will have done much to settle the question as to the best method of wintering, and your bees, let them be of whatever color, will solve the problem as to which is the best race. We are often almost persuaded, that were more attention devoted to selecting a suitable location, and to providing continuous pasturage, there would be less cause for so much talk about procuring the best races of bees; the bees reared 'neath Italia's skies, would scarcely repay the expense of importing; no longer would we tread the shining sands of Syria in search of a better type; we could afford to respect the superstitions and avoid the scorching sun of Cyprus, for their bees would gather no more honey than our own; the bees of China would be left undisturbed in the shade of its historic wall; and those in Caucasus would still fly from flower to flower in their own native valleys. What though we possess a type of bees with the wings of a condor, with tongues as long as was that of Xantippe, and honey sacs with a carrying capacity equal to that of Falstaff, of what avail are they if there is no honey to gather?

PLAN FOR AN APIARY.

Decide upon a plan for an apiary, and then make it beautiful. Of all mankind, bee-keepers should admire the beautiful—and we really think they do. Italian, Cyprian,

Syrian and Albino bees are beautiful to look upon, and sip nectar from the loveliest flowers, hiding it in dainty cells of matchless beauty and virgin whiteness. What is there, in all Creation, so soul-inspiring as a cultivated garden of Nature's flowers, of variegated hues and heavenly grandeur? None but the unfortunate or despondent can fail to enjoy Nature in her garb of beauty, decked by the bounteous hand of Deity. To produce a garden of living gorgeousness we may all aspire, and long enjoy its gratifying results.

ADOPT A STANDARD FRAME.

Adopt one of the standard hives, and then scrupulously adhere to its use—for all the hives in one apiary should be alike, and the frames and all other parts interchangeable, in order to give the best results. Number conspicuously every hive—either with a stencil plate, or by painting large white figures on them.

KEEP AN APIARY REGISTER.

Obtain an *Apiary Register* from the office of the **AMERICAN BEE JOURNAL**, for at least one-hundred colonies; then you have room to add all swarms and keep the record all in one book. The two opposite pages are to be numbered to correspond with the number on the hive. This can be referred to instantly, and should contain a full history of the colony. By its careful and constant use your bees may be improved, their most valuable qualities developed, and the products of the apiary be greatly enlarged. Should a queen lack any desirable quality you will in this way soon discover it, and can supersede her. In this Register let all the important facts be noted, and by its complete history of each colony you may systematize all your work, lay it out in advance, save confusion, and inaugurate the best methods and management.

INCREASE BY DIVISION.

This is perhaps one of the most interesting features in the management of an apiary. All operations will be governed somewhat by the number of colonies to be manipulated, and the amount of increase desired; it should also be borne in mind that, although the amount of increase possible is almost unlimited, all excessive increase will be at the expense of the

surplus honey yield. In order to be better understood, we will suppose the apiarist has four good colonies which he wishes to increase to nineteen. As a progressive bee-keeper, he will be actuated by a desire to possess the best; therefore, the colony which has heretofore proven the most satisfactory in all things, will be selected as the one from which to rear queens for new colonies. This colony, for convenience in summarizing, we will designate No. 1. As soon as spring opens, feed No. 1 daily about half a pint of thin sugar syrup or honey, diluted with warm water. This had better be fed at the entrance in the evening, to avoid robbing, and be given slightly warmed. Keep this up till there is capped drone brood in some of the combs, or, better still, till you have drones emerging from the cells. Now move one of the other colonies from its stand (which we will designate No. 2); place No. 2 on a new stand, put a new or empty hive on the stand vacated; lift the frame from No. 1 on which you find the queen and place in the empty hive (No. 3); place a frame of foundation in No. 1 and close the hive. From No. 2, and each of the two hives not numbered lift two frames of brood well advanced, shake off the old bees, and put the combs in No. 3, with the queen lately placed there. These last frames put in should be alternated as much as possible, so as to confuse the working bees from No. 2, which will naturally return to the old stand and enter No. 3. Fill up the latter hive with frames of foundation, alternated with the brood combs, to its full complement. If a ten-frame hive, this will give it seven frames of brood, three frames of foundation, and your best queen. If you have bright, clean, empty combs, they will answer about as well as foundation, though we prefer the best foundation. Put in foundation or combs to supply the places of those taken from the other hives, close them, and your first division is completed, making six colonies. In ten days, examine carefully the combs in No. 1, to see how many good queen cells (fig. 68) you have capped over. Close the hive carefully, and let it remain twenty-four to thirty-six hours. As soon as you have determined the number of cells, remove each of the four colonies, which have queens, to new stands, and place empty hives where they stood. Take the brood frame from each on which you will find the queen, and place in the empty hive where they were moved from. Add

three more brood frames to each, from the hive removed from there, place two frames of foundation or empty combs in the center of these, put a division-board on the outside of the combs, and close the hives. The hives from which these were taken will each be left with six brood frames; to these add two empty combs or sheets of foundation, put in division boards at the outsides, and close for twenty-four or thirty-six hours. You now have four new colonies with queens, four without queens, and one with queen cells.

At the end of twenty-four hours you will find queen cells started, or preparations to start them, in the four queenless




FIG. 108.—*Brood Comb with Queen Cell Engrafted.*

colonies. With a sharp, narrow-bladed knife, cut out four of the best queen cells from No. 1, leaving a good one; cut a triangular hole, about one-and-a-half inches across, from the center of a brood frame in each of the queenless colonies, and slip in a queen cell. These should fit pretty tightly, so they will not drop out (fig. 108). Observe great care not to bruise any of them, and they must not be cut so close to the cell as to run a chance of injuring the young queen yet in the cell. In a few days these young queens will be hatched, mated and laying, and you now have nine colonies. As fast as the foundation in these colonies is drawn out, the comb can be spread and new foundation or combs added, until the full

complement are in the hive, when a new colony may be formed, in the same manner as at the start, and the original queen from No. 1 can be put in this, leaving her colony queenless to build queen cells. In ten days repeat the operation of dividing as before, and in twenty-four hours insert queen cells, foundation, and division boards as before. You will now have nineteen colonies from the four in early spring, and by close attention in supplying good foundation as fast as they are prepared to receive it, with a good white clover and basswood yield, or a few acres of sweet clover pasture, you may expect a fine surplus yield of extracted honey.

If indifferent to the amount of honey, with an average fair season, another division can be made with safety, and your four colonies will have been increased to thirty-seven. If more than four colonies in spring, divisions can be made oftener by alternating the best queen between two colonies, in order to keep a supply of ripe queen cells always on hand, or, better still, keeping nuclei with laying queens, to supply as fast as divisions are made.

SWARMING.

Several methods of artificial swarming can be practiced with success, either of which we think preferable to natural swarming, which is always to be avoided where possible, as it occurs just at the season when least desired. If the bees, as is sometimes the case, are in box hives, the English method of drumming up is among the most feasible, and is executed as follows: Select some bright, clear day, when the workers are busily engaged in the fields, remove the hive ten to twenty feet from the stand, and put in its stead a frame hive, with half or two-thirds its complement of frames filled with bright, clean combs, or good foundation and division boards at the sides; turn the old hive bottom up, and invert an empty box over the open end; now blow in a little smoke from the lower end of the hive, and commence a series of sharp drumming or rapping on the sides of the hive with a small hammer or stick; do not drum hard enough to loosen the combs or start them to dripping; after rapping four or five minutes, cease for a minute, then resume again, and keep it up for five minutes longer, or until the bees have

deserted the hive and clustered in the box, which is a pretty sure indication the queen is with them. Now cover a sheet over the old hive, and empty the bees from the box on a sheet in front of the new hive on the old stand; watch them as they crawl up, to discover the queen; if she goes in, place the old box on a new stand, and your work is accomplished.

If the bees to be operated with are in frame hives, remove the old hive to a distance, and place a new or empty one on the old stand, when the bees are working busiest; lift the comb on which you find the queen from the old hive, destroy queen cells on it, if any, and place in the center of the new one, with the queen; fill in frames each side, filled with clean combs or foundation, proportionate to the strength of the colony, and confine to the center of the hive with division boards; put on the blanket and hive cover; now take the frames one at a time from the old hive, and shake most of the bees off in front of the new hive, destroy all the queen cells in the old hive but the two best, or give them a laying queen after destroying or removing all the cells; put in an empty comb or frame of foundation in place of the one removed to the new hive, spread the blanket over, or put on second story with sections or extracting combs, and place the hive on a new stand, well removed from the old one.

Another method which can be practiced with good results, is to examine the colony threatening to swarm, remove all queen cells started, then remove the hive to the stand occupied by a very weak colony, and remove the weak colony to the stand formerly occupied by the strong one.

In all cases where foundation or empty combs and division boards are used in dividing or artificial swarming, care must be used to spread the brood chamber and give additional combs or foundation as fast as the bees are ready for it. It is more profitable to melt up dirty combs, or those with dead brood, and use instead good foundation. If there is a doubt about the combs, give the foundation the preference.

PREPARING FEED FOR VARIOUS PURPOSES.

If for spring stimulation to breeding, use sugar, honey and water, prepared in the following manner: Coffee A sugar, one pound; good honey, one pound; boiling water, one-and-a-half pints—simmer on the stove five minutes, and feed at

the entrance in the evening, about half a pound per colony, slightly warming it ; or, if no other bees in the neighborhood, it can be given in shallow pans, and placed in the noon-day sun, at some distance from the bees.

For feed during the inclement weather of May, when the hives are full of young bees and brood, and no honey coming in, one pound of coffee A sugar or one pound of honey, and one pint of boiling water, simmer five minutes.

For feeding in fall for winter stores, three pounds of coffee A sugar and one pint of boiling water, simmer five minutes. Feed this inside the hive with a division board feeder, or in a tin can with a coarse cloth tied over it, and inverted on the frames. For fall feeding, estimate the amount required, and give it as fast as the bees can store it in the combs.

For winter feeding, use four parts coffee A sugar and one part water ; simmer till it becomes quite hard on being cooled, mould into frames of one inch thickness, and lay it on top the frames, using sticks underneath one-half inch square ; or mould it in brood frames, tie hemp twine around to hold it in place, and put in center of the brood chamber.

GUARD AGAINST OVER-STOCKING.


The illustrious Rev. L. L. Langstroth adopted the maxim, "*Keep all colonies strong,*" as his watchword. We supplement this by advising to provide a continual honey flow, when your colonies *will always be strong.* As fast as you increase your apiary, plant or scatter an additional pound of self-propagating seeds for each new colony, which will provide good honey-secreting bloom. With an expenditure of say thirty cents per colony, as fast as increased, in well-selected seeds, judiciously sown, you need borrow no trouble about feeding, though you increase to five hundred colonies.

PROVIDE CONTINUAL HONEY BLOOM BY PLANTING.





DR. W. B. RUSH.



WILLIAM J. ANDREWS.

HONEY PLANTS.



RAPE.



WILLOW.



MINT.



FIGWORT.

ANCIENT HISTORY OF HONEY.

IN the books of antiquity, Honey is mentioned as one of the most ancient articles of food—man's first source of nourishment, Aye, and are we not informed that when "the morning stars sang together" over the pristine beauty of a new born world, that under the bright smile of Heaven, Adam and his happy spouse were presented with a glorious home in an enchanting garden filled with "supernal fruits and flowers" of Heaven's own planting—nurtured and watched by hosts of angelic attendants, who had made that Eden-home a beautiful Paradise? There "the beasts of the field and fowls of the air" dwelt together in perfect harmony, under sun-lit skies; and among the beautiful bowers of that holy retreat, Eden's feathered songsters rapturously joined in "the swelling chorus."

There, too, reveling in the precious nectar yielded from the bloom of glory-clad trees, shrubs and flowers, was "the little busy bee," with its joyous hum and rapid flight—gathering the plenteous sweetness for the tiny but numerous family about to spring into existence, at its little home! Ever did it flit from leaf to leaf and flower to flower, gathering the honeyed treasures, that its "stores" may be abundant for generations yet unborn—when winter's sable-shades should settle down upon the earth, visiting it with cold and storm, and chilling the "little pets" by its frozen breath and fiercer blast!

No historian has transmitted to our day a description of the rude hive provided for the bees that Noah carried into the ark, nor are we informed whether Abraham's bees were kept in log-gums or box-hives, but it *is* recorded that the land where Abraham dwelt—Canaan—was one "flowing with milk and honey;" and when the old Patriarch, because of the famine that prevailed there, sent his sons to Egypt to buy corn, he sent as a present to the Egyptian ruler some of Canaan's famous honey.—Gen. 43: 11.

We may well conclude that Canaan's honey was then as famous as in subsequent ages was the honey from Mount Hymettus in Greece.—Lev. 21: 24; Num. 13: 27; Ex. 3: 8, 17.

In later years, Abraham's offspring journeyed through the deserts of Arabia, and in order to sustain them there, God gave them manna from Heaven, to eat; they said that "the taste of it was like wafers made with honey."—Ex. 16: 31.

When the Amorites came out of the mountains of Sier against the children of Israel, "they chased them like angry bees."—Deut. 1: 44.

In the Mosaic law we find many statutes regulating the ownership of Bees.

When Jonathan was engaged in battle with the Philistines and became tired and faint, he partook of honey, and was greatly refreshed.—1 Sam. 14: 27.

David and his army was provisioned in Gilead, and honey was one of the luxuries enumerated.—2 Sam. 16: 29. The Jews placed honey before their guests as a sign of welcome, giving them the greatest luxuries that the land produced.

Jeroboam sent his queen with presents to the Prophet Ahijah, and included honey.—1 Kings 14: 3.

In the tythes of the Jewish Priesthood, honey is enumerated.—2 Chron. 31: 5.

Job signified the plenteousness of honey in the land, by speaking of "brooks of honey."—Job 20: 17.

Solomon, relished Canaan's delicious honey, and volunteered this advice: "My son eat thou honey; because it is good."—Prov. 24: 13.

Isaiah mentions "the bee that is in the land of Assyria," and declares that bees were so plenty that "butter and honey shall every one eat that is left in the land."—Isa. 7: 18, 22.

The earliest mention of honey as an article of commerce, is, that the Jews were engaged in trading it at Tyre, that old and honored mart of trade in Phœnicia.—Ezek. 27: 17.

Sirach, who lived about the time of the re-building of the Temple at Jerusalem, speaking of the necessaries of life, mentions honey, with flour and milk.

Solon, in the year 600, B. C., enacted a law, requiring that bee hives in cultivated fields, must be 300 feet apart.

Homer, Herodotus, Aristotle, Cato, Varro, Virgil, Pliny, Columella, and other ancient sages, composed poems, extolling the activity, skill and economy of bees.

The celebrated Cilician apiarist Aristomachus, of Solus, with 58 years of experience in bee-keeping, wrote on the subject of bees and honey, some 500 years, B. C.—but that work is lost to us.

The Persians, Grecians and Romans, used honey quite extensively as an article of diet; they also used it largely in preparing their food, and by it, most of their beverages were sweetened.

Pramnian wine, produced near Smyrna, in Asia Minor, was, when mixed with honey, a favorite and celebrated beverage. Virgil calls it "the gift of heaven," and Pythagoras used and praised it. Democritus recommends it to all who wish to live long. When mixed with honey, many wines are more pleasant to the taste, and hence the Grecians and Spaniards of our day, even, thus prepare their wines,—known to the trade as "Malaga Wine."

Aristotle, in his celebrated "History of Animals," written about the middle of the fourth Century before the Christian era, gave the first definitive description of the Honey Bee.

Varro remarks: "Nothing is sweeter than honey; grateful to gods and men, it is used on the altars."

"At the feast of the gods," described by Ovid, which required costly aliments and precious wines, "the delicious honey-cakes were never wanting." These were composed of meal, honey and oil, and in number were the same as the years of the offerer.

It was also extensively used in domestic worship; at the special worship of Ceres in Nov. it was indispensable. Ceres was regarded as the "honey dispenser" and who by her union with the rain-god, Zeus, caused fruitful seasons. Her priestesses were called "bees," because honey was the first food of the infant Dionysus, the son of Bacchus, whom Ceres bore in her arms, as Isis carried Horus; and she was the instructor of Aristæus in bee-culture. Bacchus, too, demanded a share, as the "discoverer of honey," the "admirer of all sweetness," and the "decorator of the blooming meadows."

The Greeks and Romans used honey in embalming their dead, and sprinkled it over the graves in the funeral service.

In India, honey is abundant, and Alexander's triumphant warriors laid a tribute of "honey and wax" upon the conquered people; as did also the Romans, years afterwards, on the Corsicans. The latter paid Rome 200,000 lbs. of wax, yearly, as such tribute. At the triumphal celebration, Pontus distributed honey to the victorious army.

The Roman Emperor Charles IV. was favorable to bee-culture, and owned a forest, as did also the Holy Roman See; both of which were called bee-gardens.

The Bee Masters' Association (or guild) paid him an annual tribute of 4,000 gold florins, and in the year A. D. 1350, he granted them a diploma which regulated their order. These guilds transmitted bee-knowledge from father to son,—as then the art of printing was unknown.

On the Statute books of ancient nations, laws are found for the protection of bees. The theft of a swarm of bees, according to old Saxon law, was punishable with death.

In Germany, history informs us, that a honey tribute was often levied, long before the reign of Henry IV.

The Zerotin family in Moravia and Silesia, did much to encourage bee-culture. They had a guild, certain privileges, bee-taxes, and their own police.


Prof. Jantscha, from Carniola, was called to Vienna, as Professor of bee-culture, during the reign of Maria Theresa. His successor was Manzbery. Under this reign all improvements flourished. On April 8, 1775, bee-culture, by patent, was elevated by the removal of all hinderances to the sale of honey and wax.

Passing down to more modern times, we should mention as writers, Swammerdam, a German naturalist; Maraldi, an Italian mathematician; Schirach, a Saxon priest; Réaumur, inventor of a thermometer; Bonnet, a Swiss entomologist; Dr. John Hunter; and Francis Huber, who though totally blind, is noted for his many minute observations, by the aid of his assistant, Burnens, which caused quite a revolution in ancient theories concerning the honey bee. He was also assisted by Mlle. Jurine, who, by delicate microscopic examinations, rendered important service not only to Huber, but also to future generations.


In 1806, Christian Pehlemann, an invalid, resident in the village of Odenburg in the Prussian province of Brandenburg, loaned the then hard-pressed King of Prussia, four hundred rix-dollars, the surplus profits of an apiary of thirty hives of bees, by whose labors and products he supported himself. In 1812, the King repaid the loan with interest, and presented to the patriotic lender a gold medal having a hive and a cluster of bees embossed thereon.

Dr. Bevan's work on "The Honey Bee" was a standard volume until one with the same title was published in this country by the Rev. L. L. Langstroth.


But space forbids us to enumerate all the apiarists of the present age—prominent among whom we may mention Dzierzon, Von Berlepsch, Leuckart, Von Siebold, Sir John Lubbock, the Rev. L. L. Langstroth, Samuel Wagner, M. Quinby, Adam Grimm, J. S. Harbison, Capt. J. E. Hethcington, Professor A. J. Cook, and a mighty host of others, who, through faith in scientific research and devotion to experiments and manipulations, have wrought wonders with their bees. "Pulling down the strong-holds" of old-fogy opposition, they "waxed valiant in fight" against all forms of ignorant and fossilized theories, consigning them to a burial with the fallacies of past ages—and as if by magic wand, they have bidden modern ideas and scientific management of the Apiary to "*arise and shine*," sending its benign influences to the very ends of the earth!



REV. DR. DZIERZON.



ADAM GRIMM.



Apiary of Walter Harmer, Manistee, Mich.

HONEY AS A MEDICINE.

THE *Herald of Health*, is high medical sanction. In its issue for Nov. 1872, in answer to a question, "Is Honey Wholesome?" it says "Yes; used in moderation, it is." It then adds: "A German teacher has lately written a work on the subject of honey and its healing properties. While he may over-estimate its value, what he says is interesting. We quote: 'A strong influence for publishing this book was the fact that I, a sufferer from hemorrhages, already given up to despair, and at the verge of the grave, was saved by the wonderful curative powers of honey; and now, thank God, I am freed, not only from weakness of my lungs, but rejoice in the possession of perfect health.'

'At my first attack, upwards of thirty years ago, powders and tea were ordered for me, which benefited me but little. I then placed but little confidence in honey, which I had used occasionally, and in small quantities. Judging from my present knowledge, I believe that the honey was the only remedy that was doing me any good, and it is this that I have to thank for the gradual but sure restoration of my health.

'As my disease increased I began to use cod liver oil, which weakened and injured my stomach so that I could hardly digest anything more, and my condition became worse and worse. Again I returned to honey, when my suffering immediately began to decrease and disappear. Besides the use of honey, I took pains to preserve my breast and lungs from injury, which, in my trying situation as public teacher, was almost impossible. My disease being caused by my constant teaching during so many years, I gave up my profession, and honey was my only medicine, whereby I, by the simplest, safest, quickest and pleasantest manner (for I was fond of honey), relieved the disease in my throat; and out of thankfulness I now write this book for the use and benefit of many, especially for the use of those suffering from diseases of the throat and lungs.'

This German teacher is none other than Karl Gatter, with whom we had a pleasant visit in 1879, in the city of Vienna,

HONEY, AS FOOD AND MEDICINE.

Austria. He was then in excellent health and buoyant spirits, and was enthusiastic in the praise of honey for curing his maladies, reviving his spirits, and giving him a new lease of life by which to enjoy the renewed vigor obtained by the plentiful use of honey. From this gentleman we quote still further, on the same subject. He says :

“ In medicine, and especially in the healing of wounds, was honey, already in early times, used as a universal remedy, it yet constitutes the principal ingredient of several medical preparations, is used with the best results in many internal and external diseases ; serves as a means for taking powders, for the preparation of salves and the sweetening of medicine.

“ Honey mollifies ; promotes festering ; causes gentle purging, divides and dissolves, warms, nourishes, stops pains, strengthens the tone of the stomach, carries away all superfluous moisture, aids digestion, thins and purifies the blood, and animates and strengthens the breast, nerves and lungs. Honey is therefore to be used when suffering with a *cough, hoarseness, stoppage of the lungs, shortness of breath, and especially with the best results, in all affections of the chest.*

“ Many persons afflicted with various species of consumption, thank the use of good honey, either for their entire restoration to health, or for the mitigation of their often painful condition of body and mind.

“ Honey is also an excellent remedy for the occasional inactivity of the abdominal organs, and a means of strengthening weak nerves. For severe coughing, barley-water mixed with honey and the juice of lemons, drank warm, is a pleasant relief. It appeases and mitigates fevers, and owing to its taste and its soothing qualities, it is used as a gargle.

“ Honey can also be used with advantage in asthma, in constipation, in sore throat ; promotes perspiration, lessens phlegm, and is very healing to the chest, sore from coughing.

“ With old persons, the use of honey is very useful, since it produces warmth and a certain activity of the skin. For persons leading a sedentary life, and suffering from costiveness, and especially from piles, pure unadulterated honey, either mixed in their drink, used alone, or on bread, is the best and healthiest means of relief.

“ Honey has also great value as a medicine for children, and is readily partaken of by them as a choice dainty dish. It is especially useful to children afflicted with scrofula or rickets. In difficult teething, rub the gums with a mixture of honey and an emulsion of quinces. For the removing of worms, honey has often been beneficially used, and it is often used in diseases of the mouth and throat.

HONEY, AS FOOD AND MEDICINE.

“Honey mixed with flour and spread on linen or leather is a simple remedy for bringing to head, or to maturity, boils, &c. Also, honey mixed with flour or fried onions, serves an excellent purpose as a covering for any hard swelling or callosity or abscess; and for ulcers it is often mixed with turpentine, tar, and tincture of myrrh. A plaster made of unslacked lime and honey has sometimes relieved most obstinate sciatica.

“If good honey is applied to inflamed wounds or boils, it lessens the drawing, quiets the pain and produces a good festering or suppuration. Undoubtedly, for all wounds, pustulous inflammations, bruises and bad festerings, honey is the best and most reliable remedy, and affords quicker and safer help than all other known plasters; all that is needed is to spread it rather thick on a piece of linen, place it upon the fresh wound, bind it fast, and renew the plaster every four or five hours. Of course, if bones are broken, surgical aid must be had.

“Honey-dough—*arto mele*—a plaster made out of honey and rye flour or rye bread, into which henbane or other narcotic substances is mixed, is an excellent means of irritation; which should be used in festering and bringing the sore to a head, and assuage the drawing and pain. It should be warmed, spread on a piece of linen and placed upon the sore part.

“For persons who are weakened through fast living, honey is, of all helps, the best nourishment, since it not only removes the poisons in the system, but also through its virtues strengthens the system; hence it has made itself so necessary to the inhabitants of the Orient.”

Honey is beneficial in pectoral diseases, acts as an excellent detergent, and as a gentle laxative. In ancient times the free and regular use of it as an article of diet, was regarded as a means of securing long life; and it thus came to be popularly considered as a specific against disease.

Honey is a sedative of no ordinary power. A friend, who is a practicing physician, mentions one of his patients, whose habits of observation were seldom equaled, having by the kick of a horse one of his knee-joints badly broken, the pain and anguish being very severe, his daughter offered him some wine or tea. He declined, but said she might give him some honey. Dr. A. remarks: “My own observations justifies the wisdom of his selection. Try it.”

An admirable preparation for Coughs, especially during feverish or inflammatory attacks, is composed of honey, olive

HONEY, AS FOOD AND MEDICINE.

oil, lemon juice and sweet spirits of nitre—each, one fluid ounce—to be taken several times a day, in half fluid-drachm doses.

Honey is nutritive and laxative, and is employed largely in the preparation of medicine. In diseases of the bladder and kidneys, honey is an excellent remedy.

RECIPES.

FOR ASTHMA—Honey is an excellent remedy. Mix 1 oz. of castor oil with 4 ozs. of honey. Take one tablespoonful, night and morning. A simple and beneficial remedy,

HONEY OF SQUILLS.—Clarified honey 3 lbs.; tincture of squills 2 lbs.; mix well.

HONEY COUGH SYRUP.—This is an excellent remedy for a common cough. One dose will often give relief. Stew half pint of sliced onions and 1 gill of sweet oil in a covered dish. Then strain and add 1 gill of good honey; stir it well and cork it up in a bottle. Take a teaspoonful at night before going to bed, or any time when the cough is troublesome.

EYE WASH—for Sore or Inflamed Eyes.—One part of honey to five parts of water. Mix, and bathe the lids, putting a few drops into the eye, two or three times a day, until well.

BALSAM OF HONEY.—Take fine pale honey four ounces, glycerine one ounce; mix by a gentle heat, and when cold add alcohol one ounce; essence of ambergris six drops, citric acid three drachms. This is intended to remove discolorations and freckles, as well as to improve the general appearance of the skin.

FOR CROUP.—Honey is an excellent remedy, giving sure and prompt relief.

FOR BRONCHITIS.—Take comb honey and squeeze the honey out, and dilute it with water. Wet the lips and mouth with it occasionally. This has proved an excellent remedy, even where children's throats were so much swollen as to prevent swallowing of food.

HONEY SALVE.—Take two tablespoonsful of honey, the yolk of one egg, and flour to make it to a paste. This salve is excellent for running sores, of long standing, boils, or sores with proud flesh.

FOR COUGHS, COLDS, WHOOPING COUGH, &C.—Fill a bell-metal kettle with hoarhound leaves and soft water, letting it boil until the liquor becomes strong—then strain through a muslin cloth, adding as much honey as desired—then cook it in the same kettle until the water evaporates, when the candy may be poured into shallow vessels and remain until needed, or pulled like molasses candy until white.

HONEY, AS FOOD AND MEDICINE.

HONEY-WASH FOR THE EYES.—Honey is an excellent remedy for inflammation of the eyes. Put a few drops of pure liquid honey into a teaspoonful of lukewarm water, and stir with the finger until thoroughly dissolved; then lie down and drop three or four drops into the eye, lying still a few minutes; then wipe the face and eyelids, but not wash out the eye. Repeat this 4 or 5 times a day, and the last thing before going to bed. Follow these directions faithfully and in a few days the inflammation will be entirely gone.

GARGLE FOR SORE THROAT.—Very strong sage tea, one-half pint; extracted honey, common salt and strong vinegar, each two tablespoonfuls; cayenne pepper, one teaspoonful. Steep the pepper with the sage, strain, mix and bottle for use. Gargle from four to eight times daily, according to the severity of the case.

CANCER PLASTER.—White oak bark, four ounces; bruise it well and add urine sufficient to cover it. Infuse four days, and boil it until it becomes thick as molasses. Add two ounces of honey and two ounces of strained turpentine gum. To make this plaster caustic, add two ounces of white vitriol. Spread on soft leather, or linen. It may be applied to all kinds of ulcers, or white swellings. For cancers it is invaluable.

HONEY COUGH MEDICINE.—The following is a recipe of a valuable remedy for obstinate coughs. It is especially valuable for long-standing coughs in elderly people, and useful in all cases unattended with a hot skin and very frequent pulse: Extracted honey, linseed oil and whisky, of each, 1 pint; mix. Dose—one tablespoonful 3 or 4 times a day.

HONEY AND TAR COUGH CANDY.—Boil a double-handful of green hoarhound, in 2 quarts of water, down to 1 quart. Strain, and add to this tea 1 cup of honey, 1 cup of sugar, and a tablespoonful each of lard and tar. Boil down to a candy, but not enough to make it brittle. Begin to eat this, increase from a piece the size of a pea, to as much as can be relished or needed. It is an excellent cough candy, and always gives relief in a short time.

HONEY FOR SORE EYES.—Mr. S. C. Perry, Portland, Mich., says: "A neighbor of mine had inflammation in his eyes. He tried many things and many physicians; was nothing better, but rather grew worse, until he was almost entirely blind. His family was sick, and I presented him with a pail of honey. What they did not eat he put in his eyes, a drop or two in each eye 2 or 3 times a day. In 3 months' time he was able to read coarse print, and now after 4 months' use, his eyes are almost as good as ever. I have also found honey good for common cold-sore eyes

HONEY, AS FOOD AND MEDICINE.

HONEY AND WALNUT COUGH CANDY.—This is made entirely of honey, but thickened with walnut kernels. The dose is a piece about the size of a pecan. It should not be boiled enough to make it brittle.

REMEDY FOR WHOOPING COUGH, COLDS, ETC.—The following is unsurpassed: Mix of good whisky, 1 pint, pure extracted honey, 1 pint, and 2 table-spoonfuls of pine tar. Dose for children, from 15 to 20 drops and increase. For adults, tea-spoonful—given when the cough is troublesome, 3 to 10 times a day.

CONSTIPATION.—Honey, especially the solid parts of the granulated, eaten on bread instead of butter, will have the desired effect. That part of honey which does not granulate, possesses this property in a much less degree. A sauce made of prunes, boiled and sweetened with honey, is an excellent remedy. In dangerous cases apply an injective of milk and honey, having the temperature of the blood, about 97° or 98° Fahr.

CONSUMPTION.—Physical exercise, especially horse-back riding before breakfast; the body to be rubbed thoroughly with a woolen cloth, night and morning; bedroom, an upper story, with a window partly open day and night; retiring and rising early; main diet to consist of farinaceous food and vegetables; for drinking, nothing but milk and honey, mixed half and half, either warm or cold.

CROUP AND HOARSENESS.—A gargle made of sage tea, sweetened with honey, or pills made of mustard, flour and honey.

WHOOPING COUGH.—A decoction of wheat bran mixed with milk and honey, drank frequently, gives relief.

WORMS.—Before breakfast take a table-spoonful of honey, or a tea made of peppermint sweetened with $\frac{1}{3}$ to $\frac{1}{2}$ its bulk of honey.

TO REMOVE FISH-BONES and similar hard objects which have become lodged in the throat. Make a large pill of wax (as large as can possibly be swallowed), dip in honey and let the patient swallow it.

TO CURE A BURN OR SCALD.—Cover the same instantly with honey, keeping it so until the pain ceases.

SUPPRESSED PERSPIRATION.—(Taking cold.)—Barley soup sweetened with honey, drank before retiring; or oat-meal soup with honey, drank warm.

ASTHMA.—Grated horse-radish mixed with honey; one table-spoonful taken before going to bed.

ROSE-HONEY (*rhodomeli*), made of the expressed juice of roses and honey extracted from the comb, and is held in high favor for the sick.

PASTURAGE FOR BEES.




MUSTARD.



SCOTCH HEATHER.



The BASSWOOD or LINDEN, (*Tilia Americana*).



HONEY AS AN ARTICLE OF FOOD.

PLINY speaks of Rumilius Pollio, who possessed marvelous health and strength, at over 100 years of age.— Upon being presented to the Emperor Augustus, who inquired the secret of his liveliness of spirits and strength of body at so great an age—he answered: “*Interus melle; cæterus oleo*”—Internally through honey; externally through oil.

Among all the myriads of insects, there certainly is none, the product of whose industry is more pleasant and tempting to the palate—more nutritious and health-giving to the body, or more valuable as an article of commerce, than the product by the Bee—delicious and immaculately-pure honey.

How astonishingly appropriate is even its name—Honey! Derived from the Hebrew word *ghoney*, literally it means DELIGHT. Humanity may, therefore, delight itself with Honey, as long as the sun endureth!

Its early history shows that it was for ages man's principal source of nourishment—and wherever civilization extended its sway, the “little busy bee” was carried as its companion and co-worker in the cause of elevation and refinement.

Why, then, did honey lose its honored place as an article of food? The introduction of sugar gave it the first blow; its use became general in the seventeenth century—and as its use increased, the use of honey decreased, until at length the bee-masters' guild was abolished, and the skill and experience of the old bee-masters were lost.

The introduction of the vile compounds, known as “Table Syrups,” with their impurities and adulterations, has had the effect of opening the eyes of consumers, and of re-opening for honey its God-given place as an article of food. Instead of dealing disease and death promiscuously to those who indulge in its use, as do these syrups, honey gives mankind, in the most agreeable manner, both food and medicine.

It is a common expression that honey is a luxury, having nothing to do with the life-giving principle. This is an error—honey is food in one of its most concentrated forms. True, it does not add so much to the growth of muscle as does beef-steak, but it does impart other properties, no less necessary to *health* and vigorous physical and intellectual action! It gives warmth to the system, arouses nervous energy, and gives vigor to *all* the vital functions. To the laborer, it gives

HONEY, AS FOOD AND MEDICINE.

strength—to the business man, mental force. Its effects are not like ordinary stimulants, such as spirits, &c., but it produces a healthy action, the results of which are pleasing and permanent—a sweet disposition and a bright intellect.

The use of honey instead of sugar for almost every kind of cooking, is as pleasant for the palate as it is healthy for the stomach. In preparing blackberry, raspberry or strawberry short cake, it is infinitely superior.

Pure honey should always be freely used in every family—Honey eaten upon wheat bread is very beneficial to health.

Children would rather eat bread and honey than bread and butter; one pound of honey will reach as far as two pounds of butter, and has, besides, the advantage that it is far more healthy and pleasant-tasted, and always remains good, while butter soon becomes rancid and often produces cramp in the stomach, eructations, sourness, vomiting and diarrhœa.

Well-purified honey has the quality of preserving, for a long time in a fresh state, anything that may be laid in it or mixed with it, and to prevent its corrupting in a far superior manner to sugar; thus many species of fruit may be preserved by being laid in honey, and by this means will obtain a pleasant taste and give to the stomach a healthy tone. One who has once tried it, will not use sugar for preserving fruit.

In fact honey may replace sugar as an ingredient in the cooking of almost any article of food—and at the same time greatly add to its relish.

Digestion (all-potent in its effects on the mind as well as the body) depends largely on the food. Poor food received into a poor stomach is the cause of many unhappy homes—while good, healthy food, received into a healthy stomach becomes “an Angel of Peace” to many a household.

The following are a few of the many desirable things that may be made, with honey as an ingredient.

RECIPES.

HONEY LEMON CAKE.—One cup butter, two cups honey, four eggs well beaten, teaspoonful essence of lemon, half cup sour milk, teaspoonful soda, flour enough to make it as stiff as can well be stirred, bake at once in a quick oven.

MUTH'S HONEY CAKES.—One gallon of honey (dark honey is best), fifteen eggs, three pounds of sugar (a little more honey in its place may be better), one and a half ounces of baking soda, two ounces of hartshorn, two pounds of almonds (chopped up), two pounds of citron, four ounces of cinnamon, two ounces of cloves, two ounces of mace, eighteen pounds of flour. Let the honey come to almost a boil; then let it cool off again, and add the ingredients. Cut out and bake. The cakes are iced afterwards with sugar and the white of eggs.

HONEY, AS FOOD AND MEDICINE.

HAMBURG HONEY CAKE.—The flour intended for this cake should be well dried and sifted before being weighed; then take twelve pounds of flour and twelve pounds of honey; bring the honey to a boiling heat, pour it in the flour, and mix thoroughly. Dissolve two and a half ounces of pearlash in two gills of rose-water, the evening before; take one pound of butter or lard, two table-spoonful of West India rum, the grated rind of two lemons, the candied or sugar-coated rind of two oranges, and a very small quantity of pounded cloves. The solution of pearlash is to be added when the dough has become cool, and the mass must be thoroughly kneaded. The dough may be prepared several days in advance of the baking.

HONEY BROWN CAKE.—To four pounds of flour take four pounds of honey, one-half pound of pulverized loaf or lump sugar, one-half ounce of Canella, three ounces of lard, a small quantity of cloves, one ounce of pearlash, one gill of rose-water, and two spoonful of rum or French brandy. The honey and lard are to be incorporated by boiling, and when again cooled off, add the pearlash previously dissolved in the rose-water. Knead the mass well, let it stand several days, and then work it over again very thoroughly. Some persons prefer to omit the cloves, and substitute for them pounded cardamon seeds, grated lemon peel, or sugar-coated orange peel.

HONEY APPLE CAKES.—Soak three cups of dried apples over night; chop slightly, and simmer in two coffee cups of honey for two hours, then add one-and-a-half coffee cups of honey, one-half coffee cup of sugar, one coffee cup of melted butter, three eggs, two teaspoonsful saleratus; cloves, cinnamon, powdered lemon or orange peel, and ginger syrup, if you have it. Mix all together, add the apples and then flour enough for a stiff batter. Bake in a slow oven. This will make two good sized cakes.

HONEY FRUIT CAKE.—Four eggs, 5 cups of flour, 2 cups of honey, 1 teacupful butter, 1 cup sweet milk, 2 teaspoonsful cream of tartar, 1 teaspoonful soda, 1 lb. raisins, 1 lb. currants, $\frac{1}{2}$ lb. citron, 1 teaspoonful each cloves, cinnamon and nutmtg; bake in a large loaf in a slow oven. This will be nice months after baking as well as when fresh.

HONEY SPONGE CAKE.—One large coffee cup full of honey, one cup of flour, five eggs. Beat yolks and honey together, beat the whites to a froth; mix all together, stirring as little as possible; flavor with lemon juice or extract.

RAILROAD HONEY CAKE.—One cup of honey, one heaping cup flour, one teaspoonful cream tartar, half teaspoonful soda, three eggs and a little lemon juice; stir all together ten minutes. Bake twenty minutes in a quick oven.

HONEY, AS FOOD AND MEDICINE.

HONEY TEA CAKES.—Three pounds and a half of flour; one pound and a half of honey; half a pound of sugar; half a pound of butter; half a nutmeg grated; one tablespoonful of ground ginger; one teaspoonful of saleratus, or carbonate of soda. Mix the sugar with the flour and grated ginger, and work the whole into a smooth dough with the butter beaten to a cream, the honey and saleratus, or soda, dissolved in a little hot water. Roll it a quarter of an inch thick, cut it into small cakes, and bake them twenty-five minutes in a moderate oven.

HONEY COOKIES.—Mix a quart of extracted honey with half a pound of powdered white sugar, half a pound of fresh butter and the juice of two oranges or lemons. Warm these ingredients slightly, just enough to soften the butter, and then stir the mixture very hard, adding a grated nutmeg. Mix in gradually two pounds or less of sifted flour, make it into a dough just stiff enough to roll out easy, and beat it well all over with a rolling pin; then roll it out into a large sheet half an inch thick, cut it into round cakes with the top of a tumbler dipped frequently in flour, lay them in shallow tin pans slightly buttered, and bake them.

HONEY CAKES.—Three cups of honey, four cups sour milk, half cup butter, soda to sweeten the milk; mix rather stiff.

HONEY GINGER SNAPS.—One pint honey, $\frac{1}{2}$ lb. of butter, 2 teaspoonfuls of ginger, boil together a few minutes, and when nearly cold put in flour until it is stiff, roll out thinly and bake quickly.

HONEY PUDDING.—Three pints thinly sliced apples, one pint honey, one pint flour, one pint corn-meal, small piece butter, one teaspoonful soda, the juice of two lemons and their grated rinds; stir the dry soda into the honey, then add the apples, melted butter and a little salt; now add the lemon rind and juice and at once stir in the flour. Bake one hour. Serve hot or cold with sauce.

GRAPES PRESERVED WITH HONEY.—Take 7 lbs. of sound grapes on the stem, the branches as perfect as possible, pack them snugly without breaking, in a stone jar. Make a syrup of 4 lbs. of honey, 1 pint good vinegar, with cloves and cinnamon to suit, (about three ounces of each) boil well together for twenty minutes, skim well, then turn boiling hot over the grapes and seal immediately. They will keep for years, if you wish, and are exceedingly nice. Apples, peaches and plums may be done in this way.

PRESERVING FRUITS.—Put honey and fruit in a vessel, then put the vessel in a kettle of water and boil, the same as with sugar.

HONEY LIQUORICE.—Honey and a strong infusion of liquorice boiled to a proper consistency.

HONEY PRESERVES.—All kinds of fruit made into jam, with honey instead of sugar are nice. "Butter" made with extracted honey is much nicer than when made with sugar. For grapes, pick from the stem and pack into a jar until it is full, then turn cold honey over them until they are covered well. Seal up without any heat, and keep in a cool place. After a few months they will be found to be delicious.

HONEY-FOAM (*sputum*), prepared by beating, with the addition of a small quantity of white of eggs. It is used to brush over cakes and confectionery before baking.

HONEY VINEGAR.—Take thirty gallons of rain-water; heat it, and put it into a barrel; add two quarts of whisky, three pounds of honey, five cents worth of citric acid, and a little mother of vinegar. Fasten up the barrel, and put it in the cellar, and in a short time it will contain vinegar unsurpassed for purity and excellence of taste.

ROSE-HONEY (*rhodomeli*), made of the expressed juice of roses and honey, and is held in high favor for the sick.

Honey is much used by bakers and confectioners in the course of their business, and by the manufacturers of mead, honey-wine, honey-beer, &c. It is substituted for sugar by pastry cooks, and manufacturers of candy.

HONEY-WINE (*œnomeli*), is made of the juice of the best grapes, well ripened, and kept twenty days before pressing, to which five parts of the finest honey should be added, and all well stirred in a wooden vessel; it is then covered with a linen cloth, and allowed to ferment for forty days, the scum being occasionally removed. It is then put in a tight cask and so kept till the ensuing spring, when it is bottled.

HONEY NOYAU.—Four ounces of bitter almonds; two ounces of sweet almonds; two pounds of loaf sugar; three lemons; two quarts of gin; two large spoonfuls of clarified honey; one pint of milk. Blanch and pound the almonds, and mix them with the sugar, which should be rolled. Boil the milk, and when cold, mix all the ingredients together, and let them stand ten days, shaking them every day. Filter the mixture through blotting paper, bottle off for use, and seal the corks down.

HONEY CURRANT WINE.—To 3 quarts of juice, add 3 lbs. of honey, and water to make a gallon, let it ferment four or five weeks, with open bung and keep the barrel always full, in a warm place, then drain and put into another barrel, in the cellar. It makes a delicious drink.

METHEGLIN.—Mix honey and water strong enough to carry an egg; let it stand three or four weeks in a warm place to ferment; then drain through a cloth and add some spices to suit the taste.

HONEY, AS FOOD AND MEDICINE.

Honey can be used in cooking anything, just as sugar is used, merely using less milk or water than called for when sugar is used, on account of honey being a liquid.

MILK AND HONEY.—Take a bowl of milk, and break some light wheat bread and also some white comb honey into it. This is delicious—the proverbial “milk and honey” of the ancients.

HONEY CAKE.—One quart of extracted honey, one-half pint sugar, one-half pint melted butter, one teaspoonful soda, dissolved in one-half teacup of warm water, one-half of a nutmeg and one teaspoonful of ginger. Mix these ingredients and then work in flour and roll. Cut in thin cakes and bake on buttered tins in a quick oven.

GERMAN HONEY CAKE.—Three and one-half pounds of flour, one and one-half pounds of honey, one-half pound of sugar, one-half pound of butter, half of grated nutmeg, one-sixth of an ounce of ginger, one-quarter of an ounce of soda; roll thin, cut in small cakes and bake in a hot oven.

CHEAP HONEY TEA CAKE.—One teacup of extracted honey, one-half teacup of thick, sour cream, two eggs, one-half teacup butter, two cups flour, scant half teaspoon of soda, one teaspoon of cream of tartar; flavor to taste.

HONEY GINGER CAKE.—Three cups of flour, one and one-half cups of butter; rub well together, then add one cup brown sugar, two large table spoonfuls of ginger, and, if you like, the same amount of caraway seeds; five eggs, two cups of extracted honey and three teaspoonful of baking powder.—Beat it well, and bake in a square, iron pan one hour or more.

HONEY CAKES.—Four cups extracted honey, one cup butter, two teaspoonful of baking powder, and flour added by degrees, to make a stiff paste; work well together, roll out half an inch thick, cut into cakes and bake in a quick oven. See that they do not burn.

WINE MEAD.—To make mead, not inferior to the best foreign wines, put three lbs. of the finest honey to two gallons of water, two lemon peels to each gallon; boil it one-half hour, and skim well. Put in the lemon peel while boiling. Work this mixture with yeast, and then put it in a vessel to stand five or six months; then bottle for use. If you choose to keep it several years, add four pounds of honey to a gallon of water.

HONEY PASTE.—One cup honey, three-fourths cup white or yellow wax, one cup lard; melt together, then take it off the fire and stir till cool; perfume with rose or violet, and keep in cups, well protected from the air. For keeping the hands from chapping, rub on a little, after dipping them lightly in water. It softens them after hard work.

HONEY, AS FOOD AND MEDICINE

BUTTER HONEY CAKE.—All pronounce this cake excellent: One pint of flour, 1 tablespoonful of butter, 1 teaspoonful of soda, 2 teaspoonfuls of cream tartar, and honey sufficient to make a thick batter; spread about an inch thick, and bake in a hot oven.

GINGER HONEY CAKES.—A German gives the following receipt for making a superior quality of fine honey cakes: Let a pound of honey boil up in a brass kettle, then add to it one pound of sifted sugar, $\frac{1}{4}$ lb. of coarsely ground almonds, 2 whole eggs, the yellow peel of a lemon, grated, a little candied orange peel and citronate ground fine; then gradually add cardamins, cloves, cinnamon, and about $\frac{1}{2}$ lb. of fine flour, and stirring diligently. After having mixed the whole well, add $\frac{1}{4}$ ounce of potash, dissolved in a little water and a glass of rum; then convey the whole mass upon a vermicelli board, covered with flour, knead with it as much flour as will be necessary to form a dough, roll this dough out to the thickness of a lead pencil, cut it into sizes to suit you, and bake it upon a baking-tin at a moderate heat, until light brown. By covering the pieces while hot, with a boiled solution of sugar, using a brush in doing it, the cakes will gain a pretty color and greater sweetness.

HONEY SPONGE CAKE.—Two-thirds of a breakfast cup of sour cream, 3 cupsful of flour, an even teaspoonful of soda, 1 cup of butter, 3 eggs, $1\frac{1}{4}$ lbs. of honey, 1 tablespoonful of cinnamon, $\frac{1}{2}$ tablespoonful of allspice, and a little extract of lemon; mix the spices with the flour; put the soda in the milk and stir well, that all the ingredients may thoroughly mix; beat the cake well for another 5 minutes; put it in a buttered tin—bake from one-half to three-quarters of an hour. This is nice eaten warm. I used buckwheat honey for those at the Convention.

GINGER HONEY CAKE.—Take $1\frac{1}{4}$ lbs. of honey, $\frac{1}{4}$ lb. of butter, $1\frac{1}{2}$ lbs. of flour, 1 ounce of ginger, $\frac{1}{2}$ ounce of ground allspice, 1 teaspoonful of carbonate of soda, $\frac{1}{4}$ of a pint of sour milk, cream if you choose, 3 eggs; put the flour into a basin with the ginger and allspice; mix these together, warm the butter and add it with the honey to the other ingredients; stir well; make the milk just warm and dissolve the soda in it, and make the whole into a nice, smooth paste with the eggs which should be previously well whisked; pour the mixture into a buttered tin—bake it from $\frac{3}{4}$ to 1 hour; take the white of 1 egg and beat it up with a little sweet milk and take a feather and brush the top; this will give it a glossy appearance. This cake can be baked in 2 equal pie tins.

HONEY COOKIES.—One pint honey; $\frac{1}{2}$ cup butter; 1 cup sweet milk; 2 eggs; $\frac{1}{2}$ a grated nutmeg. Beat the eggs and honey together until they froth, then add the butter and milk; use yeast powder with the flour.

HONEY, AS FOOD AND MEDICINE.

COOKING GREEN FRUIT.—If mellow, use only extracted honey, it being the only liquid, it holds the fruit firm and gives a very rich flavor; sweeten or season with spices, to suit the taste. Cook slowly until done.

COOKING DRIED FRUIT.—Cook same as above, only add water enough to swell the fruit, after which add the extracted honey and spices, to suit the taste. Cook slowly until done.

PRESERVES.—Fruit may be preserved with honey by putting the fruit first in the can, then pouring honey over it, and seal air-tight; when the honey is poured from the fruit it will have the flavor and appearance of jelly, making a delicious dessert.

PRESERVING FRUIT.—Extracted honey, instead of sugar, is superior in every way for preserving fruit. It is not apt to sour and require a second boiling. Pick the fruit, wash it and drain off the water; then place it in a large kettle or pan and add one-third as much honey as there is fruit, boiling it until the taste of the honey has evaporated.

HONEY POP-CORN BALLS.—Take 1 pint of extracted honey, put in an iron frying-pan and boil until very thick, then stir in freshly-parched corn, and when cool mold into balls. These will especially delight the children.


CHEAP HARVEST DRINK.—To those engaged in harvesting and other occupations tending to create thirst, recommend the following preparation, which makes a very palatable and healthful drink in hot weather: Take 12 gallons of water, 20 lbs. of honey and 6 eggs, using the whites only. Let these boil 1 hour; then add cinnamon, ginger, cloves, mace and a little rosemary. When cold, add 1 spoonful of yeast from the brewer. Stir it well, and in 24 hours it will be good.



S. J. YOUNGMAN.



GEORGE F. HILTON.



AN APIARY IN THE WEST.

NATURE AND PREPARATION OF HONEY.

THE NATURE OF HONEY.

HONEY, fresh from the comb, is clear, translucent, slightly amber-colored, and viscous, becoming granular in time, with whitish transparent crystals. In taste and smell, it is sweet, agreeable and aromatic. It should not irritate the throat when eaten, and its peculiar flavor should be so decided, that it can be readily detected when mixed with other articles of diet.

Honey derived from the blossoms of rape and other cruciferous plants, granulates or crystalizes speedily—often, indeed, while yet in the comb before removal from the hive; while that from labiate plants, and from fruit trees in general, maintains its original condition unchanged for several months, after being extracted from the comb. Honey produced in northern climates likewise crystallizes sooner than that from southern countries.

“Under the microscope,” says the *Druggists’ Advertiser*, “the solid part of honey is seen to consist of myriads of regularly-formed crystals; these crystals are for the most part exceedingly thin and transparent, and very brittle, so that many of them are broken and imperfect; but when entire they consist of six-sided prisms, apparently identical in form with those of cane sugar. It is probable, however, that these represent the crystals of dextrose, as they occur in honeys from which cane sugar is nearly or wholly absent. Intermingled with the crystals may also be seen pollen granules of different forms, sizes and structure, often in such perfect condition that they may be referred to the particular plant from which the juices have been gathered. Crystalline sugar, analogous to grape sugar, may be obtained by treating granular honey with a small quantity of alcohol, which, when expressed, takes along with it the other ingredients, leaving the crystals nearly untouched. The same end may be attained by melting the honey, saturating its acid with carbonate of calcium, filtering the liquid, then setting it aside to crystallize, and washing the crystals with alcohol. Inferior honey usually contains a large proportion of uncrystallizable sugar and vegetable acid. When diluted with water, honey undergoes the various fermentation, and in very warm weather an inferior grade of honey will sometimes undergo a change

HONEY, AS FOOD AND MEDICINE.

acquiring a pungent taste and a deeper color. The usual adulterations of honey are with various forms of starch, as those of the potato and wheat, and with starch and cane sugars. The starch is added to whiten dark honey, and to correct the acidulous taste which old honey is apt to acquire, as well as for the sake of increased weight. The presence of starch may be readily detected by the usual iodine test. Honey is now rarely adulterated, in this country at least, as owing to the large supply, the conditions that once made sophistication profitable now no longer exist."

THE QUALITY OF HONEY.

Athea, in Greece, furnished, from the south side of Mount Hymettus, and Sicily, from the hill and country surrounding Hybla, in which place Thyme scents the air, honey, which, was for ages held to be the finest and best. Also the honey from the country surrounding Mantua, the home of Virgil, from Mount Ida, from the shores of the Black Sea, and from the islands of Crete, Cyprus, and Kalydon, were held in high esteem; and even yet, the honey from Spain, and especially from the Grecian Islands, is highly prized, and every year hundreds of quintals are transported to Constantinople, and is of great demand at the Palace of the Sultan. Of most excellent quality is the honey from the Island of Minorca, from Charmouney in Savoy, from Champagne, Narbonne and Montpellier, in southern France, and also that from Portugal. The latter is nearly white, and receives a pleasant aromatic taste from the abundant rosemary and other sweet-scented flowers, fruits and herbs. Bohemian honey was noted in ancient times for its rich aroma and its bright gold color; also in the vicinity of Salzburg and the Alps, the honey has rare value.

In districts producing a great diversity of plants and flowers, those which decidedly predominate determine the quality of the honey there gathered. Natural meadows, and artificial pasture grounds, sown with esparsette, lucerne, melilot, white clover, &c., generally yield a very pure, white, sweet, and aromatic honey. The nature of the soil, climate, general temperature, and even the prevalent winds, have likewise considerable influence on the quality and quantity of the honey produced in any district. Thus, easterly and south-easterly winds rapidly dry up the honey in the nectaries of flowers; and long-continued drouth prevents the secretion of nectar.

THE SOURCES OF HONEY.

A writer on this interesting subject remarks that Honey is solely a vegetable product, not made, but gathered from the nectar of flowers, where it is secreted in fine weather according to the rules of Nature's laboratory. Each flower yields

honey of its own peculiar flavor, which, if not gathered, is soon evaporated and lost. Trees and flowers of nearly every variety produce both honey and pollen; but there are three distinct honey harvests in each year. The spring harvest is at its height when the apple trees are in blossom. Although the willow, hazel, elder, soft maple and tiny spring flowers each produce honey and pollen nearly a month before apple trees are in blossom, and they form for the bees an acceptable change from the spare winter diet and also stimulate breeding, yet the bees scarcely gather from these what they consume during the time they are in blossom. When the hard or sugar maple is in blossom, and the peach, pear, and cherry are rich in honey and pollen, they extend an invitation which is never slighted by the provident bees. The apple tree is classed with the raspberry, yielding an excessive flow of excellent honey. The wild cherry is rich in honey. The locust tree, either the yellow or black, is a great producer of honey, and while in bloom the bees will swarm around it to the neglect of other flowers. White clover is of great value everywhere, it continues to blossom about two months, yielding superior honey. Tulip trees, called by some whitewood, blossom soon after the appearance of white clover, and secrete much pure saccharine matter; nearly one-fourth of a teaspoonful is often contained in one of its large bell-shaped flowers. The catnip, borage, strawberry, the butterbush, blackberry, persimmon, melilot clover, sourwood, mignonette, hoarhound, motherwort, chestnut, and various kinds of garden flowers, are rich in honey, and valuable when in sufficient quantities. About the middle of July the linn or basswood opens its ten thousand fragrant petals. Where this timber abounds the bees reap a rich harvest. Mustard is their especial favorite. A month later buckwheat sends forth its blossoms, lasting nearly five weeks, and in favorable seasons this is the principal fall supply, besides enough honey wastes by evaporation to purify the air for some distance around. A further supply is furnished by the golden rod, fireweed, smartweed, boneset, asters of various kinds, and the yellow Spanish needle. The smartweed seems to be a summer as well as a fall plant, and, with the Spanish needle and boneset, yields a chief supply in the north-west. Golden rod and aster is produced chiefly in the Middle States; furnishing in some seasons immense supplies of honey.

PREPARATION OF HONEY FOR THE MARKET.

In no country on the face of the earth is honey produced, either in ancient or modern times, that can excel or even equal that produced in America. Nature has supplied this vast Continent with honey-sources as varied and plenteous as can be found anywhere in the world. And within the

past few years, many improved methods and appliances have been invented for the increased production of honey, as well as to vastly enrich the quality of this product. Simultaneously with these improvements, we find the consequent increased consumption. Heretofore it was a luxury enjoyed only by a few—but now it takes its place among the staple articles for general use. Improvements in the management and culture, as well as increased production, have brought the price down to that which can be afforded by every family.

COMB HONEY.

Not only have we forsaken the log-gums and rude straw and box hives of our fathers, and given these busy little workers a neater home with movable frames to contain their combs, but we have taught them to store their surplus comb honey in small sectional frames, so that it can be easily taken from the hives when full, and marketed in convenient shape, suited to the requirements of retail purchasers.

EXTRACTED HONEY.

Considerable confusion has resulted from consumers thinking "Extracted" and "Strained" Honey the same thing. The former is obtained by the frames being uncapped and placed in a basket or frame holder, which, being attached to a single rod, is put into a large can and revolved—the centrifugal force throwing out the honey from the combs, which runs down the sides of the can and is drawn off and placed in pails, cans, jars, or some other desirable receptacle. Extracted honey is the pure liquid—minus the comb.

"Strained honey" is another thing—the result of mashing up combs, used in the breeding apartment of the hive, and containing bee-bread, dead bees, &c., and catching what passes through the cloth—that is strained honey, and is quite different from the pure virgin-honey, which when extracted still has the flavor of the bloom from whence it came.

The strained honey known to commerce is the adulterated—that which will not granulate. Consumers help to impose upon themselves by the false idea that pure honey will not granulate. They desire ungranulated honey and conscienceless dealers will supply the demand. Almost all pure honey will granulate late in the fall and winter. The granulated state is one evidence of purity. Much of the jar honey sold in the markets, and recommended not to granulate, is a very inferior article composed largely of glucose.

Granulated honey can be reduced to its liquid state in a few moments by placing the jar in warm water. When thus liquefied it so remains for a time before again crystallizing. Consumers may be sure of obtaining a wholesome article by purchasing granulated honey and liquefying it.

HONEY, AS FOOD AND MEDICINE.

SCOTCH HONEY WINES AND MEAD.—The following are Recipes for the Honey-Wines and Mead which took the prizes at the Bee and Honey Shows in Scotland, in 1877, 1878 and 1879 :

HONEY WINE.—First prize, 1877. Four pounds of honey and 1 ounce of hops to each gallon of water ; boil for 3 hours and skim till clear ; when lukewarm add yeast on toast, and when worked, barrel off. Should not be bottled for 12 months ; if left in barrel for 2 years all the better.

HONEY WINE.—Second prize, 1877. To each gallon of water add 6 lbs. of candied honey and the white of 2 eggs, with the shells broken up ; boil over a slow fire, taking off the scum as it rises. When clear add an ounce of hops to the gallon and boil for 1 hour ; strain the liquor, and when cooled to lukewarmness, add a very small quantity of yeast on toast ; let it work 2 or 3 days before being put into a barrel, and when it has done working, put in the bung. Bottle it after at least 1 year ; if 2 years, all the better, as it is extremely apt to break the bottles. It will be very light in color when first bottled, but the color will deepen with age.

HONEY WINE.—Prize, 1878. To 6 gallons of water add 26 lbs. of honey, boil for half an hour and skim. Add 4 ounces of hops and strain into a cooler ; add the rind and juice of 2 lemons and 6 tablespoonsful of yeast, well stirred in. Let it work for a day and then put into a barrel, into which half a bottle of brandy has first been emptied. Bottle after 12 months.

HONEY WINE.—First prize, 1878. To 6 gallons of water add 24 lbs. of honey, boil for $\frac{1}{2}$ an hour, removing the scum as it rises ; add 3 ounces of the best hops, boil 5 minutes and strain into a puncheon or tub to cool ; when milk warm, stir in 6 tablespoonsful of yeast, and let it work for 24 hours ; barrel off, add $\frac{1}{2}$ a bottle of pale brandy, and then bottle in 12 months.

HONEY WINE.—First prize, 1879. One gallon of water, 5 lbs. honey, $2\frac{1}{2}$ glasses of cognac brandy, $\frac{1}{4}$ ounce of stick ginger (bruised) and 2 laurel leaves. The whole to be well mixed together in a vat, in which it should remain until fermented, and during the process of fermentation to be skimmed twice a day, until it ceases ; afterwards the whole to be boiled and carefully skimmed until the surface is clear. It must then be allowed to stand till cold, when it should be carefully strained till thoroughly clear, then should be barreled after adding the whites of 2 eggs with their shells, being thoroughly beaten up, with a slice or two of lemon peel, completely mixed up. It should then be tightly barreled up and allowed to stand in the cask for 6 months before being bottled.

Bees and Fruit—Uses of Honey.

—:0:—

BEEES AND FRUIT.—Bees do not puncture Fruit, as some assert. When fruit is over-ripe, or the skins of grapes are bursted, the bees will sometimes appropriate the juice, greatly to their detriment, when no honey can be gathered. Such juices soon sour in the hives, and become unfit for the food of bees in winter—and disease and death is the result. Many bee-keepers also raise fruit, and their testimony universally agrees with the statement here made.

On the other hand, bees are the best friends of the growers of small fruit. They fructify the flowers, and cause the fruit to mature. Were it not for the bees, and other insects, to fertilize the flowers, the trees and vines would cease to bear fruit, and become useless.

In a certain town in New England, so strong was the belief that bees injured the fruit, that an ordinance was passed, obliging the bee-keepers to remove their bees to another locality. After a year or two, the fruit-growers decided to have the bees brought back, because so little fruit matured upon the trees.

HONEY CAKES.
—To 3 eggs well beaten, add $1\frac{1}{2}$ cups of extracted honey, 1 cup sour cream or buttermilk, $\frac{1}{2}$ teaspoonful of soda, and 3 cups of flour, to which was added 1 tea spoonful of baking powder. Bake in jell pans and put together with lemon paste made as follows: In the juice of 1 lemon dissolve 1 table-spoonful of corn-starch, pour on it $\frac{1}{2}$ a cup of boiling water, $\frac{1}{2}$ cup of extracted honey, and one table-spoonful of sugar.



HONEY FRUIT CAKE. — Take $1\frac{1}{2}$ cups honey $\frac{3}{8}$ cup butter, $\frac{1}{2}$ cup of sweet milk, 3 eggs well beaten, 3 cups of flour, 2 tea - spoonfuls baking powder 2 cups raisins, 1 tea-spoonful each of cloves and cinnamon.

HONEY LABEL PASTE. — Stir wheat flour in cold water and leave no lumps —pour on boiling water, and stir it until it boils. Use hot or cold. When cold, resembles hasty pudding.

USES FOR HONEY.—In all ages honey has been used for many purposes. The Ancient Britons used it to make mead, and this drink continued to be much used hundreds of years after them. When malt liquors became popular, and when sugar was introduced, then the use of honey decreased, but lately it has increased materially.

Honey is largely used in the manufacture of honey chocolate-creams and honey chocolate-tablets. There is a delicious taste of the honey in these articles, but they are so judiciously blended with the other materials that they are not too sweet.

Honey is also now generally used by the confectioners in the place of sugar in many kinds of lozenges, cough drops and other sweetmeats. Glycerine and honey jujubes for the throat; corn and honey food; herbal tablets, etc., are only a few of the many things which might be mentioned. In the toilet, it is used in soap and dentifrice.

There are many persons who are not allowed to use sugar at all; to these honey comes as a boon. It is a curious thing to note that even the angler now uses honey, and natural honey fish-bait is put down in the list of necessaries for the modern complete angler.

Effect of Honey on the Human System.

The masses do not realize the value of honey from a hygienic stand-point, else it would have more than kept pace with sugar as an article of human consumption.

Dr. Vance makes such very excellent remarks on this subject that we can do no better than to give them entire: "Honey is a physiological sweet; in other words, its constituents are such that it is absorbed into the blood without undergoing chemical change. Such is not the fact with regard to sugar. Sugar is indigestible, or rather not as susceptible of absorption and assimilation as honey, but it requires the action of the gastric juice to split or invert its elements, the muriatic acid element of the gastric juice being the chief agent in this chemical transportation. This change produces what is termed in chemistry dextrose and lævulose. I presume this explanation does not convey a very clear or definite idea of the nature of these products, for the names applied only indicate how they affect polarized light. After this change occurs, absorption takes place. If in any way it is hindered, or, on account of an excess of sugar above the capacity of the gastric juice to transform, there remains a residue, the result is decomposition into elements that irritate and inflame the mucus membrane of the intestinal canal, producing a list of ailments too numerous to mention here. Think of the legions of little ones who have been the victims of their universal fondness for sweets, and who so frequently suffer from the gastric troubles which are, in a large degree, the result of sugar indigestion. How many, many children have perished from eating candy!

"The importance of sugar as an element of food may be inferred from the large proportion of the elements of our food which is transformed by the action of the digestive organs, into the constituents of sugar. Consider the proportions of bread, potatoes and vegetables that we consume daily, all of which must undergo this saccharine change before they are suitable to be appropriated by the human system; it may give an approximate idea of the amount of these elements that are required to nourish our bodies.

"If, therefore, the saccharine comprises so large a part of the elements of our food, does it not become an important question as to what form of sweet is the most appropriate and healthful for the nutrition of the human body? For the reasons I shall hereafter enumerate, it seems to me that you will agree with me that honey is the most important and the most healthful, because it is absorbed into the system without change, and, because, unlike sugars, it does not easily undergo fermentation. The formic acid which is an ingredient of honey, prevents chemical change and the morbid processes arising from decomposition of sugar.

"Let me repeat the points of difference in ordinary sugars and syrups, and their comparative inferiority to honey as a saccharine food: Honey is an inverted sugar consisting of lævulose (fruit-sugar) and dextrose (starch-sugar) and readily absorbed into the system without being acted upon by the gastric juice, converting, as it is expressed in chemical language, inverting it into dextrose and lævulose, before it is susceptible of absorption and assimilation in the blood. When thus acted upon by the digestive organs, it is assimilable, but in case of weakness of digestion, this action does not occur, and decomposition is sure to follow. Honey is not only a delicious form of sweet, but is a very healthful and nutritious form of food. It aids the natural functions of the alimentary canal. It is recommended by those who have thus used it, as a refreshing drink, diluted with water in the proportion of from 2 to 5 per cent."

Pure honey should always be freely used in every family—Honey eaten upon wheat bread is very beneficial to health.

HONEY POT - POURRI.

Hum-sweet-hum—that of the honey-bee.

To purify beeswax, melt and cool slowly over a body of water.

It is at a “quilting-bee” where you hear the “stinging” remarks.

Put honey in your tea to sweeten it, and if you are troubled with *gravel*, it will cure it.

The first bees brought to America were landed in Boston, Mass., in 1670, by some Englishman.

A tea-spoonful of warm honey taken every 15 minutes has a surprising effect on catarrh.

Diphtheria and sore throat in the early stages can be cured by honey taken warm, or in food.

Onion juice instantly applied will allay the pain caused by the stings of bees or other insects.

Honey is one of the purest sweets used, and when its healthfulness is considered, it is the cheapest.

What is the difference between a honey-comb and a honey-moon? The one is a lot of small cells, and the other is one great sell!

Substitute Honey for sugar in the Recipes given in your cook-book, and you will vastly improve the flavor.

What is the difference between a bee and a donkey? One gets the honey, and the other the whacks (wax).

If a boy wishes to know whether the bees see or not—let him put his finger into the entrance of a bee-hive!

The constant use of honey is without the slightest danger, even during an epidemic of cholera. It cures constipation.

A school-teacher asked a boy to pronounce s-t-i-n-g-y. Before doing so he asked whether it was to be applied to a man or a bee.

Public speakers should freely use honey. The formic acid which it contains cures affections of the mouth, throat, lungs and chest.

Doctors use honey for many purposes, and some doctors are good bee-keepers; and the purity of their medicines may be guaranteed.

The pain and swelling consequent upon the stinging of a bee, will leave if bathed with equal parts of the tincture of aconite, laudanum and chloroform.

Because cheap cane sugars have been taken into the stomach in unreasonable quantity, the liver has been unable to transform them, resulting in disordering both organs.

Bread broken up in a bowl, covered first with honey and then with a thick cream, and eaten, will permeate the organs of taste, and give the whole system a feeling of ecstasy and delight. Cream neutralizes any ill effects the sweetness may produce in the human stomach.

Children would rather eat bread and honey than bread and butter; one pound of honey will reach as far as two pounds of butter, and it is far more healthy and pleasant to the taste. It always remains good, while butter becomes rancid, and often produces cramp in the stomach, eructations, sourness, vomiting and diarrhea.

The magnitude of the industry of “bees and honey” can be estimated by the fact that there are in North America 300,000 who keep bees, and if these apiaries average but 10 colonies each, the number of colonies reaches 3,000,000, and if these produce but the very small average of 30 pounds of honey per colony, then the product is 90,000,000 of pounds of honey, worth \$10,000,000 and if each colony of bees yields but one pound of beeswax yearly, then the wax product at 20 cents per pound, is worth \$600,000.

BEESWAX AND HONEY.

HOW BEESWAX IS MADE by the Bees, is described thus: "It is no mere extraneous substance which needs only to be collected for use; it is a bit of individual organic home manufacture. If you examine the under surface of a cell-building worker-bee, you will find beneath the abdomen four pairs of white plates projecting from as many pockets in the incasing rings of this part of the body. These are the wax plates, made from the life-blood of the worker. Examine now with a lens one of the hinder legs. You will find that the stoutest joints are very square-shouldered at the hinge, and that the hinge is well over to one side, so that the shoulders form a pair of jaws, which open when the limb is bent, and close when it is straightened. The upper jaw has a row of spines which bite on a plate on the lower jaw. With this apparatus, piercing in with these spines, the worker-bee withdraws a wax plate from its pocket, transfers it to the front legs, and thence to the mouth, where it is laboriously masticated with a salivary secretion. Unless it undergoes this process it lacks the ductility requisite for cell-making."

HONEY AND GLUCOSE.—The former is very different from the glucose of commerce.

Honey is a mixture very nearly in equal parts of dextrose and laculose. The dextrose is what granulates—is the same kind of sugar as is found dried in raisins, and is about $\frac{1}{8}$ as sweet as cane sugar. The laculose will not candy, and is sweeter than cane sugar.

Glucose from starch is a mixture generally



of one part of dextrose and three parts of dextrine — a gummy substance used in stiffening calicoes and gumming postage stamps. Dextrine is never found in pure honey. A test of dextrine is the solution of sub-acetate of lead, or Goulard's water, found at any drug store.— This precipitates the dextrine in any mixture as a thick white curd, which floats in the liquid.

The same solution put into honey does not change its color. This simple test is very striking, and always reliable.

TO DETECT BEESWAX ADULTERATION.—When beeswax is chewed, says an expert, it should have no disagreeable taste, and must not stick to the teeth. In the adulterated wax, the nature of the foreign material can generally be detected by the taste; the addition of fat can generally be readily detected. If it sticks to the teeth, the presence of resin may be assumed. A simple method of detecting the presence of fat in wax consists in melting it, and placing a drop on a piece of woolen cloth. After it is perfectly cold and solidified, pour on a few drops of 90 per cent. of alcohol, and rub the cloth between the hands. The wax will be converted into dust, and will easily separate from the cloth if it contains no fat, and will leave no stain; when it contains fat, it will leave grease-spots.

WHAT IS HONEY ?

It is a vegetable product, not made, but gathered from flowers where it is secreted according to the rules of Nature's laboratory. Each flower yields honey of its own peculiar flavor, which is generally easily recognized. No article for human consumption can be more delicious than Honey, and none is more beneficial to the human system. Honey is food in one of its most concentrated forms.

Honey in the Comb.

Within the past few years many improved methods and appliances have been invented to increase the production of Comb Honey.



Honey is now produced by the bees, in small sectional-boxes (see engraving), with the cells capped, ready to grace the table and tempt the palate of every lover of that delicious article—Comb Honey.

These "sections" of honey are taken from the hive just as finished by the bees, crated and placed upon the market.

An inventive genius lately started the story that combs were being made of paraffine, filled with glucose, and sold for comb honey. That is a *falsehood*, admitted by its author when proof was demanded.

Honey Extracted from the Comb.

Pure Extracted Honey is obtained by shaving off the delicate cappings of the cells, putting the combs into the little revolving basket of a Honey Extractor (see engraving), and then by revolving the basket containing the comb, by means of the crank, the honey is thrown out by centrifugal force, runs down the sides of the Can, and drawn off and put into jars, pails, or any desirable receptacle. Extracted Honey is the pure liquid—minus the comb.

Some ask: "How can Extracted Honey be sold cheaper than that in the Comb—if it is pure?" We reply, Because the comb is of more value than the honey; for it takes from 15 to 20 lbs. of honey to produce one pound of comb. By improved methods we compel the bees to build straight combs in frames; these can be removed in an instant, the bees brushed off, the honey extracted, and the combs returned to the hive to be again filled by the bees.



Granulated or Candied Honey.



Almost all pure honey will granulate when exposed for some time to light and cold. The granulated state is one evidence of purity.

Granulated honey can be reduced to its liquid state in a few moments by placing the can or jar in warm water. When thus liquefied, it so remains for a time, but will again candy.

Northern honey candies sooner than Southern.

What is Strained Honey ?

"Strained Honey" which will not granulate or candy, is nearly always glucose, with enough honey to flavor it, and thus deceive.

Consumers help to impose upon themselves by the false idea that pure honey will not granulate; they desire liquid honey, and dealers will supply it. Much of that remaining liquid, is a very inferior article, composed largely of glucose, surrounding a piece of comb.

INDEX TO SUBJECTS.

	PAGE
ADVICE TO BEGINNERS.....	147
Adopt a Standard Frame ..	149
Bees in Box Hives	29
Care of a First Colony	30
How Many to Begin with ..	28
Engrafting a Queen Cell ..	151
Experience Essential .. 25,	147
Increase by Division.....	149
Intelligent Management ..	147
Keep an Apiary Register ..	149
Location, selection of	147
Make the Apiary Beautiful ..	149
Nuclei—How Made	65, 152
Overstocking the Field.....	154
Plan for an Apiary	148
Preparation of Bee Food ..	153
Prevention of Swarming ..	153
Provide Continual Bloom ..	154
Science—not Luck	59
Swarming, or Dividing	152
What kind of Bees to get ..	29
When to Commence	28
When to Purchase	29
Who should keep Bees.....	26
AFTER SWARMS	68
ANATOMY OF BEES	14 to 20
ANTS IN THE APIARY	34
APIARY—	
Arrangement, Situation	
and Stocking	25
Carriage for	94
Hives to face South.....	28
Italianizing	60
Location of	26, 147
Make it Beautiful	149
Management	59 to 88
Of Mr. Elvin Armstrong ..	59
Mr. F. Benton, in Cyprus ..	141
Mr. J. H. Robertson	10
Mons. Ed. Bertrand	26
Mons. De Layens	44
Near St. Lawrence River ..	103
Signor Bianchi	25
Signor Fiorini, in Italy ..	132
Overstocking a Locality ..	154
Pasturage for	103 to 130
Plan for	148, 149
Protection against Winds ..	27
Register or Account Book ..	149
Shade for	27
Situation of	25

APICULTURE—	PAGE
As an Avocation	26
Experience Necessary .. 25,	147
Fascination of	135
Profits of	25
Requisites to .. 25, 103,	147, 150
ATOMIZER—for Spraying Bees ..	62
BARNES' FOOT-POWER SAW ..	43
BASSWOOD (or Linden) ... 104,	125
125	129
BEE AND HONEY SHOWS .. 135 to	140
BEE FEEDERS, and Feeding .. 80,	81, 82
153	153
Division Board Feeder	81
How to Prepare the Food ..	154
Shuck's Feeder	82
When, What and How to	
Feed	153
BEE GLOVES	84
BEE GLUE (or Propolis)	24
How removed from Hands ..	34
BEE HOUSES	145
BEE-KEEPING A SCIENCE	25
BEE-KEEPING—	
Adaptability Necessary .. 25,	147
Amount of Honey Gathered	
by a single Bee	9
A Science	25
As an Avocation	26
Buying Swarms	30
Experience Essential .. 25,	147
Fascination of	135
Growth of the Industry	50
In Cities	27
Intelligent Managem't .. 59,	147
"Luck" a Falacy	59
Profits of	25, 110
Requisites	25, 103, 147, 150
When to Commence	28
BEE MOTH	48
BEE SMOKERS—Use of	84
BEESWAX—	
Extractor for	99
Honey Converted into .. 23,	97
Production of	20, 25, 90
Should all be Preserved ..	99
BLUE GUM	106
BEE VEILS (face protection) ..	85
BERGAMOT	121, 123
BOKHARA (or Sweet Clover) ..	108
BORAGE	59, 150
BUCKWHEAT	114, 412

BEE PASTURAGE—	PAGE	BEES—	PAGE
A Necessity	103 to 148	Abdominal Segments	21
Arbor Days	128	American-Italians in Italy	134
Bees Fertilizing Plants.10,	27	Ancient History of	11
Continuous Bloom.....104	154	Anger of	82, 83, 84
Culture of Flower Beds... 126		Anterior Leg of Worker ..	19
Floral Columns for Lawns 120		As Fertilizers of Plants.10,	33
Floral Gardens	120, 121	Apis Americana	134
Floral Lawns	122	Apis Dorsata, of Java.....	132
Floral Windows & Arches 125		Bee Gloves	85
For Honey and Decoration 119		Bee Glue—Removing	34
For Honey, exclusively... 115		Bee of the Future..... 131,	134
Foxglove, Poisonous. 122,	123	Bee Veil	85
How to Plant	103 to 148	Breeding the Best..... 131	
In Field and on Roadside. 108		Burying in Winter	146
Overstocking a Locality.. 26		Buying	30
Planting Forest Trees..... 128		Careful Handling of	82
Ribbon Flower Beds	124	Carniolan	132
Sweet Clover for Fodder.. 109		Cleanliness of	25, 34
Without Cultivation .. 109		Colony, Organization of.13,	96
Timber Range Desirable 27,	148	Desirable Points in	131
Trees for Shade and Honey 104		Development of. 9,14 to 20,	131
What to Plant	103 to 130	Different Varieties	132
Alsike Clover .. 111, 112,	130	Division of Hive Work.....	96
Asters	121	Do Bees Injure Fruit? 32,	33
Bacconia Japonica..... 6		Driving	137, 152
Basswood(linden)104,125,	129	Drones, function of..... 16	
Bergamot	121, 123	Eggs and Brood	19
Blue Gum	106	Fall Management of	144
Bokhara (sweet clover).. 108		Feed and Feeding .. 80, 81,	153
Borage	59, 130	Habits and incidents of. 25,	35
Boxelder	106	Head of Queen	14
Buckwheat	114, 124	Head of Drone	17
Catnip	119, 130	Head of Worker..... 18	
Cleome	115, 116	Improvement in .. 131 to 134	
Creeping Vine..... 123		Industry, a Quality in..... 131	
Elm	125	Innumerable Journeys of. 9	
Eucalyptus (Blue Gum). 106		Italian Bees. 6,17,18,50,70,	147
Figwort(Rocky Mountain		Kept on Shares..... 30	
Bee Plant)119,123,150,	156	Kind to Purchase	29
Fruit Trees	107	Legs of Worker	70
Golden Rod	121, 128	Length of Tongues .. 132,	133
Ground Ivy..... 123		Management in Spring... 150	
Holly Hoek	123	Marking their Location... 31	
Honey Locust... 103,106,	107	Moving, a short Distance. 28	
Judas Tree	129	Ovaries of Queen	15
Maple	129	Queen, functions of	14
Marigold	130	Quieting & Handling 82,84,	93
Mignonette	117, 127	Races of	13, 132
Mint	156	Removing from Combs	75
Motherwort	118, 130	Respiratory Organs..... 4	
Mustard .. 114, 123, 130,	130	Robbing	80
Peppermint	123, 124	Shipping	76, 77
Rape	156	Stand, or Shed, for Apiary. 56	
Red Clover	130	Sting of	26, 83
Scotch Heather..... 180		Strong Colonics Necessary 154	
Sourwood	129	Syrians and Cyprians.132,	133
Spider Plant... 116, 123,	130	Tongue of	132, 133
Sweet Clover(melilot)108,	130	Transferring	72, 73, 74
Teasel	6	Uniting Colonies..... 74,	78
Tulip (poplar) .. 105, 106,	129	Washing out Drone Brood 75	
White (or Dutch) Clover. 113		Water for	78
Willow	106, 122, 125, 156	Workers	17, 18, 70

	PAGE		PAGE
CASES, to hold Sections...	41	DIVISION OF COLONIES.....	05, 151
CATNIP	119, 130	DRONES—	
CHAFF HIVES AND PACKING..	143	Cells of	23
CLEANSING COMBS	33	Development of	16, 17
CLEOME.....	115, 116	Function of.....	16
COLONIES, care of first.....	30	Head of.....	17
How and When Moved	28	Number of.....	17
How to Divide.....	65, 149	Washing out Brood	75
Pasturage for ..103 to 130,	154	When Necessary	17
Preparing for Shipment 70,	77	DZIERZON	134
Should always be strong 34,	154	EGGS	15, 19
COMB—		EMPTY COMBS.....	92, 93
Building.....	10, 21, 23, 95	Uses of.....	92, 93
Bases and Cross-Sections.	95	EXTRACTED HONEY	181
Cleansing from dead brood	33	As a Commercial Product	58
Dead Brood in.....	33	Glass Honey Jars	54
How to keep Moth out of.	48	Increasing Demand for ..	51
New, desirable	95, 102	Marketing of.....52 to 56,	183
Peculiarity of.....	95, 96	Pails, Cans and Crocks for	
Production of.....	22, 24	52.....	53
Removing Bees from ..33,	75	Production and Care.51 to	56
COMB FOUNDATION—		Ripening of.....	56, 91
Advantages of ..93, 95, 97,	150	Small Kegs for.....	55
Bright Yellow, best	102	Sun-Evaporator for.....	56
Cutting Starters.....	102	FEEDERS—see Bee Feeders ..	80
Dunham Mill.....	98	FERTILE (see laying) WORKERS	71
Fastening to frames 56,100,	101	FERTILIZATION OF FLOWERS.	16
Given Press.....	95	FIGWORT	119, 123, 150
How much to use	102	FRAME OF BROOD	23
Invention of.....	97	For Sections	49
Kinds in use.....	98	Gallup.....	143
Manufacture of ..97, 98,	101	Langstroth.....	36
Not "Artificial"	99	Movable.....	36
Thin, for Surplus Honey..	102	Revolving Holder.....	61, 89
COMB HONEY—see "Honey."		Should be all of one size..	94
Assort and Grade.....	47	Transferred Comb.....	72
Apparatus to Secure.....	38	FRUIT—Do Bees injure	12
Candying of	51	GLASSING SECTIONS.....	46
Care of.....	45 to 51	Tin Points for.....	42
Getting Bees out	47	Tool for.....	58
Handling and Shipping... ..	50	GOLDEN RODS.....	121, 128
Management	47	GRAPES—Do Bees injure them?	32
Marketing of.....	51	GROUND IVY.....	123
Ornamental Sections for..	95	HIVES—	
How to keep Moth out of..	48	A good one Necessary	55
Marketing of.....	45 to 51	Box, how to examine	29
Production of. 38, 39, 45 to	51	Bees Marking Location of	31
Rack for.....	38	Chaff	143
Sections for	39, 40	Changing Location of.....	31
Supers for Sections	38	Division Board for	64
Where to Keep	48	Division Board Feeder.....	81
CRATES FOR COMB HONEY.41.		For Observation.....	35
Metal Corners for	57	Gallup.....	143
CYPRIAN AND SYRIAN BEES ..	132	Langstroth.....	36
DISEASES OF BEES—		Movable Frame.....	38
Chilled Brood.....	33	Position in the Apiary	28
Dead Brood in Cells.....	33	Registering Slates for.....	67
Dysentery	87	Removing Hives	28
Foul Brood	87, 88	Shade for.....	104
DIVISION BOARD.....	64	Supers. for Sections ..37,	38
Feeder in.....	81	What to Use.....	35
Not Patented.....	64	Which way to Face.....	28

HONEY—	PAGE	ITALIANIZING an Apiary—	PAGE
A Commercial Product...	58	Benefits of.....	59
Adulteration of.....	54	How to be Done.....	60
American, in Europe.....	46	JUDAS TREE	129
Ancient History of.....	11, 157	LANGSTROTH Frame and Hive.....	36
As Food.....	167	LARVÆ OF THE BEE	13 to 19
As Medicine.....	161	Laying Workers.....	71
Assort and Grade.....	47	LOCATION — Changing and	
Best Packages for.....	46 to 56	Marking.....	31
Creating a Demand.....	52, 135	Of an Apiary.....	26, 27, 148
For Sauce.....	47	LOCUST TREES	103, 107
Granulation of.....	52	LUCK OR SCIENCE	59
Handling and Shipping.....	50	MANDIBLE OF QUEEN	60
Home Markets for.....	52	MAPLES	120
How to make it a Staple.....	135	MARIGOLDS	130
Management of.....	47, 51	MARKETING HONEY—	
Marketing.....	47	Attractive Packages.....	45, 46
Nature of.....	176	Best Methods for.....	45
No Over-production of.....	58	Candied Honey in Comb.....	51
Preparation of.....	179	Crocks for Extracted.....	52
Production and Care.....	45 to 58	Glassing Sections.....	57
Qualities of.....	177	Glass Jars.....	54
Ripening of.....	56, 91	Grading and Shipping.....	46, 47, 52
Sources of.....	177	Granulation of.....	53
Style most Important.....	45	Handling and Shipping.....	50
Un-glassed Sections for.....	49	Hard-Wood Barrels.....	55
Varied Prices for.....	46	Honey as a Commercial	
Why Eat Honey?.....	183	Product.....	58
HONEY EXTRACTOR	90, 91	Kegs, the Most Desirable.....	55
Always Essential.....	92	Local Markets for.....	52
Comb Basket for.....	91	Management of Comb.....	47
Comb Holder for.....	93	Of Extracted.....	51
Essential Points in.....	91	Metal Corners for Crates.....	57
History of.....	89	Must be Ripened.....	56
When and How to Use.....	92, 93	Packages for Retail.....	53
HONEY KNIVES	91, 92, 94	Points to be Considered.....	45
HONEY LOCUST	103, 106, 107	Preparation for Market.....	45, 181
Quality of Honey from.....	107	Screw-top Cans.....	53
HONEY AND BEE SHOWS—		Single Comb Sections.....	46
Bees an Attraction at.....	135	Shipping.....	51 to 56
Building for.....	156, 157	Small Packages Desirable.....	55
Display at Fairs.....	46, 135, 136, 138, 139	Tin Pails for.....	53
In California.....	140	MIGNONETTE	117
Canada.....	140	MOTH, Destruction of	48
England.....	139	MOTHERWORT	118, 130
Europe.....	134, 139	MOVING BEES	28, 29, 31
Scotland.....	137	MUSTARD	114, 123, 130
Observatory Hives.....	138	NATURAL HISTORY of Bees	11
Premiums at.....	136	NATURAL SWARMS—Care of	68
Public Manipulations.....	135	How to Prevent them.....	65
Tent for Exhibition.....	135 to 138	NUCLEUS COLONY—care of	65
INCREASE—		PEPPERMINT	123, 124
By Division.....	65, 149	POLLEN, or Bee Bread	24
By Nuclei.....	64, 65	PRODUCTION of WAX	50
By Swarming.....	67, 68, 152	PROPOLIS, or Bee Gline	24, 34
ITALIAN BEES	29, 59, 132, 134	Removing from Hands.....	34
American Bred.....	134	QUEEN CELLS	23, 62, 63, 67, 96
Careful breeding necessary.....	134	Engrafting.....	151
Gold Colored.....	134	Introduction of.....	62, 67
Improvement in.....	132	QUEEN NURSERY	66
Queens Easily Found.....	60	QUEEN REARING	66
Superiority of.....	59	QUEENLESSNESS	69, 70


	PAGE		PAGE
QUEENS	13, 14	SWARMS AND SWARMING 67, 68,	69
Accompanies a Swarm	13	After-Swarms	68
A Prolific Queen should		Best Methods of Increase	
always be in the Hive	69	67, 149, 150, 151	152
Cages	86	Capturing	69, 79
Clipping a Queen's wing	68, 75	Catcher and Queen and	
Davis' Queen Nursery	66	Drone Trap	78 to 80
Destroying Her Rivals	68	Hiving Swarms	69
Development of	13, 14, 63, 66	Made by Dividing	149 to 151
Drone Laying	16	Management of	69
Eggs and Brood	10, 33	Non-swarmling attachment	78
Head of	14	Nuclei—how made	64, 150
How to Rear the Best	131, 134	"Old Foggy" Notions	69
Introducing	60, 85, 86, 87	Prevented	68, 153
Introducing Cages	86, 87	Purchasing	30
Laying of	16	Separating	78
Mandibles of	60	Swarm Catcher	79, 80
Mating of	14	Uniting	74
Ovaries of	15	TIN POINTS to Glass Sections.	42
Piping of	68	TRANSFERRING BEES.	72, 73
Queen Cells	62, 63	Frame of Comb	72
Shipping of	85, 86, 87, 83	From Box Hives	72
Sting of	18	From Frame Hives	74
RACES OF BEES	13, 132	Wired Sticks for	73
RED CLOVER	130	TRANSFORMATION OF INSECTS	9
REGISTERING SLATES.	67	TULIP OR POPLAR.	105, 106, 129
REVOLVING FRAME HOLDER.	89	UNITING Weak Colonies.	74, 78
ROBBING.	80	VALENTINE'S Frame Stand.	61
RUBBER SPRINKLER for wash-		WAX—how produced.	20, 97
ing out Brood	75	WAX EXTRACTORS	89, 99
SAW, for Hive Making	44	WAX—see Beeswax.	20, 25, 99
SECTIONS FOR COMB HONEY.	39	WHITE (or Dutch) Clover.	113
Arrangement of	38	WILLOWS	106, 122, 125
Cases for Holding	49	WINTERING BEES—	
Comb Honey Rack, for	37	Amount of honey required	145
Crate for	41	Bee House for	145, 146
Dovetailed	39	Burying in a Cave	146
Glassing of	39, 41, 57	Causes of Disaster	141
How to get the best	39	Chaff hive and packing	142, 143
How to place on Hive	38	Comparing Methods	143
Nailed	39	Double-walled Hives for	142
One-Piece	40	In Cellars	144
Single Comb Desirable	39	In Russia	141
Sizes of Popular ones	49	On Summer Stands	143
Supers for Sections	37, 38	Winter Passages	144
Tin Points for Glassing	42, 57	When to put into Winter	
Tool for Glassing	58	Quarters	144
SEPARATORS—How Used.	38	WORKER BEES—	
SHIPPING CRATES	41	Anterior Leg of	19
SMOKERS—How used.	84	Development of	19
SHIPPING QUEENS AND COLO-		Cells of	23
NIES.	76, 77	Functions of	17, 18, 19
SOURWOOD	129	Head of	18
SPIDER PLANT.	116, 123, 130	Laying	71
SPRAYING BEES with Atomizer	62	Legs of	70
STARTING an Apiary.	25	Length of Life	18
STINGS.	26, 83	Ovaries of	71
SWEET CLOVER (mellilot).	108, 130	Pollen Baskets	71

INDEX TO ILLUSTRATIONS.

PAGE	PAGE		
Alighting Board for Hives	37	California Frames	38
Allen, Dr. N. P.	67	Canadian Honey-Exhibit in London	134
Alsike Clover	111	Care of the Flowers	126
Alsike Clover, Root and Crown	112	Cary, Wm. W.	11
Andrews, W. H.	31	Cleome, in bloom	116
Andrews, Wm. J.	154	Comb Basket of an Extractor	91
Anterior Leg of Worker	19	Comb Foundation	97
Apiary of E. Armstrong	59	Comb Foundation Mill	98
Apiary of Mons. Bertrand	24	Comb Honey Rack	43
Apiary of Mons. De Layens	46	Comb Honey—Wide Frame for	42
Apiary of Mr. Robertson	10	Combs built by Apis Dorsata	131
Apiary of Sig. Bianchi	25	Cook, Prof. A. J.	11
Apiary of Sig. Florini	132	Cook's Observation Hive	35
Apiary on the St. Lawrence	103	Crate for 1-pound Sections	41
Apis Dorsata	131, 133	Cross-Sections of Cells	95
Atomizer for Spraying Bees	62	Cyprus Apiary of Mr. Beuton	141
Bacconia Japonica	8	Dadant, Charles	35
Bailey's Swarm Catcher	79	Dadant, C. P.	30
Bases and cross-sections of cells	95	Diamond Ribbon Flower Bed	124
Basswood Leaf and Blossom	104	Dibbern's Hive-Hook	94
Basswood or Linden	104, 170	Division-Board	64
Bee - Exhibit enclosed with Netting	136	Division-Board Bee-Feeder	81
Bee-Exhibit showing Entrance Tubes	137	Doolittle, G. M.	49
Bee-Feeder (Hastings')	94	Dovetailed Section	39
Bee-Stand for use in Summer and Winter	58	Drone and Queen-Trap	102
Bee-Sting (sectional view)	83	Drone-Bee	16
Bee-Tent for Fairs	135	Drone-Excluder	78
Bee-Tent near Column Vase	138	Dzierzon, Rev. Dr.	161
Bee-Veil	85, 94	Eggs and Brood	19
Berlepsch, Baron	12	Fair Exhibition of Bees	136-139
Bingham Bee-Smoker	84	Fastening Foundation in the Sections	58, 101
Bingham Honey-Knife	92	Figwort	156
Bingham, T. F.	13	Filaree of California	130
Borage	59	Finished Queen-Cell	63
Brood-Comb with Queen-Cells	151	Floral Column for Lawn or Driveway	120
Buckwheat, in bloom	114		
Bull, T. S.	62		

PAGE	PAGE		
Floral Lawn.....	122	Langstroth Hive.....	36
Floral Window.....	125	Langstroth Frame.....	37
Flower Beds, round and diamond	124	Langstroth, Rev. L. L.....	35
Foot-Power Saw.....	06	Lawu Column.....	120
Foundation Fastened to Top.....	100	Laying out a Flower Bed.....	126
Foundation Fastener.....	101	Laying Worker (ovaries of).....	71
Foundation Wiring-Tool.....	102	Legs of Italian Worker-Bee.....	70
Fountain Pump.....	102	Linden Bloom.....	104, 170
Foxglove, pretty but poisonous	123	Longmate's Swarm-Controller.....	78
Frame of Brood—all kinds.....	23	Magnifier, Triple-Lense.....	102
Frame of Transferred Comb.....	72	Mammoth Mignonette.....	117
French straw-hive or "Eke".....	102	Mandible of Queen (magnified).....	60
Giant Mignonette.....	127	Manum's swarming apparatus.....	79
Given Foundation Press.....	95	Marigolds.....	130
Glands in Bees.....	26	Mason, Dr. A. B.....	30
Glassed Honey-Sections.....	38	McLain, Prof. N. W.....	48
Glass Honey Jars.....	54	Metal Corners for the Covers of	
Glass Pail for Honey.....	94	Shipping Crates.....	57
Goldenrod.....	128	Mignonette.....	127
Goodrich Foundation Fastener.....	101	Miller, Dr. C. C.....	62
Gravenhorst, C. J. H.....	20	Mint.....	158
Grimm, Adam.....	161	Motherwort.....	118
Grooved Board for Cutting		Mustard.....	169
Starters.....	102	Muth, Charles F.....	27
Hains, J. B.....	31	Muth Honey-Knife.....	92
Harmer's Apiary.....	162	Newman, Thomas G.....	2
Harmer's Observation Hive.....	35	Oatman Queen-Cage.....	86
Hastings' Queen-Cage.....	88	Observation Hive—Cook.....	34
Head of Queen.....	14	Observation Hive—Harmer.....	34
Head of the Drone.....	17	Observation Hive—Worrall.....	34
Head of Worker-Bee.....	18	One-Piece Honey Section.....	40
Heddon's Non-Swarmer.....	78	Ornamental Comb Honey.....	95
Hetherington, Capt. J. E.....	13	Ovaries of a Laying Worker.....	71
Hill's Swarm-Catcher.....	80	Ovaries of the Queen.....	15
Hilton, George E.....	179	Parker Foundation Fastener.....	101
Hive-scraper.....	79	Part of a Frame of Brood.....	23
Hive with Chaff-Packing.....	143	Pavillon Apiary of the Khedive	
Holtermann, E. F.....	27	of Egypt.....	137
Honey-Board.....	87, 94	Pavillon at Paris Exposition.....	139
Honey-Carriage.....	94	Plan for an Apiary.....	131
Honey-Comb.....	96	Plan of an Australian Apiary.....	26
Honey-Comb Coral.....	38	Pliers for Handling Frames.....	44
Honey Evaporator (made of		Portrait of the Author.....	2
galvanized iron).....	56	Queen-Bee (magnified).....	14
Honey-Evaporator (wood).....	58	Queen Cages for shipping and	
Honey-Extractor.....	90	introducing.....	86
Honey-Locust pod and seed).....	107	Queen-Cell (ripe).....	63, 96
Honey-Locust Tree.....	103	Queen-Cells.....	96
Honey sections.....	39	Queen-Excluding Zinc.....	102
Honey show-case for stores.....	94	Queen-Nursery.....	68
House for Bee-Exhibits at Fairs	136	Queen-Register (Cards).....	63
Huber, Francis.....	20	Queen-Registering Slate.....	67
Hunter, John.....	21	Queen, Workers and Drones.....	6
Hutchinson, W. Z.....	39	Quinby, Moses.....	146
Introducing Queen-Cage.....	86	Rack for Comb Honey.....	43
Italian Bees.....	6	Rape.....	156
Italian Worker Bee.....	147		
Keys for Honey.....	55		

	PAGE		PAGE
Red Clover (root and crown).....	112	Sweet Clover Bloom.....	108
Reese's Bee-Escape.....	44	Tapering Pails for Honey.....	53
Respiratory Organs of the Bee.....	4	Taylor, Hon. R. L.....	140
Reversible Brood-Frame.....	44	Teasel.....	8
Revolving Frame Holder.....	88	Tin Pails and Cans for Honey, 53,	55
Ripe Queen-Cell.....	63	Tin Pails for Honey.....	53
Roese, Rev. Stephen.....	48	Tin Points for glassing Sections	44
Root, A. I.....	39	Todd, Arthur.....	21
Round Ribbon Flower Bed.....	124	Tongue of the Honey-Bee.....	133
Rubber Sprinkler.....	75	Tool for glassing Sections.....	58
Rush, Dr. W. B.....	154	Transferring-Board.....	74
Russell's Bee-Escape.....	44	Tulip or Poplar Blossom.....	105
Scotch Heather.....	169	Two-pound Sections (nailed)....	39
Searching for Apis Dorsata.....	133	Uncapping Machine.....	66
Secor, Hon. Eugene.....	140	Valentine Frame-Stand.....	61
Section Press.....	43	Wax-Extractor.....	88, 99
Sections for Honey.....	38	Wax-Segments of Worker.....	20
Shipping crate for 12 1-pound		Western Apiary.....	180
sections of honey.....	41	White or Dutch Clover.....	113
Shipping crate for 24 1-pound		Wide Frame for 2-lb. sections..	42
sections of honey.....	41	Wide Frame for 8 1-lb. sections	42
Shipping Crate for 12 2-pound		Wide Frames for 8 1-lb. Sections	49
Sections of Honey.....	41	Wide Frames for 2-lb. Sections	40
Shuek Bee-Feeder.....	82	Willow.....	156
Small-Piece Comb-Holder.....	93	Winter Bee-House.....	145
Solar Wax-Extractor.....	79	Winter-Packed Bee-Hive.....	143
Sourwood.....	129	Wired Sticks for Transferring..	73
Square Tin Cans for shipping		Wiring-Tool for Foundation....	102
Extracted Honey.....	55	Wood-Zinc slatted Honey-Board	87
Stingless Bees.....	131	Worker-Bee (magnified).....	18
Story for wide frames with		Worrall's Observation Hive....	35
separators.....	42	Youngman, S. J.....	179
Super for 1-pound Sections....	40	Yucca Brush.....	94
Super for 2-pound Sections....	42, 43	Zinc Queen-Excluder.....	102
Super for sections without			
separators.....	40		
Surface Queen-Cage.....	86		
Swammerdam.....	12		
Swarm-Catcher.....	79		



BOOKS FOR BEE-KEEPERS,

Sent by mail, postpaid, on receipt of the prices named.

—:0:—

Bee-Keepers' Guide, or Manual of the Apiary, by PROF. A. J. COOK.—Profusely illustrated, and fully up with the times on every subject that interests the bee-keeper. It is not only instructive, but interesting and thoroughly practical. It comprises a full delineation of the anatomy and physiology of the Honey-Bee. Price, \$1.50.

Quinby's New Bee-Keeping, by L. C. ROOT.—Its style is plain and forcible, making all its readers sensible of the fact that its author is master of the subject. Price, \$1.50.

A B C of Bee-Culture, by A. I. ROOT.—Embraces everything pertaining to the care of the Honey-Bee, and is valuable to the more advanced bee-keeper, as well as the beginner. Cloth, \$1.25.

Blessed Bees, by JOHN ALLEN.—A romance of bee-keeping, full of practical information and contagious enthusiasm. Price, 75 cts.

Langstroth Revised by CH. DADANT & SON.—550 pages : 18 plates. An entirely new work, and fully up with the times. Price, \$2.00.

Kendall's Horse Book.—It has 35 engravings, illustrating positions of sick horses, and treats all diseases in a comprehensive manner. It has many good recipes. Price 25c., in either English or German.

A Year Among the Bees, by DR. C. C. MILLER.—A talk about the implements and methods of a bee-keeper of 25 years' experience, who has made honey-production his exclusive business. Price, 50 cts.

Foul Brood—Its Cause and Cure, by PROF. FRANK R. CHESHIRE, of London, England.—This describes his experiments with the use of Phenol for the cure of diseases of bees. It is the work of a master mind, and full of very interesting matter. Price, 10 cents.

Bee-Keepers' Handy-Book, by HENRY ALLEY.—270 pages, and is a complete manual of bee-keeping. It gives his methods of Queen-Rearing practiced for 22 years. Price, \$1.00.

The Hive I Use, by G. M. DOOLITTLE.—It details his management of Bees, and minutely describes his methods for the production and care of comb honey : management of weak colonies ; how to control swarming ; how to get the largest yield of honey, etc. Price, 5 cents.

The Production of Comb Honey, by W. Z. HUTCHINSON.—It discusses the use of Comb Foundation—when, where and how to use it, etc. Price, 25 cents.

Foul Brood, by A. R. KOHNKE.—It gives the origin, development, and cure of this bee-disease, as taught by experiments of the most noted scientists and apiarists of Germany.—Price, 25 cents.

Practical Turkey Rearing, by FANNY FIELD, the most experienced turkey-rearer in America. Written expressly for those who are interested in making the business profitable. Price, 25 cents.

Success in Bee-Culture, as practiced and advised by JAMES HEDDON. This book is intended for specialists and those who keep bees for the profits of the business. Price, 50 cents.

How to Produce Comb Honey, by O. FOSTER.—It describes his methods resulting from 10 years' practical work and experiments in the apiary. Price, 5 cents.

THOMAS G. NEWMAN & SON,

246 East Madison Street, -

CHICAGO, ILL.

BOOKS FOR BEE-KEEPERS.

Sent by mail, postpaid, on receipt of the prices named.

—:c:—

Bees and Honey, or Management of an Apiary for Pleasure and Profit, by THOMAS G. NEWMAN.—It is "fully up with the times," in all the various improvements and inventions in this rapidly-developing pursuit, and presents the apiarist with everything that can aid in the successful management of the honey bee, and at the same time produce the most honey in its best and most attractive condition. It embraces the following subjects: Ancient History of Bees and Honey—Locating an Apiary—Transferring—Feeding—Swarming—Dividing—Extracting—Queen Rearing—Introducing Queens—Italianizing—Bee Pasturage a Necessity—Quieting and Handling Bees—The Management of Bees and Honey at Fairs—Marketing Honey, etc. 230 profusely-illustrated pages. Price, in cloth binding, \$1.00.

Apiary Register, by THOMAS G. NEWMAN.—This is a Record and Account Book for the Apiary, devoting two pages to each colony, ruled and printed, and is so arranged that a mere glance will give its complete history. Strongly bound in full leather. Price, for 50 colonies, \$1.00; for 100 colonies, \$1.25; for 200 colonies, \$1.50.

Honey as Food and Medicine, by THOMAS G. NEWMAN.—It gives the various uses of Honey as Food; recipes for making Honey Cakes, Cookies, Puddings, Foam, Wines, etc. Also, Honey as Medicine, with many valuable recipes. It is intended for consumers, and should be liberally scattered to help in creating a demand for honey. Price, for either the English or German edition, 5 cents—one dozen, 40 cents—100 for \$2.50—500 for \$10.00—1,000 for \$15.00. When 100 or more are ordered, we will print the bee-keeper's card (free of cost) on the cover.

Bee-Keepers' Convention Hand Book, by THOMAS G. NEWMAN. It contains a simple Manual of Parliamentary Law and Rules of Order, for the guidance of officers and members of Local Conventions—Model Constitution and By-Laws for a Local Society—Programme for a Convention, with Subjects for Discussion—List of Premiums for Fairs, etc. Bound in cloth, and suitable for the Pocket. Price, 50 cents.

Preparation of Honey for the Market, including the production and care of both Comb and Extracted Honey, and Instructions on the Exhibition of Bees and Honey at Fairs, etc., by THOMAS G. NEWMAN. This is a chapter from "Bees and Honey." Price, 10c.

Swarming, Dividing and Feeding Bees.—Hints to Beginners, by THOMAS G. NEWMAN. A chapter from "Bees and Honey." Price 5c.

Bee Pasturage a Necessity, by THOMAS G. NEWMAN.—Progressive views on this important subject; suggesting what and how to plant.—A chapter from "Bees and Honey." 26 engravings. Price, 10c.

Bees in Winter, by THOMAS G. NEWMAN.—Describing Chaff-packing, Cellars and Bee Houses. A chapter from "Bees and Honey." Price 5c.

Bienen Kultur, by THOMAS G. NEWMAN.—In the German. Price, in paper covers, 40 cents, or \$3 per doz.

Scribner's Lumber and Log Book.—Gives measurement of all kinds of lumber, logs and planks; wages, rent, etc. Price, 35c.

Fisher's Grain Tables.—For casting up grain, produce and hay; wood measurer, ready reckoner, plowing tables, etc. Price, 40c.

Hand-Book of Health, by Dr. Foote.—Rules for eating, drinking, sleeping, bathing, working, dressing, etc. Price, 25c.

THOMAS G. NEWMAN & SON,

246 East Madison Street,

-

CHICAGO, ILL.

BOOKS FOR BEE-KEEPERS,

Sent by mail, postpaid, on receipt of the prices named.

—:0:—

Honey Almanac—to create a demand for Honey at home. Bee-keepers should scatter it freely. It shows the uses of Honey for Medicine, Eating, Drinking, Cooking, for making Cosmetics, Vinegar, etc.; also uses of BEESWAX. Price, 5 cts.; 25 copies for \$1.10; 50 for \$1.70; 75 for \$2.30; 100 for \$2.90. The foregoing are POSTPAID prices; the following are prices when sent by Express or Freight: 100 copies for \$2.50; 500 for \$10.00; 1,000 for \$15.00. The Bee-Keeper's CARD will be printed on the first page without extra cost, when 25 or more are ordered at once.

Scientific Queen-Rearing, as Practically Applied, by G. M. DOOLITTLE. The author details the results of his experiments in the Rearing of Queen-Bees for the past five years, and is the first to present his great discoveries to the world. Price, \$1.00.

Silo and Silage, by PROF. A. J. COOK, contains a plain statement of the method in very successful operation at the Michigan Agricultural College. Price, 25 cents.

Handling Bees, by CHAS. DADANT & SON. It is a pamphlet of 28 pages, being a chapter from "Langstroth Revised," and is an excellent thing for beginners. Price, 8 cents.

Peerless Atlas of the World. Size, open, 14x22 inches; closed, 14x11 inches. As a concise and intelligent epitome of the World, it is equal to any \$10.00 Atlas. It contains handsome, colored maps of all countries, and a general description of them—about 100 pages. This Atlas, with the American Bee Journal for one year, both for \$1.60; or it is sent post-paid to any address for 75 cents.

Maple Sugar and the Sugar Bush, by PROF. A. J. COOK, tells all about making the best Maple Syrup and Sugar. Price, 40 cents.

Why Eat Honey? (Leaflet No. 1), by THOMAS G. NEWMAN. This Leaflet is intended for distribution in the bee-keeper's own locality, in order to create a Local Market. Price, 100 copies, 50 cents; for 500, \$2.00; for 1,000, \$3.25.

☛ If 200 or more are ordered at one time, we will print on them the honey-producer's name and address FREE.

Alsike Clover, (Leaflet No. 2). This is intended to induce farmers to plant Alsike Clover for pasturage and hay, and thereby improve the neighborhood for bee-forage. Prices same as Leaflet No. 1.

How to Keep Honey, (Leaflet No. 3), by THOMAS G. NEWMAN.—This Leaflet is designed to inform producers, dealers and consumers How to Keep Honey, so as to preserve its richness and flavor, and prevent deterioration by being stored in damp and unclean places. Prices the same as Leaflet No. 1.

A B C of Carp-Culture, by M. P. PIERCE.—It explains the cheapest and most effective system of carp-culture. Price, 40 cents.

A B C of Potato-Culture, by T. B. TERRY.—How to grow them in the largest quantity, and of the finest quality, with the least expenditure of time and labor. Price, 40 cents.

How I Produce Comb Honey, by GEO. E. HILTON.—Ten years' experience. Price, 5 cents.

THOS. G. NEWMAN & SON,

246 East Madison Street, - - - - CHICAGO, ILL.

[ESTABLISHED IN 1864.]

BEE SUPPLIES

AT WHOLESALE AND RETAIL.

Everything Needed in the Apiary of Practical Construction at the Lowest Price.

SATISFACTION GUARANTEED.

We have the largest steam-power shops, exclusively used for the manufacture of all kinds of Bee-Keepers' Supplies in the West. Send your address on a postal card and we will send you free our Illustrated Catalogue.

E. KRETCHMER, Red Oak, Iowa.

BEE-HIVES

SECTIONS, ETC.

We make the **best** Bee-Hives, Shipping-Crates, Sections, &c., in the World, and sell them the cheapest. Catalogues free, but sent only when ordered.

Address,

G. B. Lewis & Co., Watertown, Wis.

ELECTROTYPES

OF ANY OF THE

ENGRAVINGS

Used in this Book or the Bee Journal, for sale at **25 cents** per square inch. No single cut sold for less than 25 cents.

THOS. G. NEWMAN & SON, 246 East Madison St., Chicago, Ills.



No. 1.....	\$2.00	No. 4.....	\$1.25
No. 2.....	1.75	No. 5.....	1.00
No. 3.....	1.50	No. 6.....	.65
Knife.....		\$1.15	

On receipt of the above price,

SMOKERS KNIVES,

Will be sent post-paid. Descriptive Circulars will be sent on receipt of request card.

Bingham & Hetherington Smokers are staple tools, and have been used 12 years without complaint, and are the only stove-wood, clear-smoke Bee-Smokers. No giving out—no fussing—no going out—no vexation.

BINGHAM & HETHERINGTON, ABRONIA, MICH.

A * BEAUTIFUL * MONTHLY * MAGAZINE

Printed in the highest style of the art, and profusely embellished
with Magnificent and costly Engravings



ONE DOLLAR a Year. Sample Copy Free

The ILLUSTRATED HOME JOURNAL is a high-toned, moral and intellectual Educator, invaluable in every Library, and a very attractive and inspiring ornament in every Drawing-Room.

Read what Representative Men say of it:

The Illustrated Home Journal is simply superb, as a specimen of typographical execution. As a journal for the home it is first-class, clean, interesting, and instructive—not only an ornament to the library or drawing-room table, but a means of giving to many homes a much-needed source of amusement, as well as instruction, both moral and secular. J. E. POND.

It is full of choice and instructive reading-matter for the family. It is deserving of a wide circulation, for it stands second to none of the popular monthlies. DR. G. L. TINKER.

The Illustrated Home Journal is indeed very nice, and after having seen it, we want it regularly. CHAS. DADANT & SON

Your beautiful Home Journal is received. I take great pleasure in welcoming such a clean, healthy and instructive journal (as it is) into my home. DR. S. W. MORRISON.

The paper, typography, illustrations and matter are first-class. It will be a welcome visitor at our house. DR. A. B. MASON.

Its illustrations are fine, and its contents worth many times its cost. As a Magazine for Ladies, it takes the lead. J. M. YOUNG.

The Illustrated Home Journal is a gem of the first water—appreciated as soon as seen. J. M. SHUCK.

It is a Magazine that should be found in the homes of all who desire a paper that gives instruction, and its articles are of such a nature that they cannot fail to please all. H. H. BROWN.

It is read and re-read—its contents well noted, and then loaned to a neighbor. We wish it success, and predict for it a glorious future. MRS. L. HARRISON.

It will be Clubbed with the AMERICAN BEE JOURNAL and both mailed to any address in the United States or Canada, one year, for \$1.75.

THOMAS G. NEWMAN & SON, Publishers,

246 East Madison Street,

CHICAGO, ILL.

COMB FOUNDATION,

Wholesale and Retail.

“Langstroth on the Honey-Bee” Revised.—The book for beginners; the most complete text-book on the subject in the English language.

Price, \$2.00.

Bee-Veils of Imported Material, Smokers, Sections, Honey-Pails, and Bee-Keepers' Supplies.

PAMPHLET ON “HANDLING BEES”—8 CTS.

Advice to beginners, Circulars, Samples, etc., free.

Send your address on a postal card to

CHAS. DADANT & SON,

HAMILTON, Hancock Co., ILL.

NEW BEE VEIL.



There are five cross bars united by a rivet through their center at the top. These bars are buttoned on to studs on the neck-band. The bars are of best light spring steel; the neck-band of best hard spring brass; the cover is of handsome light material. It is very easily put together, no trouble to put on or take off, and folds compactly in a paper box 6x7 inches by one inch deep. There would be no discomfort in wearing it either day or night, and the protection against Mosquitoes, Flies, Bees, Gnats, etc., is perfect; the weight of the entire Veil being only five ounces.

Price, by Mail or Express, \$1.00.

THOMAS G. NEWMAN & SON,

246 East Madison Street,

CHICAGO, ILLINOIS.

“A YEAR AMONG THE BEES.”

— BEING —

A talk about some of the Implements, Plans and Practices of a Bee-Keeper of 25 years' experience, who has for 8 years made the Production of Honey his Exclusive Business.

By Dr. C. C. MILLER.

Its descriptions commence with the necessary work in the spring, and run through the entire Year, detailing the methods of doing, as well as telling **when** to do, all that should be done in the apiary. It contains 114 pages, and is nicely bound in cloth.

Price, **50 Cents**, by mail; or it will be Clubbed with the American Bee Journal for one year, for only **\$1.35**.

We will send the Book, and the Bee Journal and Home Journal, one year each, all for **\$2.20**.

THOMAS G. NEWMAN & SON,

246 East Madison Street, -

CHICAGO, ILLINOIS.

SCIENTIFIC QUEEN-REARING,

AS PRACTICALLY APPLIED;

Being a Method by which the **best of Queen-Bees** are reared in perfect accord with Nature's Ways, by

G. M. DOOLITTLE,

Borodino, N. Y.

In this book the author details the results of his Experiments in Rearing Queen-Bees for the past four or five years, and is the first to present his valuable discoveries to the World.

Bound in Cloth—182 pages—Price, \$1.00, postpaid.

~~or~~ Or, it will be Clubbed with the American Bee Journal one year, for \$1.75—with Home Journal for \$1.75. Or the two Journals and Book for \$2.50.

THOMAS G. NEWMAN & SON,


246 East Madison Street,

CHICAGO, ILLINOIS.

BARNES' PATENT FOOT & STEAM POWER MACHINERY.

Complete outfits for Actual Workshop Business. Lathes for Wood or Metal, Circular Saws, Scroll Saws, Formers, Mortisers, Tenoners, etc.

WILL SEND MACHINES ON TRIAL IF DESIRED.



Read what J. I. PARENT, of CHARITON, N. Y., says:—"We cut with one of your Combined Machines last winter, 50 chaff hives with 7 in. end, 100 honey racks, 500 broad frames, 2,000 honey boxes, and a great deal of other work. This winter we have double the amount of bee hives, etc., to make, and we expect to do it all with this Saw. It will do all you say it will." Catalogue and Price List free. Address W. F. & JOHN BARNES, No. 2083 Main Street, Rockford, Ill.

Every Bee-Keeper should have one of these Machines for Hive-Making.

S. Woodburn, Dickinson, Pa., says: "After a trial of three months I am well pleased with the Combined Machine. I have made 50 hives complete, besides several hundred frames."

We will send our Illustrated Catalogue FREE on application. Say where you read this, and address

W. F. & JOHN BARNES,
No. 2083 Main Street, Rockford, Winnebago Co. Ills.

J. M. KINZIE,

MANUFACTURER OF

Chaff Hives, Single Boarded Hives,

ONE-PIECE V-GROOVE SECTIONS,

Comb Foundation, Shipping Crates, and Dealer in Queens,
Bees and Honey. Price-List Free.

Rochester, Oakland Co., Mich.

NEW YORK.

NEW JERSEY.

Foreign Orders Solicited.

Eastern Depot!

—FOR—
BEESS



QUEENS

Everything Used by Bee-Keepers.

Exclusive Manufacturer of

The Stanley Automatic Honey-Extractor,

**Dadant's
Foundation,**
Wholesale and
Retail.



White Poplar or Basswood Sections,

One-Piece, Dovetail, or to nail. Any quantity
—any size. Complete Machinery—Finest work.
Send for Handsome Illustrated Catalogue free.

E. R. NEWCOMB,

PLEASANT VALLEY, Dutchess Co., N. Y.

MASSACHUSETTS.

CONNECTICUT.

C. W. COSTELLOW,

Waterboro, York Co., Maine,

Manufacturer of

BEE-HIVES, SECTIONS, GRATES, ETC.,

AND DEALER IN A FULL LINE OF

Supplies for Bee-Keeping, Bees, Queens and Honey;

Makes a Specialty of Fine and Accurate Workmanship on Wood-
work for bee-keeping. Send for free Catalogue and estimates.

A. I. ROOT,


PUBLISHER OF

GLEANINGS IN BEE-CULTURE

A SEMI-MONTHLY

Of 36 pages, with a subscription-list of over 8,000. Each issue is handsomely illustrated with original engravings. Its corps of contributors comprises the most successful Bee-keepers from all parts of the world.

Price, \$1.00 Per Year.



WE ARE ALSO DEALERS IN

APIARIAN SUPPLIES,

Such as **BEES, HONEY, HIVES, etc.**

We annually manufacture about 20,000 Hives, millions of Section Honey-Boxes, tons of Comb Foundation, Honey-Extractors, besides enormous quantities of Bee-Supplies in general.

WE ARE ALSO PUBLISHERS OF THE

A B C OF BEE-CULTURE,

A Cyclopedia of 400 Pages.

It is handsomely illustrated with 300 engravings. It is written especially for beginners. The 38th thousand now out.
Price, in cloth, **\$1.25**, postpaid.

A. I. ROOT, MEDINA, Medina Co., OHIO.

MUTH'S GLASS HONEY JARS.

Our 1 and 2 pound square HONEY JARS have now been tested for years, and have not only proved a success, but we have added to them half-pound and Dime Jars, which cannot be excelled for neatness.



As Jars of honey are generally bought for table use, the best honey only should be bottled. A neat label on each Jar, with the producer's name plainly printed, will often serve as a reminder to the consumer of the place where the last nice honey was purchased.

MUTH'S HONEY EXTRACTOR AND UNCAPPING KNIFE



The Extractor is made of all metal, is always ready for use, easily cleaned, and will last a life-time; in fact, it has only to be used to be appreciated. Every BEE-KEEPER should

SEND FOR OUR CIRCULAR,
giving details about the care of bees, and how to get the most honey.



CHAS. F. MUTH & SON,

Cor. Freeman and Central Aves., CINCINNATI, O.

Our PAMPHLET entitled
PRACTICAL HINTS TO BEE-
KEEPERS, will be sent for 10
cents in postage stamps.



The Oldest Weekly Bee-Paper in the World.

THE AMERICAN BEE JOURNAL,

ESTABLISHED IN 1861,



Is the Recognized Leading Bee-Periodical in America.

ONE DOLLAR A YEAR, IN ADVANCE.

A Sample Copy Free, Upon Application.

The most successful and experienced bee-keepers in the World comprise its Corps of Contributors, and it is continually advancing progressive ideas upon the various topics of modern scientific Bee-Culture.

PUBLISHED BY

THOS. G. NEWMAN & SON,

Madison St., CHICAGO, ILL.,

SOBBERS AND DEALERS IN

BEE-KEEPERS' SUPPLIES

INCLUDING

HIVES, SECTIONS,

HONEY & WAX EXTRACTORS, COMB FOUNDATION,

KEGS, PAILS, SEEDS, &c.

Illustrated Catalogue sent free upon application.

