MELBOURNE

PRINTED OF THE VICTORIA OF DECEMBER TO VOTICE

Mica of the Inspector, is shally

M.E.A

FIVE (5) OIL-FIRED 25-GALLON URNS FOR BOILING WATER.

CONTRACT No. Works that the was in met combine

SPECIFICATION

1. GENERAL:

te there is any symb

This Specification covers the manufacture, supply and delivery to the Board's Store at Miller Street, Preston, Victoria, of five (5)
Oil-Fired 25-gallon urns for boiling water.

noting one of the Contractor dell suke the managery adjustments

e are shall pass a further test before it will be

The urns are required to provide boiling water for gangs employed on permanent way construction and are to operate under all prevailing conditions of weather.

Each shall be capable of heating twenty-five (25) gallons of water from 60° Fah. to boiling point within 1 hours.

or parted chall be made sood by the Gentluctor, free of cost to

2. OIL BURNER:

The oil-burner equipment shall be simple to operate and maintain, safeguarded against accident and suitable for use in open air.

operated air pumps shall be provided with air reservoirs of adequate capacity, and such reservoirs shall comply with Standards Association of Australia Boiler Code C.B.1 - 1952 - Section VIII.

thurstle atthin thirty (10) days of delivery of the complete come

3. BOILERS: as openisted, or most the satisfactory completion of the

The boilers shall be constructed of non-corrosive metal and shall be easily cleaned. Provision should be made for filling the boilers by hose from a hydrant and for drawing the water through a tap located at least eighteen (18") inches above ground level.

Boilers shall comply with Standard Associations of Australia - Boiler Gode - 1952 - Section VII. Instantaneous flash type boilers of approved design and manufacture will be considered.

4. CONSTRUCTION: person for the time and Fridage Tables, and the

The complete unitshall be of strong, rigid construction and bhall be fitted with wheels or castors to facilitate its removal from one site to another.

5. ACCEPTANCE TESTS:

The Board reserves the right to carry out any examinations

at habitan

an approved manner on a rigid

is, such that they shall be from from etresses due to

openy attachment complete with soltable engine, pusp,

M.E.8

SUPPLY AND DELIVERY HANUFACTURE, TWO (2) MOBILE SITUREN HEATERS, (OIL FIRED)

CONTRACT No.

SPECIFICATION

GENERAL:

This Specification covers the manufacture, supply and delivery to the Board's Store at Miller Street, Preston, Victoria of one (1) or both of two (2) Mobile Oil Fired Bitumen Heaters suitable for the construction and maintenance of tramway permanent way within the Melbourne and Metropolitan area and shall be capable of operating under all prevailing weather conditions.

Each Heater shall consist of a suitable tank and heating unit, with berrel hoist and spraying attachments, properly mounted on a chassis and shall be supplied, complete and self-contained with all control gear, fittings, tools, spare parts, instruction books and drawings essential for satisfactory operation and maintenance.

The term "approved" in this Specification shall mean "approved by the Engineer".

TANK:

The Bitumen Tank shall have a capacity of at least 140 Imperial gallons. It shall be fitted with hinged or removable weather proof covers and a hooded vent or stack connected to the fire chamber. Approved baffle plates shall be fitted in the fire chamber. It shall be provided at the rear with a quick acting, no drip, drawoff cock, 11" diameter, fitted with a suitable looking device.

An approved dial type thermometer calibrated to 600° Fahrenheit shall be suitably mounted to show the temperature of the contents of All surfaces of the heater exposed to weathering and corresion the tank. small be thoroughly classed to remove all rust and grease and painted

3. HEATING UNIT: of approved heat quality black point to be the

Oil Burner or Burners, of the vaporising torch type, capable of heating the full contents of the tank from 500 to 4000 Fahrenheit shall be fitted. They shall be capable of easy adjustment to give variable heating rates. A spare jet shall be supplied with each burner. The heating unit shall be so designed and fitted as to eliminate all

MELBOURN AND METROPOLITAN TRANSAYS NARD.

MELECURNE A SANTAL A STATE TO A VICTORIA TEN LANGUAGE AT

M.E.10

MANUFACTURE, SUPPLY AND DELIVERY SIX (6) MOBILE TOOL BOXES.

wheel should with set CONTRACT No man of electrate allow The front

AND ASSESSED AND THE SPECIFICATION to turn the Annual Statement Specific

1. GENERAL:

This Specification covers the manufacture, supply and delivery to the Board's Store at Miller Street, Preston, Vastaria, of one (1) or more of six (6) Mobile Tool Boxes for use by gangs employed on Permanent Way construction and maintenance.

Each tool box shall be a complete and self-contained unit complete with all necessary parts and fittings as specified hereunder and as shown on the drawing. Then he applied folians by

The term "approved" in this specification shall mean "approved by the Engineer".

2. DRAWING:

Essential details of the tool boxes required are shown on Drawing No. P. 10849 - "Portable Tool Box, No. 9". Tenderers are required to tender for tool boxes constructed in accordance with this drawing, which shall be deemed as forming part of the specification except in so far as any alterations from such drawing are indicated in this specification of satisfactory, then the destructor shall sake

Several tool boxes made to drawing No. P.10849, except for minor alterations, are at present in use in the Board's service and may be inspected by Tenderers with the approval of the Engineer.

3.

The tool boxes shall be absolutely weatherproof and shall admit no water when exposed for long periods of heavy rain. They shall be strongly constructed and braced to withstand road shocks

Side doors and top lid of each tool box shall be on the same side to facilitate loading and unloading. All lids and doors shall be provided with approved looking devices. Tof the conditions of

A strong tow bar, of approved design, equipped with a flexible spring-loaded connection shall be provided on each tool box to enable

MELBOURNE AND METROPOLITAN TRAMBAYS BARD. MELBOURNE VICTORIA

> MANUFACTURE, SUPPLY AND DELIVERY HUNDRED (300) BARRICADE BARRICADE RAILS.

personal test and or CONTRACT NO Party foliat shall be suche by flyston

SPECIFICATION FOR STOR BEDIE STORESON SEE

1. O GENERAL: onto of the rips whell be Clationed and Grilled to receive

This Specification covers the manufacture, supply and delivery to the Board's Store at Miller Street, Preston, Victoria, of three hundred (300) Barricade Posts and six hundred (600) Barricade Rails for use in Permanent Way construction and maintenance works.

ter, molve (12) frot

Tenders may be submitted either for the Barricade Posts or for the Barricade Rails or for both the Posts and Rails.

The term "approved" in this Specification shall mean "approved by the Engineer"; priming cost of an approved red lead 2. DRAWINGS: applied by grushing, followed by two coats of an

If in the opinion of the Inspector the Tenderers are requested to tender for Barricade Posts as shown on Drawing No. P.10230 and for Barricade Rails as shown on Drawing No. P.12279, both of which drawings shall be deemed as forming part of this Specification.

3. The BARRICADE POSTS: Day orthogon, during each construction that the posts

Each Barricade Posts shall be constructed of 2" diameter seamless steel steam pipe, 2-3/8" external diameter, in first-class condition. The tubes forming the base shall be flattened in the centre to provide a stable base and to allow continuous fillet welding around the bottom of the post section. The base and post tubes shall shall be joined with 8/10 electric weld fillets. ent parts, shall be

3/16" mild steel gussets, shaped to fit, shall be joined to the post and base with 10/8 electric weld fillets.

The hooks shall be constructed of 5/8" diameter mild steel. heated and bent to shape after assembly in post. The hooks shall be electrically welded to the post with 10/8 fillets. only the Books one

The completed posts shall stand firmly on a level surface with the upright section vertical. A drainage hole shall be drilled brook) will be returned to the Contractor on authorestory completion

of the testive (12) much guarantes parted.

MELBOURNE & METROPOLITAN TRAMWAYS BOARD HELBOURNE VICTORIA.

SUPPLY AND DELIVERY

PORTABLE GANGERS' OFFICES CONTRACT NO.

SPECIFICATION

GENERAL

This Specification covers the manufacture, supply and delivery to the Board's Store at Miller Street, Preston, Victoria of one or more of five (5) Portable Gangers' Officer.

These Portable Offices are required for use on permanent way construction and maintenance works.

Each Office shall be complete and self-contained with fittings, steps, wheels, axles and draw-bar as specified.

The temr "approved" in this Specification shall mean "approved by the Engineer".

2. DRAWING

Tenderers are requested to tender for Offices constructed in accordance with Drawing No. S.440 (which shall be deemed as forming part of this specification) except in so far as any alterations from such construction are indicated in this Specification.

ALTERNATIVE DESIGN

Consideration will be given to tenders for Portable Gangers' Offices varying in design from those detailed in Drawing No. S.440 provided the general requirements are complied with in the Offices offered.

GENERAL REQUIREMENTS

The internal dimensions of the Offices shall be not less than nine (9) feet long by five (5) feet six (6) inches wide and the minimum ceiling height above floor shall be seven (7) feet. External dimensions of the Offices shall be not more than ten (10) feet long by six (6) feet six (6) inches wide and the overall height, on wheels, shall not exceed ten (10) feet six (6) inches.

M.E. 12

M.E. 13

MELBOURNE AND METROPOLITAN TRAMWAYS BOARD MELBOURNE VICTORIA.

MANUFACTURE, SUPPLY AND DELIVERY

TWO (2) PORTABLE LAMP CABINS -

CONTRACT NO.

SPECIFICATION

1. GENERAL

This Specification covers the manufacture, supply and delivery to the Board's Store at Miller Street, Preston, Victoria, of one or both of two (2) Portable Lamp Cabins. These Cabins are required for use on permanent way construction and maintenance works. Each Cabin shall be complete and self-contained with fittings, steps, wheels axles and drawbar as specified.

The term "approved" in this Specification shall mean "approved by the Engineer".

2. DRAWING

Tenderers are required to tender for Cabins constructed in accordance with Drawing No. S.441 (which shall be deemed as forming part of this Specification) except in so far as any alterations from such construction are indicated in this Specification.

3. ALTERNATIVE DESIGN

Consideration will be given to tenders for Portable Lamp Cabins varying in design from those detailed in Drawing No. S.441 provided the general requirements are complied with in the Cabins offered.

4. GENERAL REQUIREMENTS

The internal dimensions of the Cabins shall be not less than six (6) feet three (3) inches long by four (4) feet three (3) inches wide and the minimum ceiling height above floor shall be seven (7) feet.

External dimensions of the Cabins shall be not more than seven (7) feet long by five (5) feet wide and the overall height, on wheels, shall not exceed ten (10) feet six (6) inches.

M.E. 9

MANUFACTURE, SUPPLY AND DELIVERY Of FOUR (4) MOBILE CONVENIENCES

and fittings counted to CONTRACT No. of shooks while being tored along

ATEMASE TORSE AT STR (6) SPECIFICATION

1. GENERAL:

This Specification covers the manufacture, supply and delivery to the Board's Store at Miller Street, Preston, Victoria, of one (1) or more of four (4) Mobile Conveniences of the "Kaustine" Latrine Type" as follows:-

Learning on a sent out with fathering and external

- A. One (1) large Mobile Convenience fitted with two (2) seats.
- B. Three (3) small Mobile Conveniences each fitted with one (1) seat.

The conveniences are required for use of men working in gangs on permanent way construction and repairs.

Each convenience shall be a complete and self-contained unit mounted on a suitable chaesis equipped with all necessary fittings and apparatus, together with all tools, spare parts, instruction books and drawings essential for their satisfactory operation and maintenance.

The term "approved" in this Specification shall mean approved by the Engineer".

2. DRAWINGS:

Pull details of the double seat Mobile Conveniences at present in satisfactory use in the Board's service are shown in Drawings P.10236, W.1791, W.1793 and W.1794 (for double seat conveniences) and P.10258, W.1793, W.1794, W.2027, and W.2029(for single seat conveniences) while drawing W.2078 shows details of the Kaustine Bowls. Tenderers are required to tender for conveniences constructed in accordance with these drawings, (which shall be deemed as forming part of this Specification) except in so far as any alterations from such details are indicated in this Specification.

3. ALTERNATIVE DEBIGN:

Consideration will be given to tenders for Mobile Conveniences varying in design from those detailed in the drawings provided the general requirements are complied with in the conveniences offered.