



METROPOLITAN TRANSIT

6001



METROPOLITAN TRANSIT AUTHORITY

MELBOURNE

VICTORIA, AUSTRALIA

TENDER SCHEDULE FOR

ELECTRIC TRAMS

CONTRACT No. 4000

METROPOLITAN TRANSIT AUTHORITY

Melbourne, Victoria, Australia

MANUFACTURE, SUPPLY AND DELIVERY

OF

ELECTRICAL TRAMS

CONTRACT NO. 4000

TABLE OF CONTENTS

(An alphabetical index is provided at the end of this document)

	Page No.
NOTES FOR TENDERERS	1
SCHEDULE "A" - CONDITIONS OF TENDERING	3
SCHEDULE "B" - GENERAL CONDITIONS OF CONTRACT	5
1. CONSTRUCTION OF CONTRACT AND INTERPRETATION OF TERMS	5
2. CONTRACT DRAWINGS	8
3. APPROVALS	8
4. EXTENT OF CONTRACT	8
5. COUNTRY OF MANUFACTURE	9
6. CONTRACTOR TO INFORM HIMSELF FULLY	9
7. PATENT RIGHTS	9
8. SECURITY	10
9. INSPECTION AND TESTING	10
10. CONTRACTOR NOT TO ASSIGN OR SUB-LET CONTRACT	11
11. ASSIGNMENT BY AUTHORITY	11
12. RATES OF WAGES	11
13. REPLACEMENT OF DEFECTIVE WORK OR MATERIALS	12
14. WARRANTY/MAINTENANCE OF WORKS	12
15. FIELD SERVICE ENGINEER	13
16. CARE OF THE WORKS AND INSURANCE	13
17. TIME FIXED FOR COMPLETION	16
18. PASSING OF TITLE	18
19. DAMAGES FOR DELAY IN COMPLETION	18

Metropolitan Transit Authority
Melbourne
Victoria, Australia

**MANUFACTURE
SUPPLY and DELIVERY
OF
ELECTRIC TRAMS**

OPTION N°1	200	Four Axle Rigid Trams
OPTION N°2	100 60	Four Axle Rigid Trams and Six Axle Articulated Trams
OPTION N°3	120	Six Axle Articulated Trams

Contract N°4000

SEALED TENDERS endorsed as above, are to be addressed to "The General Manager, Tram and Bus Division, Metropolitan Transit Authority" and must be delivered at the office of the Authority, 616 Little Collins Street, Melbourne, Victoria, 3000, Australia, not later than 2 p.m. on Friday, 27 April, 1984.

TELEGRAPHIC ADDRESS — 'TRAMWAY' MELBOURNE
TELEX — AA 33392

20.	DEFAULT PROVISIONS	18
21.	TERMINATION OF CONTRACT	20
22.	ALTERATION IN RATE OF DELIVERY	21
23.	SETTLEMENT OF DISPUTES	21
24.	NOTICES AND CERTIFICATES	22
25.	TENDER PRICE	22
26.	PRICE VARIATION PROVISIONS	23
27.	CUSTOMS DUTY	27
28.	TERMS OF PAYMENT	28
29.	MODIFIED TERMS OF PAYMENT	29

SCHEDULE "C" - SPECIFICATION :

1 - NATURE OF CONTRACT

1-01	Contract	31
1-02	Acceptance	31
1-03	Joint manufacturing co-operation	31
1-04	First tram	33
1-05	Tender schedule	33
1-06	Country of origin	33
1-07	Place of delivery	33
1-08	Date of delivery	33
1-09	Delivery rate	34
1-10	Condition on delivery	34
1-11	Identification of trams	34
1-12	Information to be supplied by Tenderers	34
1-13	Information to be supplied by Contractor	34
1-14	Items to be approved by the Authority	35
1-15	Items for approval after signing of contract	35

2 - BACKGROUND INFORMATION

2-01	GEOGRAPHICAL	37
2-02	CLIMATE	37
(a)	Temperatures	37
(b)	Rainfall	37
(c)	Humidity	37
(d)	Cloud and sunshine	37
(e)	Wind	38
(f)	Hail and snow	38
(g)	Lightning	38

2-03 MELBOURNE'S STREET TRANSPORT SYSTEM

(a)	General	38
(b)	Tram routes	39
(c)	Terrain	39
(d)	Track design	40
(e)	Electrical system	40
(f)	Automatic points shifters	42
(g)	Existing rolling stock	43
	(i) Green trams	43
	(ii) Z-class trams	45
(h)	Cleaning procedures	48
(i)	Depot parking procedures	48
(j)	General comments	48

3 - DESIGN PARAMETERS AND STANDARDS

3-01 GENERAL

(a)	Type of tram	49
(b)	Essential characteristics	49
(c)	Essential details	50
(d)	Design features related to weather and environment	51
(e)	Reliability	51
(f)	Maintainability	53
(g)	Accessibility	54
(h)	Modular design	55
(i)	Test points	55
(j)	Interchangeability	55
(k)	System safety	55

3-02 DIMENSIONS

(a)	Clearance limits	58
(b)	Typical arrangement	58
(c)	Truck centres	59

3-03 MASS AND LOADING

(a)	Mass	59
(b)	Passenger loading	59
(c)	Dynamic loading	59
(d)	Standing load	59
(e)	Crush load	59
(f)	Mass schedule	59
(g)	Weighing	60

3-04 OPERATING PERFORMANCE

(a)	General	60
(b)	Maximum speed	61
(c)	Acceleration	61

	Page No.
3-04 OPERATING PERFORMANCE (contd.)	
(d) Load weighing	61
(e) Deceleration	62
(f) Jerk	62
(g) Rate of change of jerk	63
(h) System response times	63
3-05 DRIVER'S CONTROLS	
(a) Lockable consoles... ..	64
(b) Captive key	64
(c) Safety interlock	64
(d) Electrically interlocked consoles	64
(e) Console layout	64
(f) Preparation to drive tram	64
3-06 TRACTION CONTROL	
(a) General	65
(b) Driver's controls	65
(c) Acceleration	66
(d) Braking	66
(e) Emergency braking	68
(f) Safety pedal	68
(g) Wheel slip - skid control	69
(h) Chopper control	70
(i) Electromagnetic interference (chopper)	72
3-07 DOOR CONTROL	
(a) General	72
(b) Operation of doors	72
(c) Right hand doors... ..	73
(d) Over-ride switch	73
(e) Door warning light	73
(f) Speed sensing interlock	74
(g) Exit doors operation	74
(h) Stop signal interlock	74
(i) Pressure sensitive mats	74
(j) Sensitive edges	74
(k) Memory	75
(l) External key operation	75
3-08 MATERIALS AND MANUFACTURING TECHNIQUES	
(a) Welding	75
(b) Fibreglass reinforced polyester	77
(c) Elastomers	78
(d) Lubricants	78
(e) Miscellaneous	78

	Page No.
3-09 NOISE	
(a) General	79
(b) Measuring instruments	79
(c) Test conditions	79
(d) Maximum acceptable noise levels	80
(e) Tonal components	81
(f) Impulsive noise	81
(g) Squeal on curves	81
3-10 STANDARDS	
(a) General	82
(b) Latest issue	82
(c) Systeme International	82
(d) Screw threads	82
<u>4 - BODY</u>	
4-01 GENERAL DESIGN	
(a) Construction	83
(b) Compliance with specification	83
(c) Life expectancy	83
(d) Low floor	83
(e) Buffing resistance	83
(f) Camber	83
(g) Lifting	83
(h) Body - truck attachment	83
(i) Smooth external panels	84
(j) Absence of vibration	84
(k) Clearances	84
(l) Compatibility - body to truck	84
(m) Maximum mass and distribution	84
(n) Keys	84
(o) Body drawings	84
4-02 BODY CONSTRUCTION AND MATERIALS	
(a) Body construction procedures... ..	85
(b) Proposed constructional sequence	85
(c) Body frame material	86
(d) Other materials	86
(e) Welding	86
(f) Bolted and other screwed fasteners	86
(g) Tests on body	86
4-03 UNDERFRAME	
(a) Underframe structure	86
(b) Bolster	87
(c) Collision resistance	87
(d) Bumper bar... ..	87

	Page No.
4-03 UNDERFRAME (contd.)	
(e) Underfloor equipment supports	88
(f) Ducting	88
(g) Jacking and lifting points	88
4-04 ROOF	
(a) Roof and ventilation canopies	89
(b) Material - electrically insulating	89
(c) Performance of roof	89
(d) Workmen on roof	90
(e) Rain shedding	90
(f) Pantographs	91
(g) Joints... ..	92
(h) Fastening and support	92
(i) Route number equipment	92
(j) Roof fittings	92
(k) Lightning arrestor	93
(l) End canopies	93
(m) Colour	93
(n) Water proofing test	93
(o) Thermal insulation	93
4-05 WALLS	
(a) General	94
(b) Drain gutters	94
(c) Cladding	94
(d) Apertures	95
(e) Skirts... ..	95
(f) Insulation	95
(g) Access to roof	95
(h) Air intake louvres	95
(i) End walls	96
(j) Dash panel	96
(k) Doorway trim	96
(l) Concealment of joints	97
4-06 STEPS	
(a) General	97
(b) Cleaning	97
(c) Dimensions - entrances and exits	98
(d) Strength	98
(e) Removal	98
(f) Design to reduce damage	98
(g) Exit control	98
(h) Materials	98
(i) Tread mats	98

	Page No.
4-07 DOORS	
(a) General	99
(b) Type	99
(c) Projection outside body	99
(d) Width, stanchions and handrails	99
(e) Door operation	100
(f) Door construction	100
(g) Rigidity	101
(h) Weather sealing	101
(i) Glazing	101
(j) Door control	101
(k) Opening doors in emergency	101
(l) Access to operating mechanism	101
(m) Safety reversal motion	102
(n) Step clearance	102
(o) Door operation	102
(i) Electric motor drive	102
(ii) Compressed air drive	103
(p) External key switches	104
(q) Information from tenderers	104
4-08 WINDOWS	
(a) Glazing	104
(b) Frames or sections	105
(c) Windscreen	105
(d) Side windows	105
(e) Driver's side window	105
(f) Window sills	105
(g) Glazing strips	105
(h) Sealants	106
4-09 TRAM INTERIOR	
(a) General	106
(b) Side walls	106
(c) Ceiling	106
(d) Pillar facings and dead light panels	106
(e) Other surfaces	107
(f) Finish	107
(g) Insulation	107
(h) Samples	107
4-10 FLOOR	
(a) General	107
(b) Type of construction	108
(c) Strength	108
(d) Defects	108
(e) Surface preparation	108
(f) Floor hatches	108
(g) Floor covering	109

4-11	PASSENGER SEATS	
(a)	General	110
(b)	Layout	110
(c)	Types of seats	110
(d)	Seat cushions	110
(e)	Squabs	110
(f)	Frames	111
(g)	Mounting	111
(h)	Seat surround	111
4-12	INTERIOR ACCESSORIES	
(a)	Stanchions and rails	111
(b)	Stanchions and rail fittings	112
(c)	Bellcords and brackets	113
(d)	Tapping plates	113
(e)	Strap hanger handles	113
(f)	Bulkheads	113
(g)	Louvre blinds	114
(h)	Cover strips and mouldings	115
4-13	DRIVER'S COMPARTMENT	
(a)	General	115
(b)	Bulkhead	115
(c)	Access	115
(d)	Protection	116
(e)	Visibility and reflections	116
(f)	Controls	116
(g)	Control console	116
(h)	Seat	117
(i)	Interior lining	117
(j)	Floor covering	118
(k)	Ventilation	118
(l)	Windscreen demister	118
(m)	Windscreen wipers	118
(n)	Windscreen washers	119
(o)	Interior mirrors	119
(p)	Exterior mirrors	119
(q)	Sun blinds	120
(r)	Ceiling light	120
(s)	Microphone	120
(t)	Points bar storage	120
(u)	Destination selector	121
(v)	Destination equipment access	121
(w)	Run number holder	121
(x)	Next stop light	121
(y)	Blind for side window	121
(z)	Personal fan	121
(aa)	Mock-up	121
(ab)	Automatic Vehicle Monitoring Equipment	121
4-14	CONDUCTOR'S DESK - Not Required	122

4-15	SANDING EQUIPMENT	
(a)	General	122
(b)	Capacity of boxes	122
(c)	Shape and design of boxes	122
(d)	Location of boxes	122
(e)	Venting	122
(f)	Rain proof external hatches	123
(g)	Sand valves	123
(h)	Sand specification	123
(i)	Anti-clogging design	124
(j)	Piping	124
(k)	Sander control	124
(l)	Approval	125
4-16	CORROSION PREVENTION AND PAINTING	
(a)	Corrosion prevention	125
(b)	Timber treatment	126
(c)	Battery box	126
(d)	Exterior painting	126
(e)	Interior painting	127
(f)	Underbody painting	127
(g)	Paint systems	127
(h)	Testing paint thickness	127
4-17	GRAPHICS	
(a)	General	127
(b)	Delivery of information	127
(c)	Required information	128
(d)	Tram number transfers	128
(e)	Logos	128
<u>5 - TRUCKS</u>		
5-01	GENERAL DESIGN	129
5-02	CLEARANCE	130
5-03	INTERCHANGEABILITY	130
5-04	MAINTENANCE	130
5-05	WHEEL GRINDING AT DEPOTS	130

5-06	TRUCK FRAME		
	(a) Material	131	
	(b) Rigidity	131	
	(c) Design with respect to welding	131	
	(d) Corrosion prevention	132	
	(e) Attachment to body	132	
	(f) Re-railing	132	
	(g) Safety wheel guards	132	
	(h) Mudguards	133	
5-07	SUSPENSION		
	(a) Type	133	
	(b) Dynamic performance characteristics	133	
	(c) Static performance characteristics	134	
	(d) System parameters	134	
	(e) Stops	135	
	(f) Air suspension	135	
	(g) Dampers	135	
	(h) Load weighing	136	
5-08	BEARINGS	136	
5-09	WHEELS		
	(a) Dimensions	136	
	(b) Type of wheel	137	
	(c) Tire	137	
	(d) Tire replacement	138	
	(e) Resilient elements	138	
	(f) Current shunts	138	
	(g) Wheel mounting	138	
	(h) Tolerances	138	
	(i) Steel specification	138	
	(j) Identification	138	
5-10	AXLES		
	(a) Design and manufacture	139	
	(b) Identification	139	
	(c) Wheel seats	139	
	(d) Assembly	139	
5-11	GEARS		
	(a) General	139	
	(b) Lubrication	140	
	(c) Gear assembly	140	
	(d) Type tests	140	
5-12	DRIVE COUPLINGS	140	
5-13	FASTENINGS	140	

5-14	BRAKES		
	(a) General	140	
	(b) Electrodynamic brake	141	
	(c) Mechanical brake	141	
	(d) Track brake	142	
5-15	ILLUSTRATIONS OF TRUCKS	143	
6 - ELECTRICAL AND ASSOCIATED EQUIPMENT			
6-01	GENERAL DESIGN	145	
6-02	CURRENT COLLECTION		
	(a) General	145	
	(b) Lightning protection	145	
6-03	TRACTION MOTORS		
	(a) General	145	
	(b) Mounting	146	
	(c) Armatures	146	
	(d) Commutation	146	
	(e) Brush holders	147	
	(f) Brushes	147	
	(g) Fields and interpole coils	148	
	(h) Bearings	148	
	(i) Insulation	148	
	(j) Ventilation	148	
	(k) Characteristics	148	
	(l) Standardization	149	
	(m) Motor cut-out switch	149	
	(n) Motor leads	149	
	(o) Flood water	149	
6-04	CONTROL EQUIPMENT		
	(a) General	149	
	(b) Location	150	
	(c) Main isolating switch	151	
	(d) Main circuit breaker	151	
	(e) Contactors	152	
	(f) Relays	152	
	(g) Electronic control equipment	153	
	(h) Driver's control console	154	
	(i) Foot controller	156	
	(j) Braking resistors	158	
	(k) Switches	158	
	(l) Fuses	159	
	(m) Circuit breakers	159	
	(n) Switching transients	160	

	Page No.
6-04 CONTROL EQUIPMENT (contd.)	
(o) Arc suppression	160
(p) Safety - high voltage	160
6-05 AUXILIARY SUPPLY	
(a) General	160
(b) Storage battery	161
(c) Primary power conversion	161
(i) motor alternator	162
(ii) static inverter	163
(d) Automatic battery charging	163
6-06 ELECTRICAL CONDUCTORS	
(a) Insulation	164
(b) Conductor sizes	164
(c) Circuit protection	164
(d) Conductor terminations	165
(e) Location and protection of cables	165
(f) Cable identification	166
(g) Standards	167
6-07 EARTHING	
(a) General	167
(b) Low voltage earthing	167
(c) 600 volt earthing	167
(d) Bonds	167
(e) Lightning protection	168
6-08 LIGHTING	
(a) Saloon lighting	168
(b) Polarity reversal of fluorescent lights	169
(c) Headlights	169
(d) Tail and stop lights	169
(e) Step lights	169
(f) Emergency lights	170
(g) Turn indicators	170
(h) Exterior light fittings	170
(i) Driver's lights	170
(j) Destination lights	170
(k) Side destination lights	171
(l) Route number lights	171
(m) Inspection lamp outlets	171
(n) Stop signal light	171
(o) Approval of lighting installation	171
(p) Lighting ballast resistors	171
6-09 DESTINATION AND ROUTE NUMBER SIGNS	
(a) General	172
(b) Equipment	172

	Page No.
6-09 DESTINATION AND ROUTE NUMBER SIGNS (contd.)	
(c) Platforms	172
(d) Glazing	172
(e) Wiring ducts	172
(f) Lighting	173
(g) Interior cover for side destination	173
(h) Moisture and dust sealing	173
6-10 HEATING AND VENTILATING SYSTEM	
(a) General	173
(b) Source of heat	174
(c) Passenger heater fan units	174
(d) Driver's heater-demister	176
(e) Ceiling fan system	177
(f) Driver's offside vent	178
(g) End canopy vent	178
(h) Access for maintenance	179
(i) Multi-position test switch	179
(j) Approval	179
(k) System demonstration	179
6-11 PUBLIC ADDRESS SYSTEM	
(a) General	180
(b) Types of microphones	180
(c) Location of speakers	180
(d) Amplifier	180
(e) Performance	181
(f) Microphone cable	181
(g) Approval	181
6-12 HYDRAULIC BRAKE SYSTEM	
(a) General	181
(b) Pressure gauge	182
(c) Manual operation	182
(d) Pressure regulation	182
(e) Maintenance	182
(f) Removal of pump from tram	182
(g) Accessibility of pump	182
(h) Noise	182
(i) Hydraulic brake unit	183
(j) Hydraulic pipes	183
(k) Bleeding points	183
(l) Pipe fittings	183
(m) Hydraulic hoses	183
(n) Oil cooler	183

6-13	PNEUMATIC EQUIPMENT	
(a)	General	183
(b)	Air compressor	184
(c)	Maintenance of actuators & control ...	184
(d)	Materials used in pneumatic equipment ...	184
(e)	Pneumatic cylinders	184
(f)	Control valves	184
(g)	Filtration and lubrication	184
(h)	Air reservoirs	185
(i)	Pressure gauge	185
(j)	Pipe, hose and tube	185
(k)	Air pressure indication at driver's console	185
(l)	Approval	185

6-14	SIGNALS	
(a)	General	185
(b)	Stop signal	186
(c)	Door operation signals	187
(d)	Warning gong	187
(e)	Starting chime	187
(f)	Wheel spin and slip warning	187
(g)	Disc brake warning	187
(h)	Safety pedal warning	187
(i)	Safety pedal warning	188
(j)	Indicating speedometer	188
(k)	Voltmeter	188
(l)	Annunciator panel	188
(m)	Odometer	188

6-15	POINTS CHANGING EQUIPMENT	
(a)	Method of operation with trams of this Contract	188
(b)	Points button for changing points	189
(c)	Load shedding	189

7 - TESTS

7-01	NATURE OF TESTS	
(a)	General	191
(b)	Type tests	191
(c)	Routine tests	191
(d)	Investigation tests	191
(e)	I.E.C. tests	191
(f)	Standards	192
(g)	Sound level tests	192
(h)	Heating and ventilating system test ...	192
(i)	Tram performance and ride tests	192
(j)	Strain gauge testing	193
(k)	Test track	193

7-02	STRAIN GAUGE AND DEFLECTION TESTS	
(a)	Condition of tram body	193
(b)	Witnessing of tests	193
(c)	Plan of test	193
(d)	Test loads	194
(e)	Load generation	194
(f)	Load distribution and support	194
(g)	Deflections	195
(h)	Results	195
(i)	Report	195

7-03	WATER PROOFING TEST	
(a)	General	195
(b)	Purpose	196
(c)	Simulations	196
(d)	Type of jet	196
(e)	Operating pressure	196
(f)	Specific areas requiring individual jetting	196
(g)	Test duration	196
(h)	Quality of water for test	196

7-04	HIGH POTENTIAL TESTS	
(a)	Tests on tram roof	197
(b)	Tests on tram electrical equipment	197

7-05	END COMPRESSION TEST	
(a)	Specification	197
(b)	Test	197
(c)	Re-test	198

8 - COMMISSIONING OF TRAMS

8-01		
(a)	General	199
(b)	Static tests	199
(c)	Dynamic tests	199
(d)	Test track	199

9 - NOMINATED ITEMS 201

10 - SPARES, SPECIAL EQUIPMENT AND MOULDS

10-01	SPARE PARTS	203
-------	--------------------	-----

	Page No.
10-02 SPECIAL EQUIPMENT	
(a) Test equipment	203
(b) Maintenance equipment	203
(c) Tools	204
10-03 MOULDS	204
<u>11 - TRAINING</u>	
11-01 SERVICE MANUALS TO BE PROVIDED BY CONTRACTOR	205
(a) Operating booklet... ..	205
(b) Maintenance manuals	206
(c) Workshop overhaul manuals	206
(d) Spare parts catalogues	207
(e) Recommended spare parts list	207
(f) Recommended maintenance facilities, tools and test equipment list	207
(g) Training program manual	207
(h) Quantities	207
(i) Deliverable documents	207
11-02 TRAINING PROGRAM	207
11-03 TECHNICAL SERVICES	208
<u>12 - DRAWINGS</u>	
12-01 IDENTIFICATION	209
(a) General	209
(b) Numbering system... ..	209
(c) Drawings to be submitted	209
<i>→ register to be continuously updated by contractor.</i>	
<u>13 - PHOTOGRAPHS AND FILMS</u>	
13-01 PHOTOGRAPHS	211
13-02 FILM OR 35mm SLIDES	211
<u>14 - SCHEDULES</u>	
... ..	213
<u>15 - ADDENDUM FOR ARTICULATED TRAMS</u>	
... ..	215

DRAWINGS

T4000-1	MELBOURNE'S TRAMWAY SYSTEM
T4000-2	GLENFERRIE ROAD ROUTE
T4000-3	GROOVED RAIL
T4000-4	T HEAD RAIL
T4000-5	CONCRETE TRACK CONSTRUCTION
T4000-6	MINIMUM RADIUS SERVICE CURVES
T4000-7	LOADING GAUGE
T4000-8	DOUBLE ENDED 4 AXLE TRAM
T4000-9	DRIVER'S CONTROL PANEL
T4000-10	WHEEL PROFILE
T4000-11	RADIO FREQUENCY INTERFERENCE
T4000-12	DOUBLE ENDED 6 AXLE ARTICULATED TRAM
T4000-13	LOCATION OF MAXIMUM SUPER-ELEVATION
T4000-14	COMBINED VERTICAL AND HORIZONTAL CURVE

SCHEDULE "D"	-	SCHEDULE OF PRICES
SCHEDULE "E"	-	TENDER FORM
SCHEDULE "F"	-	FORM OF CONTRACT
SCHEDULE "G"	-	SCHEDULE OF INFORMATION TO BE PROVIDED BY TENDERER
SCHEDULE "H"	-	SCHEDULE OF MASS (Z3 CLASS TRAM ITEMS)
SCHEDULE "I"	-	GUIDELINES FOR THE IMPLEMENTATION OF THE VICTORIAN GOVERNMENTS OFFSETS POLICY

ALPHABETICAL INDEX

METROPOLITAN TRANSIT AUTHORITY

Melbourne, Victoria, Australia

MANUFACTURE, SUPPLY AND DELIVERY

OF

ELECTRIC TRAMS

CONTRACT NO. 4000

NOTES FOR TENDERERS

A. ISSUE OF SPECIFICATION

A copy of these Documents will be issued free to prospective Tenderers. Further copies will be made available at \$25 per copy.

B. CONDITIONS OF TENDERING AND OF CONTRACT

Before inserting prices, the Tenderer should read carefully the Conditions of Tendering and the General Conditions of Contract.

C. SALES TAX

When submitting tenders, Australian Sales Tax should not be included in the prices tendered. Materials used on all operations of the Metropolitan Transit Authority are exempt from such tax. Certificates of exemption will be quoted on the official order issued by the Authority to the Contractor.

D. SUBMISSION OF TENDER INFORMATION

Tender information shall be presented in the sequence indicated by clause numbering of Schedule "C" (Specification).

Attention is drawn to the necessity to provide all of the specific information requested in Schedules "D" & "G" - in the sequence shown in those Schedules.

E. TERMS OF PAYMENT

Clause 28 of Schedule "B" (General Conditions of Contract) indicates the Authority's proposed terms of payment.